

Maharashtra University of Health Sciences, Nashik

Inspection Committee Report for Academic Year 2026-2027


Clinical Material in Hospital

Name of College : Central India Nursing College, Lonara, Nagpur

Faculty : Nursing

HOSPITALDETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more) To be made available on web site	Yes	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual -	1:3	Adequate
c.	Average Bed Occupancy in % :	81%	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Yes	Adequate


Dean/Principal
Stamp & SignaturePrincipal
Central India Nursing College
Lonara, Nagpur



महाराष्ट्र MAHARASHTRA

© 2023 ©

NAGPUR TREASURY

CD 244200

02 FEB 2024

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 23rd September 2024

NOTARIAL REG.

for "PARENT HOSPITAL"

Stamp Head Clerk / Mr. Ch...

ENTRY NO. ... 19087

DATE 4/10/2024

BETWEEN

CENTRAL INDIA NURSING, COLLEGE, LONARA, NAGPUR

Hereafter called Party No. 1

AND

CITY HOSPITAL, NAGPUR

Hereafter called Party No. 2



1. Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote Education for the Students of the Rural and Urban area of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for Nursing education (Program name -B.Sc & P.B.B.Sc Nursing), to be affiliated with MUHS, Nashik to provide Nursing education and training to the students in the area.



Handwritten signature

Handwritten signature

Principal
Central India Nursing College
Lonara, Nagpur



2. The B.Sc & P.B.B.Sc Nursing behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
 3. The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 28 years residing at Sadar, Nagpur.**
 4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
 5. The Party No. 2 executed this agreement through its Party No. 02 Name **CITY HOSPITAL** and designation **Dr. Unaiza Azmi, Ranala, Kamptee Road, Nagpur.**
- Now therefore both the parties 1 and 2 agree for:
1. THAT Party No. 1 is applying for B.Sc & P.B.B.Sc Nursing course of Maharashtra University of Health Sciences, Nashik, Maharashtra Nursing Councils, & Indian Nursing Council, Delhi.
 2. THAT Party No.2 is having **100** bedded hospitals with more than 75% Occupancy.
 3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of B.Sc & P.B.B.Sc Nursing students.



Hafsa

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



4. THAT Party No.2 has agreed to provide their hospital for clinical experience of B.Sc & P.B.BSc Students.
5. THAT Party No.2 has agreed to provide the facility for 30 years from 23rd September 2024, onwards it can be renewed after mutual agreement after 5 years
6. The Parent Hospital the established managed and controlled by the Trust/Society by the Trustee/Member of the Trust/Society of Nursing institutions than hospital would continue to function as parent hospital till the life of Nursing Institution.
7. THAT Party No.2 would not allow the hospital to be treated 'Parent/Affiliated Hospital' to any other nursing institution:
8. Parent Hospital has following area of operations
 - I) Community Health Nursing
 - II) Mental Health Nursing
 - III) Obstetric and Gynecological Nursing
 - IV) Specialty like Cardiology, Neurology, Oncology, Ortho, Infections disease etc.
 - V) Pediatric Nursing



[Handwritten signature]



[Handwritten signature]

[Handwritten signature]
Principal
Central India Nursing College
Lonara, Nagpur

Place: Nagpur

Date: 04/10/2024



Hafsa

Sign

Ms. Hafsa Ahmed,
(President)

Mehmuda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur

Sign

Uzaiza

Dr. Uzaiza Azmi
(City Hospital)
Ranala Kamptee Road, Nagpur



Witness

1. *[Signature]*

2. *[Signature]*



ATTESTED
[Signature]
RAKESH N. MOHOD
NOTARY
NAGPUR DIST. (M.S.) INDIA

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



NOTARIAL NOTARIAL

NOTARIAL NOTARIAL NOTARIAL



**PUBLIC HEALTH DEPARTMENT
ZILLA PARISHAD, NAGPUR**

Certificate of Registration

Under Section 5 of the
Bombay Nursing Homes Registration Act, 1949
(Extension of Provision)

FORM 'C' (Under Rule 5)

This is to verify that Shri/Smt. Hosp. Dr. Unaiza Armi
Rosi - Kamptee has been registered under the
Bombay Nursing Homes Registration Act, 1949 in respect of Name of Nursing
Home CITY HOSPITAL
Situating at Kalamn Road, Ranala, Kamptee
and has been authorized to carry on the said Nursing Home.

Registration No. : 118 Maternity Twenty five Cots 25
Date of Registration 18.4.23 Other Nursing Patients Seventy five Cots 75
five

This certificate shall be valid upto to 31st March 2028
Date of issue: 01.04.2025


Principal
Central India Nursing College,
Lonara, Nagpur


District Health Officer
Zilla Parishad, Nagpur
Zilla Parishad, Nagpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.J
No:- Format1.0/CAC/UAN
No.0000086706/CE/2203000003

Date: 01/03/2022

To,
City Hospital,
Kalamna Road, Ranala,
Tal: Kamptee, Dist: Nagpur.



Sub: Combined Consent to Establish and BMW Authorization under Red Category.

- Ref:**
1. Your application for Combine Consent and Bio-Medical Authorization dated 11.01.2020
 2. The minutes of Consent Appraisal Committee meeting dated 15.05.2020

Combined Consent to Establish and BMW Authorization.

For: Under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:


1. The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.
2. The capital investment of the project is Rs.1.03 Crs. (As per C.A Certificate submitted by industry).
3. The Consent is valid for the Activity of


Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	100	Nos
b)	Total Plot Area	603.87	Sq.Mtrs
c)	Total Built up Area	1393.55	Sq.Mtrs

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	1	As per Schedule -I	Treated effluent recycle up to maximum extent and remaining shall be used on land for gardening / disposed in to sewerage system provided by local body.

CITY HOSPITAL/CE/UAN No.MPCB-CONSENT-0000086706 (01-03-2022 07:17:06 pm) /QMS.P06_F01/00


Principal
Central India Nursing College
Lonara, Nagpur



Sr.No	Description	Permitted (In CMD)	Standards to Achieve	Disposal
2	Domestic effluent	8	As per Schedule - I	As above

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [60 KVA]	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr.No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. Conditions about Non Hazardous Wastes:

Sr.No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	--NA--	NA	NA

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	4.00	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Soiled Waste	30.00		
		c) Expired or Discarded Medicines	0.50		
2	Red	Contaminated waste (Recyclable)	30.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF
4	Blue	a) Glassware	10.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF
		b) Metallic body implants	1.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

- HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
- HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
- HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.



Signature



Signed by: Ashok Shingare
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2022-03-01 19:07:26 IST

WB



Signature
Principal
Central India Nursing College
Lonara, Nagpur

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2001001296	14/01/2020	Online Payment
2	25000.00	TXN1711000347	03/11/2017	Online Payment

Balance amount of Rs. 80000 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai


Principal
Central India Nursing College
Lonara, Nagpur



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 10.00 CMD consisting of Primary (Collection tank, Neutralization tank).
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sl.No.	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	250 mg/l


C) The treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.

2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 25 CMD for the treatment of 8 CMD of sewage.
- B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.


Principal
Central India Nursing College
Lonara, Nagpur



5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	10.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE - II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to provide the Air pollution control (APC) system and also to erect following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
S-1	DG SET [60 KVA]	Acoustic Enclosure and Stack	2.5 Above roof	HSD	12 Ltr/Hr	1.00	5.76

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.



- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Combined Consent to Establish and BMW Authorization	Rs.5.0 Lakhs	15 Days	Towards compliances of consent condition.	Continuous	30.04.2026

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
 # Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1			

BG Forfeiture History

Sr.No.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Sr.No.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.




Principal
Central India Nursing College
Lonara, Nagpur

2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.

CITY HOSPITAL/CE/UAN No.MPCB-CONSENT-0000086706 (01-03-2022 07:17:06 pm) /QMS.P06_F01/00


Principal
Central India Nursing College
Lonara, Nagpur





कार्यालय अग्निशमन विभाग, नगर परिषद कामठी
जिल्हा नागपुर 441002



Phone: 07109299902, Fax: 07109286665, email: chiefofficernckamptee@gmail.com

क्रमांक / नयका / अग्निवि / अनाहप्र / 1040 / 2024

दिनांक: 03/04/2024



प्रति,

डॉ. सनेजा तन्जीय आजमी,
सिटी हॉस्पिटल कलमना रोड,
न्यु येरखेडा, कामठी, जिल्हा नागपुर.

विषय- सिटी हॉस्पिटलच्या इमारतीस नियमित अग्निशमन सुरक्षा ना हरकत प्रमाणपत्र चे
नुतनिकरण करणेबाबत.

- संदर्भ- 1) आपली अर्जो क्रमांक 2905/2024 दिनांक 03/04/2024
2) कोहिनूर सेफ्टी सर्व्हिसेस यांचे B-Form/Licence No. MFS-LA/RF-10, MFS-LA/RD-10
मुंबई यांचे अंकेक्षण अहवाल दिनांक 02/04/2024.

महोदय,

वरील विषयाकित संदर्भिय अनुषंगाने आपण आपल्या हॉस्पिटल च्या इमारतीस कोहिनूर सेफ्टी सर्व्हिसेस मुंबई यांचे अंकेक्षण अहवाल B-Form नुसार अग्निशमन सुरक्षेची सर्व साधने लावल्यामुळे व संदर्भिय क्रमांक (1) नुसार सादर केलेल्या अर्जानुसार दिनांक 03/04/2024 रोजी आपले इमारतीचे निरीक्षण केले असून व अग्निशमन सुरक्षा बाबतचे खालील अटी व शर्तीवर नियमित ना हरकत प्रमाणपत्राचे नुतनिकरण करण्यात येत आहे.

- 1) हॉस्पिटलच्या इमारतीचे उंची पर्यंत चढण्यासाठी व आकरिमत रित्या उतरण्याकरीता अतिदक्षता शिडी नियमित ठेवणे आवश्यक राहिल.
- 2) अधिकृत संस्थेद्वारे माहे जानेवारी ते माहे जून व माहे जुलै ते माहे डिसेंबर या कालावधी करिता वर्षातून दोन वेळा प्रत्येक सहा महिन्याच्या कालावधीचे B-Form सादर करणे आवश्यक असेल. असे न केल्यास आपणास दिलेले नियमित अग्निशमन सुरक्षा नाहरकत प्रमाणपत्र रद्द करण्यात येईल.
- 3) आपल्या हॉस्पिटल इमारतीचे बांधकाम हे नियमापेक्षा जास्त नसावे.
- 4) आपल्या हॉस्पिटल इमारतीचे अधिकृत संस्थेकडून लेखा अंकेक्षण केले असून या अनुषंगाने महाराष्ट्र अग्निशमन सुरक्षा व जीव सुरक्षा उपाय अधिनियम 2006 भाग-1 व भाग-2 अंतर्भुत असलेल्या अग्निशमन संयंत्र व साधनाचे व्यवस्थापनाची तपासणी दरवर्षी अधिकृत संस्थे कडून करून घ्यावी व याबाबत नगर परिषदेला सुचित करावे. या कालावधीत आगी सारखी घटना घडली तर होणा-या जीव व वित्त हाणीची जबाबदारी आपली स्वताची राहिल.
- 5) आपल्या हॉस्पिटल मधुन निघालेला जैविक (मेडीकल वेस्ट) ची विलेवाट लावण्याची जबाबदारी स्वतःची राहिल जर हॉस्पिटल चा जैविक कचरा सार्वजनिक जागा किंवा कचरा कुंडीत आढळल्यास तर आपल्यावर घनकचरा अधीनियम 2000 अनुसार कार्यवाही करण्यात येईल.



S. S. S.
Principal
Central India Nursing College
Lonara, Nagpur

6) आपल्या हॉस्पिटल इमारतीचे महाराष्ट्र अग्निशमन सुरक्षा व जीव सुरक्षा उपाय अधिनियम 2006 भाग-1 व भाग-2 नुसार बसविण्यात आलेल्या अग्निशमन यंत्र व साधनामध्ये तांत्रिक विघाड झाल्यास तो ताबडतोब दुरुस्त करून घ्यावा असे न केल्यास नियमित अग्निशमन सुरक्षा ना हरकत प्रमाणपत्र रद्द करण्यात येईल.


7) आपणास देण्यात आलेले अग्निशमन सुरक्षा ना हरकत प्रमाणपत्र हे एक वर्षा करीता मान्य राहिले. हे दर वर्षी 31 मार्च 2025 च्या पूर्वी नुतनीकरण करून घ्यावे. विहित मुदतीत आपण नुतनीकरण करून न घेतल्यास नियमित अग्निशमन सुरक्षा ना हरकत प्रमाणपत्र रद्द करण्यात येईल. तसेच नगर परिषद, नगर पंचायती व औद्योगिक नगरी अधिनियम 1965 व महाराष्ट्र अग्निशमन सुरक्षा व जीव सुरक्षा उपाय योजना अधिनियम 2006 कलम (6) व (7) आणि भारतीय उत्स्फोटककायदा दि गॅस सिलेंडर नियम व दि पेट्रोलियम कायदा 1934 नियम 1976 नुसार आपणावर कार्यवाही करण्यात येईल. यावर आपला कसलाही उजर राहणार नाही.

Dulker

मुख्य अधिकारी,
नगर परिषद, कामठी.



Shed
Principal
Central India Nursing College
Lonara, Nagpur



महाराष्ट्र MAHARASHTRA

© 2024 ©

DD 859302
21 FEB 2025

NOTARIAL REG.

ENTRY NO 5078

DATE 21/4/25

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 15 October 2024

BETWEEN

College of Nursing,

Central India Nursing, College, Lonara, Nagpur

Hereafter called Party No. 1


AND


KUNAL HOSPITAL,

KORADI MAIN ROAD, MANKAPUR, NAGPUR

Hereafter called Party No. 2

- 1 Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote. Education for the girls of the rural and urban area of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name – BSC and P.B.B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.



Principal
Central India Nursing College
Lonara, Nagpur




- 2 The Nursing behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
- 3 The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 27 years residing at Sadar, Nagpur.
- 4 The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
- 5 The Party No. 2 executed this agreement through its Party No. 02 Name KUNAL HOSPITAL and designation Dr. Shishir B. Shrivastava (MMBS, MD) (Proprietor Kunal Hospital)

Now therefore both the parties 1 and 2 agree for:

- 1 THAT Party No. 1 is applying for BSC and P.B.B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
- 2 THAT Party No.2 is having 100 bedded hospitals with more than 75% Occupancy.
- 3 THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.




Principal
Central India Nursing College
Lonara Nagpur


4 THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

5 THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date:




Sign

Ms. Hafsa Ahmed,
Joint Secretary

Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha, Nagpur


Sign


Dr. Shishir B. Shrivastava




Witness

1. 


2. 


Principal
Central India Nursing College
Lonara, Nagpur

ATTESTED


YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
2-64, FIRST FLOOR, LINK ROAD,
SADAR, NAGPUR-01

THE NOTARY PUBLIC DOES NOT
ASSUME ANY RESPONSIBILITY /
LIABILITY FOR LEGALITY IN
PURSUANCE OF DOCUMENT /
WITNESS AND FULFILMENT
OF ANY LEGAL REQUIREMENTS



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps0@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/S.S.I

No:- Format1.0/PSO/UAN No.0000247104/CO/2508001452

Date: 13/08/2025

To,
M/s. Kunal Hospital,
Plot. No. 1/2, Koradi Main Road, Mankapur,
Nagpur, Tal & Dist - Nagpur - 441130.
Email: admin@kunalhospital.com
Contact No.: 9823020409



Your Service is Our Duty

Grant of Combined Renewal of Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combined Renewal of Consent to Operate and BMW Authorization (CCA) is granted by the Board vide no. Format1.0/BO / PSO/ HOD - 2009000267 on 04/09/2020 valid till 04/06/2025.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 15/05/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Renewal of Consent to Operate and BMW Authorization (CCA) to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **04-06-2025 To 04-06-2029**
2. HCF Area : - Plot Area 650.00 M² with Built-up area 600.00 M².
3. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 776 valid upto 31-03-2028)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 36 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	Kg/Annum	Municipal Landfill

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. The laundry activity is outsourced. Therefore, you are strictly prohibited from conducting any laundry activity within the premises of your hospital.
17. You should ensure that the hospital operates with a valid registration certificate under the Bombay Nursing Home (BNH) Act and holds an active membership with a Common Biomedical Waste Treatment Facility (CBWTF).
18. You shall submit the Bank Guarantee as specified in Schedule III towards up-gradation of combine STP cum ETP with adequate capacity within three months period from the issuance of this CCA.
19. You shall extend/submit the bank guarantee of Rs. 1.50 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 15 days. Non submission of B.G. in a specified time shall attract 12% penal interest on BG amount.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Ramesh Thakur

Generated by eSign@mpcb
7ccae4a5
62b49c47
5962c57a
a765dc5b
882e42e2
22997397
b4e5e158
53a02da7

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
psa@mpcb.gov.in
2025-08-13 13:06:38 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	61500.00	MPCB-DR-33967	15/05/2025	NEFT

HCE has submitted CCA fees of Rs. 61,500/- & previous balance fees of Rs. 13,500/-. The total submitted fees of Rs. 75,000/- from which Rs. 30,000/- is adjusted for Renewal of CCA. The remaining balance fees of Rs. 40,000/- will be adjusted at the time of next CCA Renewal.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
 - Regional Officer, MPCB Nagpur is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
 - SRO - Nagpur - I is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.


Principal
Central India Nursing College
Lonara, Nagpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	34.00
3.	Pathology Laboratory, Floor washing, Operation Theater	2.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	27.0	As per clause 'C'	50% recycle for flushing in toilet and 50% in local Sewer Line
2	Trade effluent	1.6	As per clause 'C'	100% for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (250 KVA)	Diesel	5.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	100.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	100.00		
		d) Expired or Discarded Medicines	50.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	50.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	100.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	50.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	25.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	25.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Records		
1	To comply the conditions mention in Combined Consent to Operate / Renewal and BMW Authorization (CCA)	Continuous	50,000.00
1B	Performance		
1	To up-grade combine STP & ETP to adequate capacity	Three months	100,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122


General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



महाराष्ट्र MAHARASHTRA

NOTARIAL REG.
ENTRY NO. 5080
DATE 21/4/25



DD 859301

21 FEB 2025

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 18 October 2024

BETWEEN

Central India Nursing, College, Lonara, Nagpur


Hereafter called Party No. 1

AND

MEDICARE MULTISPECIALITY HOSPITAL

Hereafter called Party No. 2


- Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote. Education for the girls of the rural and urban area of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program Name – BSC and P.B.B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.



Principal
Central India Nursing College

- 2 The Nursing behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community. especially in rural and remote areas of our country.
- 3 The party No. 1 executed this agreement by Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 27 years residing at Sadar, Nagpur.
- 4 The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
- 5 The Party No. 2 executed this agreement through Dr. Atulkumar Vidyarthi (MBBS, MS) MEDICARE MULTISPECIALITY HOSPITAL

Now therefore both the parties 1 and 2 agree for:

- 1 THAT Party No. 1 is applying for BSC and P.B. B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
- 2 THAT Party No.2 is having 50 beded hospitals with more than 75% Occupancy.
- 3 THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.


Principal
Central India Nursing College
Lonara, Nagpur



- 4 THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
- 5 THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.


Place: Nagpur

Date: -

[Handwritten Signature]
Sign

Ms. Hafsa Ahmed,
President

Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha, Nagpur



[Handwritten Signature]
Sign

Dr. Atulkumar Vidyarthi



[Handwritten Signature]
Principal
Central India Nursing College
Lonara, Nagpur


Witness

1. *[Handwritten Signature]*

2. _____

ATTESTED

[Handwritten Signature]
YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
G-64, FIRST FLOOR, LINK ROAD
SADAR, NAGPUR-01



THE NOTARY PUBLIC DOES NOT
ASSUME ANY RESPONSIBILITY /
LIABILITY FOR LEGALITY IN
PURSUANCE OF DOCUMENT /
WITNESS AND FULFILMENT
OF ANY LEGAL REQUIREMENTS

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Atul Kumar Vidyarthi (MBBS, MS) has been registered
under the Bombay Nursing Home Registration Act 1949 in respect of Medicare
Multispeciality Hospital situated at 2nd & 3rd Floor, Gulmohar Complex, Koradi Road,
Maukapur, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 749

Date of Registration : 03/09/2007

Place : Nagpur

Date of issue of certificate : 01/04/2025

Maternity : 15

Other Nursing : 15

This certificate of registration shall be valid up to 31 Mar 2028.



Deloha

Dr. D. S. Selvan
Signature

Registering Authority

Medical Officer Health

Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place
Application for renewal should be done in advance in the month of January



Good
Principal
Central India Nursing College
Lenara Nagpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/S.S.I

Date: 20/03/2025

No:- Format1.0/RO/UAN No.0000226755/CO/2503003074

To,
M/s. Medicare Multispeciality Hospital
2nd Floor, Gulmohar Complex, Koradi Road, Mankapur,
Nagpur.
Email: dravidyarthi@gmail.com
Contact No.:9764754540



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Combine Consent granted by the Board vide no. RO-Nagpur/Consent/2111000573 & RO-Consent/BMW/Auth/2111000129 dtd 15/11/2021.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 30/11/2028.
2. HCF Area : - Plot Area 10000.00 M² with Built-up area 7000.00 M².
3. **Activities Included**
 - a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 749 valid upto 26-11-2025)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 4 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.


Principal
Central India Nursing College
Lonara, Nagpur

5. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	0

7. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



9cab4d60
fc3b4123
d327ded6
8ef154a0
c98fe71c
793cf291
7b7c472f
e4cb2f7

Signed by: Hema Deshpande
Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2025-03-20 19:19:39 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	10000.00	TXN2411003660	28/11/2024	Online Payment
2	4993.00	TXN2502004705	21/02/2025	Online Payment
3	2000.00	TXN2502004707	21/02/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Principal
Central India Nursing College
Lonara, Nagpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00


B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.8	As per clause 'C'	100% Recycle
2	Trade effluent	1.0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.


Principal
Central India Nursing College
 Lonara, Nagpur

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
----------------	--------------------------	------------------	-----------------	---------------------------


2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Principal
Central India Nursing College
Lonara, Nagpur

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**


The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	5.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	15.00		
		d) Expired or Discarded Medicines	5.00		
		e) Chemical Waste	10.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	5.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	10.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		


Principal
Central India Nursing College
Lonara, Nagpur

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


Principal
Central India Nursing College
Lonara, Nagpur

SCHEDULE-III**Bank Guarantees**


1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	Effluent treatment plant not provided / need up gradation.	Continuous	50,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.


If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122


Principal
Central India Nursing College
Lonara, Nagpur

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


Principal
Central India Nursing College
Lonara, Nagpur

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.


Principal
Central India Nursing College
Lonara, Nagpur



महाराष्ट्र MAHARASHTRA

© 2024 ©

NAGPUR TREASURY

DD 859305

21 FEB 2025

NOTARIAL REG.

ENTRY NO. 5079

DATE 21/4/25

MEMORANDUM OF UNDERSTANDING

Station Head Clerk/Sr. C

This Memorandum of understanding is made on this 10 October 2025

Central India Nursing. College, Lonara, Nagpur
Hereafter called Party No. 1

AND

NewEra Hospital & Research Center, Nagpur
Telephone Exchange Chowk, CA Road, Queta Colony near Jalaram
Mandir, Nagpur
Hereafter called Party No. 2

1. Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote. Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name --BSc Nursing and P.B.B.Sc. Nursing), to be affiliated with. MUHS, Nashik to provide nursing education and training to the students in the area.




Principal
Central India Nursing College
Lonara, Nagpur

2. The Nursing behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3. The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 30 years residing at Sadar, Nagpur.**


4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.


5. The Party No. 2 executed this agreement through its Party No. 02 Name Telephone Exchange Chowk, CA Road, Queta Colony Near Jalaram Mandir, Nagpur. Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for B.Sc. Nursing and P.B.Bsc Nursing course of Maharashtra University of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2. THAT Party No.2 is having 100 bedded hospitals with more than 75% Occupancy.

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.




Principal
Central India Nursing College
Lonara, Nagpur

4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date:

Hafsa Ahmed
Sign


Ms. Hafsa Ahmed,
President

Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha, Nagpur



Shantaram
Sign

NewEra Hospital Partner Attorney



Witness

1. *[Signature]*



2. *[Signature]*

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur

ATTESTED

[Signature]
YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
D-64, FIRST FLOOR, LINK ROAD
SADAR, NAGPUR-01

THE NOTARY PUBLIC DOES NOT
ASSUME ANY RESPONSIBILITY
LIABILITY FOR LEGALITY
PURSUANCE OF DOCUMENT
WITNESS AND FULFILLING
OF ANY LEGAL REQUIREMENT



NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Anand J. Sancheti (MBBS, MS, MCH) & Other (Mentioned Five) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of NewEra Hospital & Research Institute situated at Telephone Exchange Chowk, C.A. Road, Queta Colony, Near Jalaram Mandir, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 834

Date of Registration : 15/04/2010

Place : Nagpur

Date of issue of certificate : 01/04/2023

Maternity : 10

Other Nursing : 90

This certificate of registration shall be valid up to 31 Mar 2026.

Zubeida
Secretary

Mehmuda Shiksha & Mahila, Gramin
Bahudashya Sangha, Nagpur.

Zubeida
Signature



Registering Authority
Medical Officer Health

Soobh
Principal
Central India Nursing College
Lonara, Nagpur

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.



114

Rejva

Zubeida
Secretary
Mehmuda Shiksha & Mahila Gramin

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps0@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/M.S.I

No:- Format1.0/PSO/UAN No.0000123099/CO/2202001631

Date: 25/02/2022

To,
M/s. New Era Hospital
CTS No. 111, C.A Road,
Telephone Exchange Chowk,
Queta Colony, Near Jalaram Mandir,
Nagpur-440008
Email: newerahospitalngp@gmail.com
Contact No.: 7888036408



पुणेकरांचे हित सर्वोपर
Right to Public Service is
Your Service is Our
Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) with increase in bed nos. i.e. 50 to 100 under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Your Consent application received to this office through SRO, Nagpur - I on 30.12.2021.
2. SCN for refusal of application dated 25.01.2022.
3. Information uploaded on online application by you on 30.01.2022, 03.02.2022.
4. Reviewed information uploaded on online application by you on 18.02.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 01-04-2020 To 31-03-2024
2. The capital investment of the HCF is ₹1496.62 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 794.18 M² with Built-up area 1590.61 M².
4. Activities Included
 - a. Total Number of Beds : 100 Nos (As per BNH certificate no. 834 valid upto 31-03-2023)
 - I. General Beds : 90 Nos
 - II. Maternity Beds : 10 Nos



Zubeida
Secretary
Mehmuda Shikshan & Mahila, Gramin V,
Bahuddeshiya Sanstha, Nagpur.

New Era Hospital/CO/UAN No.MPCB-CONSENT-0000123099 (25-02-2022 04:03:11 pm) /QMS.P06_F02/00

Page 1 of 11

Principal
Central India Nursing College
Lonara, Nagpur

Secretary
Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur.

5. Conditions under the Water (P&CP) Act, 1974:-

- Quantity of total water consumption shall not exceed 34.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

- You shall use the fuel for DG set as specified in the Annexure-II.
- You shall provide adequate emission control system to DG set as specified in Annexure-II.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr.No.	Type of Waste	HW Category no.	Quantity (MT/Annum)	Disposal
1		NA	As per Actual	NA

8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.


9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- You shall segregate and handover BMW to BMW T&D CTF Superb Hygienic Disposals, Nagpur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).



Zubeida
Secretary
Mehmuda Shiksha & Mahila, Gramin
Bahudeshiya Sanstha, Nagpur.

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



[Signature] *[Signature]*
Secretary
Mehmuda Shiksha & Mahila Gramin
Vikas Bahudeshiya Sanstha, Nagpur

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall provide flow meters to measure and maintain records of water consumption and effluent generation and submit information to Regional office, Nagpur & Sub Regional Office, Nagpur - I within 15 days.
18. Bank Guarantee of Rs. 25,000/- towards Operation and Maintenance of combined wastewater treatment plant to achieve prescribed discharged standards is eligible to forfeit for non submission of JVS analysis reports by SRO, Nagpur - I & shall submit double Bank Guarantee of Rs. 50,000/- to Regional Officer, Nagpur within 15 days.
19. Bank Guarantee of Rs. 25,000/- towards providing BMW storage facility as per CPCB Guidelines is eligible to forfeit for not making provision as per CPCB guidelines & shall submit double Bank Guarantee of Rs. 50,000/- to Regional Officer, Nagpur within 15 days.
20. You shall submit separate Bank Guarantee of Rs. 3.0 Lakhs towards compliance of condition mentioned at Annexure - IV to Regional Office, Nagpur within 15 days.
21. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.



Amar R. Supate

a f0f6300
2257dd0a
e3d0ea62
57dea19e
b44964b4
78088ae6
ed251043
e296c171

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
psompcb.gov.in
2022-02-25 04:01 IST



Zubeida
Secretary
Mahemnda Shiksha & Mahila, Gramin Viko
Bahudeshiya Sanstha, Nagpur.

117

Good
Principal
Central India Nursing College
Lonara, Nagpur



Zubeida
Secretary

Received Consent/Authorization fee of -

Sr.No	Amount(Rs)	Transaction/DR.No.	Date	Transaction Type
1	200000.00	MPCB-DR-6069	02/06/2021	NEFT
2	20000.00	MPCB-DR-6069 A	02/06/2021	NEFT

You have submitted Consent & BMW Authorization fees of Rs. 2.20 lakhs From which Consent of Rs. 50,000/- considered for increase in bed nos. & Consent fees of Rs. 1.0 lakhs considered for next four years as your HCE comes under Orange category & remaining fees of Rs. 50,000 will be considered at the time of renewal. BMW Authorization fees of Rs. 20,000 considered for next four years.


Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- You are directed to ensure the compliance of the consent conditions and BG imposed.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C.EIC- for record & website updating purpose.



Zubeida
Secretary
Mehmuda Shikshan & Mahila, Gramin Vikar
Bahudeshiya Sanstha, Nagpur.

Soeda
Principal
Central India Nursing College
Lonara, Nagpur



Soeda
Zubeida
Secretary
Mehmuda Shikshan & Mahila Gramin
Bahudeshiya Sanstha, Nagpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	30.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	2.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	25	As per clause 'C'	100% Recycle
2	Trade effluent	1.5	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



Zubeida
Secretary

Seeds
Principal
Central India Nursing College
Lonara, Nagpur



Rajsa
Secretary
Mehmuda Shikshan & Mahila Centre
Bahudeshiya Sanshodhan, Nagpur

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set (125 KVA & 160 KVA)	Diesel	20.00 Lit/Day	5.00


2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Zubeida
Secretary

Mehemoda Shikshan & Mahila, Gramin Vikas
Bahudeshiya Sanstha, Nagpur.

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



[Signature]
Secretary
Mehmuda Shikshan & Mahila Gramin
Vikas Bahudeshiya Sanstha, Nagpur.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	110.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	215.00		
		d) Expired or Discarded Medicines	2.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	5.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	270.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	15.00	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	10.00	Cardboard boxes with Blue coloured marking.	
		b) Metallic body implants	20.00		



Zubeida
Secretary

Meharuda Shiksha & Mahila, Gramin Vikas Bahudeshiya Sanstha, Nagpur.

Deepak
Principal
Central India Nursing College
Lonara, Nagpur



Ajasa

Zubeida
Secretary
Meharuda Shiksha & Mahila, Gramin

SCHEDULE-II

Responsibilities of the HCE Owner and CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Superb Hygienic Disposals, Nagpur and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

Zubeida
Secretary

New Era Hospital/CO/UAN No.MPCB-CONSENT:0000123099/25-03-2022 04:03:11 PM WMS POS/02/06 Mahila, Gramin & Bahadreshiya Saastha, Nagpur.

Rajsa
Principal
Central India Nursing College
Lonara, Nagpur

Zubeida
Secretary

Mahila Gramin & Bahadreshiya Saastha, Nagpur.

Bank Guarantees

1. Bank-Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I -	Continugus	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	six	50,000.00
2	To install Primary Effluent Plant for treatment of trade effluent: te storage facility as per guidelines of CPCB	Six	100,000.00
Total			3,00,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



Zubeid
Secretary
Mehmuda Shikshan & Mahila, Gr
Bahudeshiya Sanstha, Nag.

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



Zubeida
Secretary
Mehmuda Shikshan & Mahila Gram
Vikas Bahudeshiya Sanstha, Nag.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated 16/11/2009 as amended.




Zubeida
Secretary

Mehmuda Shikshan & Mahila, Gramin
Jyodoshiya Sansha, Nagpur.
Page 10 of 11

New Era Hospital/CO/UAN No.MPCB-CONSENT-0000123099 (25-02-2022 04:03:11 pm) /QMS.P06

Soch
Principal
Central India Nursing College
Lonara, Nagpur



Reza Zubeida
Secretary
Mehmuda Shikshan & Mahila Gramin
Jyodoshiya Sansha, Nagpur

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs, applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.



Zubeida
Secretary

Mehmuda Shikshan & Mahila, Gram
Bahudeshiya Sansha, Nagpur

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



Zubeida
Secretary
Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sansha

	Floor	No. of bed	TOTAL
	1 st floor	15	
ICU	5 th floor	09	
SICU	5 th floor	02	
MICU	6 th floor	10	
PICU	6 th floor	02	
			38
HDU (SURGICAL BED)	5 th floor	07	07
RECOVERY ROOM	5 th floor	02	02
LABOUR ROOM	5 th floor	01	01
ISOLATION ROOM	ICCU	02	
	2 nd floor	01	
			03
TRANSPLANT ROOM	5 th floor	02	
	3 rd floor	01	
	2 nd floor	01	
			04
SUIT ROOM	5 th floor	01	01
AC SUPER DELUX	3 rd floor	02	
	2 nd floor	02	
			04
AC DELUX	3 rd floor	03	
	2 nd floor	04	
			07
NON AC SINGLE ROOM		02	
	2 nd floor		
	3 rd floor	02	
			04
TWIN SHARING	3 rd floor	02	
	2 nd floor	02	
			04
Female Ward	3 rd floor	06	
GENERAL WARD	2 nd floor	07	
	3 rd floor	07	
	6 th floor	03	
			19
CHEMOTHERPY ROOM	3 rd floor	01	01
SLEEP STUDY ROOM	3 rd floor	01	01
DIALYSIS	6 th floor	02	02
EEG	6 th floor	01	01
EMRGENCY BED	Ground floor	01	
TOTAL			01
			100



[Signature]
Principal
Central India Nursing College
Lonara, Nagpur
Secretary


Mahatma Gramin Vikas Bahudeshiya Sanstha, Nagpur.



[Signature]
Secretary
Mahatma Gramin Vikas Bahudeshiya Sanstha, Nagpur

26

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



9164f2c6
6b5ffacc
fe28a1f8
df046bf6
017b0301
0e59db2c
02c4e2bb
d7721f23

Signed by: Ashok M. Kare
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2023-04-06 16:08:46 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR No.	Date	Transaction Type
1	45000.00	MPCB-DR-14583	27/09/2022	NEFT

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.




zubaid
Secretary
Mehemuda Shikshan & Mahila, C
Bahadreshiya Sansiha, Nag

Sheela
Principal
Central India Nursing College
Lonara, Nagpur

Sheela

16



NAGPUR THE

महाराष्ट्र MAHARASHTRA

2024

NOTARIAL REG.

ENTRY NO. 5077

DATE 21/4/25

DD 859304

21 FEB 20

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this ___ October 2023

Stamp Head Clerk WS

BETWEEN

College of Nursing,
Central Province Nursing. College, Lonara, Nagpur
Hereafter called Party No. 1

AND

PLATINA HEART HOSPITAL
(UNIT OF PLATINA HOSPITAL PVT LTD.)
Hereafter called Party No. 2

1. Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote. Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name – BSC and P.B.B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.



[Signature]
Principal
Central India Nursing College
Lonara, Nagpur

2 The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community. especially in rural and remote areas of our country.

3 The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 27 years residing at Sadar, Nagpur.

4 The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.


5 The Party No. 2 executed this agreement through its Party No. 02 Name Ms. Manjusha Joshi PLATINA HEART HOSPITAL (UNIT OF PLATINA HOSPITAL PVT LTD.) General manager (admin)


Now therefore both the parties 1 and 2 agree for:

1 THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2 THAT Party No.2 is having 100 bedded hospitals with more than 75% Occupancy.

3 THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.


Principal
Central India Nursing College
Lonara, Nagpur



- 4 THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
- 5 THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date:

[Handwritten Signature]
Sign

Ms. Hafsa Ahmed,


Joint Secretary

Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha. Nagpur



[Handwritten Signature]
Sign

Ms. Manjusha Joshi



Witness

[Handwritten Signature]
Principal
Central India Nursing College
Lonara, Nagpur



1. _____

2. _____

ATTESTED

[Handwritten Signature]
YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
D-84, FIRST FLOOR, LINK ROAD,
SADAR, NAGPUR-01

THE NOTARY PUBLIC DOES NOT
ASSUME ANY RESPONSIBILITY /
LIABILITY FOR LEGALITY IN
PURSUANCE OF DOCUMENT /
WITNESS OR FULFILMENT
ANY OF THE AGREEMENTS



NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Pramod V. Mundra (MBBS, MD, DM) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Platina Heart Hospital (A Unit of Platina Hospital Pvt. Ltd.) situated at Dhanshree Commercial Complex, Near Hotel Hardeo, Sitabuldi, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 890

Date of Registration : 08/11/2011

Place : Nagpur

Date of issue of certificate : 01/04/2025

Maternity : 0

Other Nursing : 50

This certificate of registration shall be valid up to 31 Mar 2028.



Dr. B. S. Selokar

Signature

Registering Authority

Medical Officer Health

Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

Principal
Central India Nursing College
Lonara, Nagpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 6th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/S.S.I
No:- Format1.0/RO/UAN
No.0000150428/CO/2301000549

Date: 04/01/2023

To,
M/s. PLATINA HEART HOSPITAL UNIT OF PLATINA
HOSPITAL PVT LTD.,
DHANASHREE COMMERCIL COMPLEX NEAR HOTEL
HARDEO SITABULDI NAGPUR,



Your Service is Our Duty

Sub: Application for grant of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.



Ref: Bio-Medical Authorization granted by the Board vide no.RO-Nagpur/BMW_Auth/2205000158 dtd 04/05/2022.

Combined Consent to Operate and BMW Authorization.

For: Combined Consent to Operate and BMW Authorization (CCA) Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The Combined Consent to Operate and BMW authorization is granted upto: 30.09.2026
The capital investment of the project is Rs.9.8979 Crs. (As per C.A Certificate submitted by industry Existing-Rs. _ Crs + Expansion/Increase in C.I. - Rs. _ Crs).
2. The Consent is valid for the Activity of

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	50	Nos
b)	Total Plot Area	21139.00	Sq.Mtrs
c)	Total Built up Area	21139.00	Sq.Mtrs



Principal
Central India Nursing College
Lonara, Nagpur

145



4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr. No.	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	1.50	As per Schedule - I	On Land for Gardening for hospital premises
2.	Domestic effluent	1.20	As per Schedule - I	Septic Tank followed by Soak pit tank

5. Conditions under the Air (P & CP) Act, 1981 for air emissions:

Sr.No.	Description of stack / source	Number of Stack	Standards to be achieved
1	0	0	NA

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr.No.	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal

7. Conditions about Non Hazardous Wastes:

Sr.No.	Type of Waste	Quantity	UoM	Treatment	Disposal

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	20.00	Yellow colored non-chlorinated plastic bags or containers	Sent to CBMWTSDF
		b) Soiled Waste	80.00		
		c) Expired or Discarded Medicines	1.00		
		d) Microbiology Biotechnology and other clinical laboratory waste	10.00		
2	Red	Contaminated waste (Recyclable)	60.00	Red colored non chlorinated plastic bags or containers	Sent to CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container	Sent to CBMWTSDF

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

Refers

Shobha
Principal
Central India Nursing College
Lonara, Nagpur

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
 - a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

Rajsa

Joel
Principal
Central India Nursing College
Lonara, Nagpur

146





[Handwritten Signature]

17712a4c
65b1e77e
446a72c4
a59467e0
1c1a3831
1f11fa81
bb98a906
a1817df8

Signed by: Ashok M. Kare
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2023-01-04 16:24:31 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No	Date	Transaction Type
1	77500.00	MPCB-DR-14880	13/10/2022	NEFT

The Hospital has submitted total Consent fees of Rs.77500/- out of Consent fees of Rs. 50000/- consider for C to O and consider penal charges of Rs. 2260/- and balance consent fees of Rs. 25240/- consider in next renewal.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

[Handwritten Signature]


[Handwritten Signature]
Principal
Central India Nursing College
Lonara, Nagpur

SCHEDULE-I
Terms & conditions for compliance of Water Pollution Control:

1. A) Industrial effluent generation and details of the treatment installed. As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity 2 CMD.
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100

- C) The treated effluent shall be recycled/ reused to the maximum extent possible and remaining shall be disposed on land for gardening within factory premises. There shall not be any discharge outside the hospital premises for whatsoever reasons.
2. A) As per your consent application, you shall provide septic tank followed by soak pit for treatment of domestic sewage generated
- B) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act;


Principal
Central India Nursing College
 Lonara Nannur

147



Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

Soed
Principal
Central India Nursing College
Lonara, Nagpur

Rajsa

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height In Mtrs.	Type of Fuel	Quantity & UoM	S% SO ₂
-----------	-------------------	------------	-----------------	--------------	----------------	--------------------

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

Reesa
[Signature]
Principal
Central India Nursing College
Lonara, Nagpur

148



SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	--	--	--	--	--	--

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity/Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Six Month	25000
2	Effluent treatment plant not provided / need up gradation	Six Month	50000

BG Forfeiture History

Sr.No.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	--	--	--	--	--	--

BG Return details

Sr.No.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
1	--	--	--	--

Heba


Principal
Central India Nursing College
Lonara, Nagpur


SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.


Principal
Central India Nursing College
Lonara, Nagpur





149

14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.

Rajsa

S. S. S.
Principal
Central India Nursing College
Lonara, Nagpur

Platina Heart Hospital, Nagpur

Sr no	Bed type	Planned	Operational
1	ICCU	13	13
2	SICU	4	4
3	General ward	16	8
4	Twin share	10	6
5	Single Room	2	2
6	Deluxe Rooms	5	4
	TOTAL	50	37

NON CENSUS BEDS

EMERGENCY ROOM - 1
OPERATION THEATRE - 2

yashi
Director
Platina Heart Hospital,
Nagpur



Deep
Principal
Central India Nursing College
Lonara, Nagpur

Deep



महाराष्ट्र MAHARASHTRA

2024

NOTARIAL REG.
ENTRY NO. 5531
DATE: 18.2.2025

CS 763436

14 FEB 2025

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this __ January 2024



BETWEEN

Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND

HCG NCHRI Cancer Center, Nagpur
Hereafter called Party No. 2

1. Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - BSc Nursing and P.B.D.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

Principal

Central India Nursing College
Lonara, Nagpur

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 29 years residing at Sadar, Nagpur.

4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.


5. The Party No. 2 executed this agreement through its Party No. 02 Name Mr. Venketeshwarlu Marapaka (Chief Operating Officer) HCG NCHRI Cancer Center, Near Automotive Square, Kalamna Ring Road Nagpur. Now therefore both the parties 1 and 2 agree for:


1. THAT Party No. 1 is applying for B.Sc. Nursing and P.B.Bsc Nursing course of Maharashtra University of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2. THAT Party No.2 is having 132 bedded hospitals with more than 75% Occupancy.

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.


Principal
Central India Nursing College
Lonara, Nagpur



5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date: 18/02/25

Hafsa
Sign

Ms. Hafsa Ahmed,

President

Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha, Nagpur


President

Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur

Sign

Vekateshwarli
Vekateshwarli Marapaka

Chief Operating Officer



Witness

1. *[Signature]*

2. *[Signature]*

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



ATTESTED

[Signature]
Suresh Sadashiv Meshram
Advocate & Notary
Rani Durgawati Square, NIT
Complex, Flat No. A-5, 1st Floor,
Nagpur, Maharashtra





Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: 'http://mpcb.gov.in'
Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Slon Circle,
Slon (E), Mumbai-400027

RED/L.S.I

No:- Format1.0/CC/UAN No.0000114880/CR 2202000914

Date: 02/12/2021

To,
HCG HCHRI Cancer Cento,
50/51 Ring Road At Wanjri Automotive Square, Next to
Yashodhara Nagar Police Station,
Nagpur-440026
Email:ambarish.m@hcgel.com
Contact No.:9823280081



Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & IM) Rules, 2016.


- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format 1.0 MU/PSO/HOD 1903800353 Date-07/03/2019
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/06/2021
3. Minutes of 10th CC Meeting Dtd. 23/09/2021
4. Your Reply dtd. 17/11/2021 & 01/12/2021 & 02/12/2021 & 03/12/2021 & 08/12/2021
5. Minutes of 15th CC Meeting Dtd. 30/12/2021

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCF under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order

1. This CCA shall be in force for a period From 11-06-2021 To 10-06-2026
2. The capital investment of the HCF is ₹5609.74 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 10119.12 M² with Bull-up area 5214.39 M².
4. Activities Included
 - a. Total Number of Beds : 132 Nos (As per BMR certificate no. 986 valid upto 31-03-2023)
 - l. General Beds : 132 Nos

HCG HCHRI CANCER CENTRE, UAN No. 0000114880 (11-06-2021 To 10-06-2026) PMS, 11/2021

Papla
Mehruddi Bhatnagar & Mohita Gramin
Vice-Chancellor, Lonara, Nagpur



Vice Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.com/mpcb/info/cass/941539fe8e262e25cc91941e24702a89b1ebce7dbf593cd1501849d6c019241e>

Shree
Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

5. Conditions under the Water (P&CP) Act, 1974:-

- Quantity of total water consumption shall not exceed 66.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

- You shall use the fuel for DG set as specified in the Annexure-II.
- You shall provide adequate emission control system to DG set as specified in Annexure-II.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity (MT/Annium)	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	CHWTSDF

8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-

- You Shall Handover Solid waste (Other Than BMW) to Local Bodies as per provisions of SWM Rules, 2016
- You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended
- You shall segregate and handover BMW to BMW TGD CTF Superb Hygienic Disposals Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year
- Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

[Signature]
President

President
Maharashtra Pollution Control Board
Mumbai, Maharashtra



[Signature]
Principal
Central India Nursing College
Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
<https://blockchain.compcb.in/docs/941539fe8c262e25cd619e1e24702a89b1ebde7dbf590ed1501859d8e619bb1e>


[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1991 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining-necessary HOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule B to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

For and on behalf of the
Maharashtra Pollution Control Board.



(Ashok Shingare, IAS)
Member Secretary

Received Consent/Authorization fee of -

Sr.No	Amount(Rs)	Transaction/DR/No.	Date	Transaction Type
1	100000.00	MPCB-DR-5606	11/05/2021	NEFT
2	15000.00	MPCB-DR-6997	16/07/2021	NEFT
3	410000.00	MPCB-DR-9236	10/12/2021	RTGS
4	15000.00	MPCB-DR-6326	06/06/2021	NEFT

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur
- You are directed to ensure the compliance of the consent conditions and RG imposed.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C TIC- for record & website updating purpose.


President
Maharashtra Cancer & Mohala Granthi
Vikas Board, Nagpur




Vice Principal
Central India Nursing College
Lonara, Nagpur



Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/941539f68e262e25cd519e1e24762a89b1ebde7dbf593ad1501088d5e6190b1e>


Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

Annexure - 1

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	50.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	11.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	5.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	40	As per clause 'C'	100% Recycle
2	Trade effluent	10	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable (Maximum concentration in mg/l except for pH)
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	95% survival of fish after 96 hours in 100% effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



[Handwritten signature]
Principal
Central India Nursing College
Lonara, Nagpur



MCC NCBW CANCER CENTER, PUNE. CONSENT NO. 11/2022/1116/27/ML/091/PGI/2022

Page 4 of 11

[Handwritten signature]
President

Ministry of Health & Family Welfare
Government of Maharashtra
Pune

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
<https://blockchain.ecmpcb.in/docs/941539f5e262e25cd519e1a24702a89b1ebde74bf097ed1081689d9c819a1c10>

[Handwritten signature]
Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

Annexure - II

Terms & conditions for Inclinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set 625 KVA	Diesel	30.00 Lit/Day	7.00


2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment

3. The board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels-from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Vice Principal
Central India Nursing College
Lonara, Nagpur

Hejra

President

Mehroba Shikhan & Mahila Gramin
Vitar: Shikhan & Mahila, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code:
<https://blockchain.ecmpcb.in/docs/641539f08e262e25cc5f9e1e24702a89b1ebde7c3f593ed150189e83a19811a>

Jeeds
Principal
Central India Nursing College
Lonara, Nagpur




Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity to be generated (kg/month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	30.00	Yellow coloured non-chlorinated plastic bags	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals Kh. No 133, Bhandewadi, Nagpur, Dist - Nagpur.
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	375.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collecting system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid	10.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	10.00	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	210.00	Red coloured non-chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals Kh. No 133, Bhandewadi, Nagpur, Dist - Nagpur.
3	White (Translucent)	Waste sharps including Metals	25.00	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	25.00	Cardboard boxes with Blue coloured marking	
		b) Metallic body implants	20.00		



Prasanna
President

Meharshi Pravin
Munika Gramin
Nagpur

Vice Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/0415391e8e262e25cd519e1e24702a89b1ebde7abf593ed1501839d8e819b1e>

Prasanna
Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1


SCHEDULE-III

Bank Guarantees

1. Bank Guarantee Imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



L. G. V.

Vice Principal
Central India Nursing College
Lonara, Nagpur

PCB-NAGPUR-CANCER-CENTER-CC-1241-11-11-2022-32110-43-2-1/048-PCB-2022-00

Page 2 of 2

Ref: 2022

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
<https://blockchain.com/pcb.info/docs/941539fe8e262e25cd519e1e24702a89b1ebde7dbf693cd150186948c819bb1a>

Seals
Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-V by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/person/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated, 16/11/2009 as amended.



Dejia
President

Maharashtra Pollution Control Board
Regional Office, Nagpur

2 CA
Vice President
Central India Nursing College
Lonara, Nagpur



Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
<https://blockchain.com/prb.in/docs/941539fe8e262e25cd519e1e24702a89b1ebde7db1593ed1501869d8c0195b1e>


S. J. J.
Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1


14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An Inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CII's
18. You shall obtain required permissions from competent authority for radio active material use/ handling/ disposal of waste before commencement of such activity.

For and on behalf of the
Maharashtra Pollution Control Board.


(Ashok Shingare, IAS)
Member Secretary



HCE/NCHE/CANCER CENTER/CL/AN/NA/NO. MPCB-CONSENT-0000114500127-01-2022 11:14:42 PM/JUNE PDE/02/20


President

Member Secretary & Malala Centre
Maharashtra Pollution Control Board, Nagpur


Vice Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
<https://blockchain.ecmpcb.mh/docs/941536fb80262e25cd519e1e24702a89b1ebbd7d1b593ed15018601608101b10>


Principal
Central India Nursing College
Lonara, Nagpur


Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2025-2026
Webinar/Workshop/CME/Activities/ Performed in Last One Year


Name of the College /Institute:- Central India Nursing College, Lonara, Nagpur
 Faculty : Nursing

No. of Webinars Arranged, Guest Lectures & CME/ Workshops

Sr. No	Details of Webinar/ Workshop/CME/ Activities/ Perform Supportive document to be uploaded on web site
1.	Independence Day
2.	Teachers' Day
3.	Heart Day
4.	World Aids Day
5.	Inauguration of Academic Year 2024-25
6.	Christmas Day
7.	Fresher's Party
8.	Republic Day
9.	Leprosy Awareness Programme
10.	Heartfulness Meditation Programme (3 Days)
11.	Cancer Day
12.	Ashwagandha Sapling Distribution Programme
13.	Hair Donation Camp for Cancer Patients at HCG Cancer Hospital

Date:-


 Dean/Principal Stamp & Signature
 Principal
 Central India Nursing College
 Lonara, Nagpur


 Principal
 Central India Nursing College
 Lonara, Nagpur



महाराष्ट्र MAHARASHTRA

© 2024 ©

NAGPUR TREASURY

CZ 261930

09 APR 2025

Stamp Here

NOTARIAL REG.
ENTRY NO 5076
DATE 21/4/25

MEMORANDUM OF UNDERSTANDING

BETWEEN

Central India Nursing, College, Lonara, Nagpur

Hereafter called Party No. 1

AND

CRESCENT HOSPITAL & HEART CENTER PVT LTD,

NAGPUR

Hereafter called Party No. 2



I Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote. Education for the girls of the rural and urban area of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program Name – BSC and P.B.B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.


Principal
Central India Nursing College
Lonara, Nagpur

2 The Nursing behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3 The party No. 1 executed this agreement by Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 27 years residing at Sadar, Nagpur.

4 The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5. The Party No. 2 executed this agreement through its Party No. 02 Name Dr. Aziz Khan, (Medical Director) of Crescent Hospital & Heart Center, Pvt. Ltd, Nagpur

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for BSC and P.B.B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2. THAT Party No.2 is having 50 bedded hospitals with more than 75% Occupancy.




Principal
Central India Nursing College
Lonara, Nagpur

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.


Place: Nagpur

Date:



Sign

Ms. Hafsa Ahmed,
President
Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha, Nagpur




Sign

Dr. Aziz Khan, (Medical Director)




Witness




Principal
Central India Nursing College
Lonara, Nagpur

3. 

4. 
THE NOTARY PUBLIC DOES NOT
ACCEPT ANY RESPONSIBILITY /
LIABILITY FOR LEGALITY IN
PURSUANCE OF DOCUMENT /

ATTESTED



YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
D-64, FIRST FLOOR LINK ROAD,



NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. DR. AZIZ KHAN (MBBS, MD, DM, FACC FESC FSCAI) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Crescent Hospital & Heart Centre Run By Advance Heart Care Centre Pvt. Ltd. situated at Plot No. 25, Behind Old Mount Carmel School, Near Lokmat Square, Dhantoli, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 268

Date of Registration : 06/10/1993

Place : Nagpur

Date of issue of certificate : 01/04/2024


Maternity : 0

Other Nursing : 50

This certificate of registration shall be valid up to 31 Mar 2027.




Principal
Central India Nursing College
Lonara, Nagpur


Dr. D. S. Selokar
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/

No:- Format1.0/RO/UAN No.0000204359/CO/2407001710

Date: 16/07/2024

To,
M/s. Crescent Hospital & Heart Centre
Plot No.25, Near Lokmat Square, Behind Old Mount
Carmel School, Dhantoli, Dist. Nagpur.
Email: moin10khan@gmail.com
Contact No.:9545906666



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Bio-Medical Waste Authorization granted by the Board vide no. RO-Nagpur/BMW_Auth/2107000277 dtd 14/07/2021.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016.respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 31/05/2028.
2. The capital investment of the HCF is ₹1066.05 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 952.05 M² with Built-up area 1152.60 M².
4. **Activities Included**
 - a. Total Number of Beds : 50 Nos. 0
 - I. General Beds : 34 Nos
 - II. ICU/ICU Beds : 15 Nos
 - III. Operation Theatre : 1 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 3.2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.


Principal
Central India Nursing College
Lonara, Nagpur

6. **Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.


Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.


Principal
Central India Nursing College
 Nagpur

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



[Handwritten Signature]

Generated by:
 c9e04089
 3959282e
 be4226ee
 2e297f52
 b45a2220
 6de50ef4
 b6e49f82
 6cd51ab0

Signed by: Hema Deshpande
 Regional Officer
 For and on behalf of,
 Maharashtra Pollution Control Board
 ronagpur@mpcb.gov.in
 2024-08-05 16:53:40 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	MPCB-DR-25719	03/04/2024	RTGS

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

[Handwritten Signature]
Principal
Central India Nursing College
Lonara, Nagpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

Annexure - I

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1.20
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.8	As per clause 'C'	Septic Tank Soak Pit.
2	Trade effluent	1	As per clause 'C'	On Land for Gardening in Hospital Premises.

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	
2	Oil & Grease	6.5-9.0
3	BOD (3 days 27°C)	10
4	COD	30
5	Total Suspended Solids	250
6	Bio-Assay Test	100

90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.


Principal
Central India Nursing College

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Principal
Central India Nursing College
Lonara, Nagpur

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)


The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	15.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	30.00		
		d) Expired or Discarded Medicines	3.00		
		e) Chemical Waste	35.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	10.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	12.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

Responsibilities of HCF

SCHEDULE-II

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


Principal
Central India Nursing College
Lonara, Nagpur

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	Effluent treatment plant not provided / need up gradation	Continuous	50,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.


Principal
Central India Nursing College
Lonara, Nagpur

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.


Principal
Central India Nursing College
Lonara, Nagpur



महाराष्ट्र MAHARASHTRA

2022

NOTARIAL REG
ENTRY NO 6631
DATE 27/02/2025

53AA 136366

22 AUG 2025

Stamp Head

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 24 February 2025.

Between

Central India Nursing, College, Lonara, Nagpur

Hereafter called Party No. 1

AND

Manas Clinic and Baba De-Addiction Centre

Amravati, Maharashtra 444606

Hereafter called Party No. 2



Suresh
Principal
Central India Nursing College
Lonara, Nagpur


The both parties agree as follow:

1. First party declares that Manas Cinic and Baba De-Addiction Center is a 50 bedded super specialty psychiatric hospital.
2. First party agree to provide clinical experience for GNM, B.sc & P.B.B.Sc nursing student as in syllabus
3. The official representing Manas Clinic and Baba De-addiction center & Central India Nursing college Lonara Nagpur are signing this MOU to achieve beneficial objectives of Nursing Courses.
4. THAT Party No.2 has agreed to provide the facility for 3 years from 24 February 2025

Place : Nagpur

Date : 24/02/25




President

Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur

Sign

Ms. Hafsa Ahmed,
President

Mehmuda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur


Principal
Central India Nursing College
Lonara, Nagpur



Sign

[Handwritten Signature]

Manas Clinic and Baba De-Addiction Center

Amravati

Dr. Shrikant Deshmukh

Reg.No.36101 MDDPM (Mumbai)

PSYCHIATRIST

Joglekar Plot, Congress Nagar Road,

AMRAVATI (M.S.) 444 606

Witness

1. *[Signature]*


Ms. Shashikant Mankawde

2. *[Signature]*

Ms. Priyanka Borakute




[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



ATTESTED

[Signature]
Suresh Sadashiv Meshram
Advocate & Notary
Rani Durgawati Square, NIT
Complex, Flat No.A-5, 1st Floor,
Nagpur-17 Maharashtra



AMRAVATI MUNICIPAL CORPORATION



FORM 'C'
(See Rule 5)

CERTIFICATE OF REGISTRATION UNDER SECTION 5 OF THE BOMBAY NURSING HOME REGISTRATION ACT, 1949

No. AMC/PHD/FW/NH/ 288/2023

This is to certify that Shri/Smt. Dr. Shrikant Babarao Deshmukh
has been registered under the Bombay Nursing Homes Registration Act, 1949 in
respect of Mamas Clinic

situated at Joglekar plot Congress Nagar Road Amravati
and has been authorised to carry on the said nursing home.

Registration No. 288

Bed : 015 Maternity : - Nil - other Nursing Patients : 015 (Total fifteen Bed)

Date of registration / Renewal 4-10-2023

Place Joglekar plot Amravati

Date of Issue of Certificate : 17-10-2023

This Certificate of registration shall be valid upto 31 march. 2026



Municipal Corporation, Amravati.

महत्वाची सूचना :-

आपचा सादर देखलेल्या प्रस्तावित तपस्यारणीत नर्सिंग होम
रजि. क्र. १९४९ च्या कायदाखाली वेळोवेळी झालेल्या
सुधारणांनुसार लोकांसाठी प्रकरणी सुटी आरंभून आल्यात
सुटी/सुट्याचे ठरवणे व कसल्याचे अधिकार सक्षम ठेवणे
बदलणे प्रमाणानुसार घेत आहे.

सूचना : अग्निशामन व इलेक्ट्रीक ना हरकत प्रमाणपत्र मुदतीमध्ये नुतनीकरण करून घेणे बंधनकारक राहिल.
अन्यथा Noc चे मुदती दिनांकासोबत या प्रमाणपत्राची वैधता संपुष्टात येईल याची नोंद घ्यावी.

W. S. Deshmukh
04/10/2023
Signature of the registering authority
&
Medical Officer of Health
Municipal Corporation, Amravati

Principals
Principal
Central India Nursing College
Lonara, Nagpur

Scanned with CamScanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email:
sroamravati1@mpcb.gov.in



Sahkar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati- 444606

ORANGE/S.S.I

No:- Format1.0/SRO/UAN No.0000215294/CO/2410000350

Date: 04/10/2024

To,
Manas Hospital
Congress Nagar Road,
Joglekar Plot, Amravati,
Ta. & Dist. Amravati-444606
Email:drshrikant.deshmukh@gmail.com
Contact No.:9823046036



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.


Ref: Your application for Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000215294 dated 11/07/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-06-2024 To 30-06-2026**
2. The capital investment of the HCF is **₹322.90** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 6758.00 M² with Built-up area 3000.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **15 Nos.** (As per BNH certificate no. 288 valid upto 31-03-2026)
 - i. General Beds : **9 Nos**
 - ii. Other Beds : **6 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**

Manas Hospital/CO/UAN No.MPCB-CONSENT-0000215294/Indus-Id.64586 (04-10-2024 11:33:35 am)
/QMS.PO6_F02/00

Page 1 of 9


Principal
Central India Nursing College
Lonara, Nagpur

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.15 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Sushilkumar Rathod

Generated by eSign:
a8c10337
cce2e82f
81ed468a
7c1b798d
b51d588e
5995fad9
3e951c09
3e80dbe4

Signed by: Mr. Sushilkumar Rathod
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
sroamravati1@mpcb.gov.in
2024-10-04 11:33:46 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2407002005	11/07/2024	Online Payment
2	226.00	TXN2409001278	10/09/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Sushilkumar Rathod
Principal
Central India Nursing College
Lonara, Nagpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.5	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Provision of STP/ETP to achieve prescribed discharge standards	6 Months	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,15,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.

5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

“आरोग्य भवन” सेंट जॉर्जेस रुग्णालय, आवर, पी.डि.मेलो रोड, मुंबई - ४०० ००९

कार्यालय	दूरध्वनी	Website : http://maha-arogya.gov.in
संचालक (वैयक्तिक)	२२६२१०३१-३६	Email : dhs_2005@rediffmail.com
महसंचालक (रुग्णालये-राज्यस्तर)	२२६२१००६	Email : jdhs03@gmail.com
सहसंचालक (प्रा.आकेंद्र-जिपस्तर)	२२६११४७१	Fax No. 022-22621034 / 22620234 (DHS)
आदेश	क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ प्रात्य.अनुभव / परवानगी / जा.क्र. १०२५/२५, दि. ०७ मे, २०२५	


विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

- संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रूषा/आस्था/२९३२-३४/२५, दि. २८ जानेवारी, २०२५
- २) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दिनांक १८ सप्टेंबर, २०१२
- ३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/ ६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२
- ४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३ मंत्रालय, मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्रादेशिक मनो रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करित आहे. ▶

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्रादेशिक मनोरुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशीच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठी परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहिल.
२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परवैद्यक शिक्षण मंडळ यांनी राबविलेले अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहिल.


Principal
Central India Nursing College
Lonara, Nagpur

(कृ.मा.प)

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळांच्यानी सादर अभ्यासक्रमासाठी विहित केलेल्या प्रमाणपत्रांनी योग्यरित्या पूर्तता करून संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहिल.
४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सादर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहिल.
५. तीन वर्षांनंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करून घेणे बंधनकारक राहिल. तदनंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.
६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तीची पूर्तता करून घेण्याची जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहिल.
७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करून, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करून द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहिल, या बाबतची सर्वस्वी जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहिल.
८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तदनंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करून परवानगी देण्याची कार्यवाही करावी.
९. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधित संस्थेला होतो का ते पाहिले व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांच्या मान्यतेने)


प्रति,

उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर

/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर, २०१२ च्या शासन निर्णयानुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करून घेण्याची सर्वस्वी जबाबदारी आपली राहिल, याची नोंद घ्यावी.

प्रत- प्राचार्य, मंडळ इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर


Principal
Central India Nursing College
Lonara, Nagpur



आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

“आरोग्य भवन” सेंट जॉर्जस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००९

कार्यालय	दूरध्वनी	Website : http://maha-arogya.gov.in
संचालक (वैयक्तिक)	२२६२१०३१-३६	Email : dhs_2005@rediffmail.com
सहसंचालक (रुग्णालये-राज्यस्तर)	२२६२१००६	Email : jdhs03@gmail.com
सहसंचालक (प्राआकेंद्र-जिपस्तर)	२२६११४७१	Fax No. 022-22621034 / 22620234 (DHS) १७५२५-२७
आदेश	क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ बीएससी/ प्रात्य.अनुभव परवानगी /जा.क्र. १/२५, दि.१७ डिसेंबर, २०२५	


विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

- संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रूषा/आस्था/२६१०८-१०/२५ दि.२४ सप्टेंबर, २०२५
- २) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दिनांक १८ सप्टेंबर, २०१२
- ३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/ ६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२
- ४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३ मंत्रालय, मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी.नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना जिल्हा रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करित आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी.नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना जिल्हा रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ नागपूर यांच्या शिफारशीच्या व खालील अटीची पूर्तता करण्याच्या अधिन राहून, सन २०२५-२६ या शैक्षणिक कालावधी करित प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील शैक्षणिक वर्षासाठीची परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.


- सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहिल.
- भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहिल.


Principal
Central India Nursing College
Lonara, Nagpur

(क.सा.प.)

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहित केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करून संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहिल.
४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहिल.
५. तीन वर्षांनंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करून घेणे बंधनकारक राहिल. तदनंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.
६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तीची पूर्तता करून घेण्याची जबाबदारी संबंधित संस्था प्रमुखाची राहिल.
७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करून, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करून द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहिल, या बाबतची सर्वस्वी जबाबदारी संबंधित संस्था प्रमुखाची राहिल.
८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तदनंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करून परवानगी देण्याची कार्यवाही करावी.
९. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थिनी नियमित येतात की नाही व याचा फायदा संबंधित संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.संचालक यांच्या मान्यतेने)


(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

प्रति,

उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, नागपूर

/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर, २०१२ व दिनांक ०३ ऑगस्ट, २०१३ च्या शासन निर्णयानुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करून घेण्याची सर्वस्वी जबाबदारी आपली राहिल, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर.


Principal
Central India Nursing College
Lonara, Nagpur



आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

“आरोग्य भवन” सेंट जॉर्जेस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००९

कार्यालय संचालक (वैयक्तिक)	दूरध्वनी २२६२१०३१-३६	Website : http://maha-arogya.gov.in
सहसंचालक (रुग्णालये-राज्यस्तर)	२२६२१००६	Email : dhs_2005@rediffmail.com
सहसंचालक (प्राआकेंद्र-जिपस्तर)	२२६११४७१	Email : jdhs03@gmail.com
		Fax No. 022-22621034 / 22620234 (DHS) १७५२२ - २४
आदेश		क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ पीबीबीएससी/ प्रात्या अनुभ / परवानगी/जा.क्र. /२५, दि१७ डिसेंबर, २०२५


विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्याक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

- संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रूषा/आस्था/२६१०५-०७/२५ दि.२४ सप्टेंबर, २०२५
- २) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दिनांक १८ सप्टेंबर, २०१२
- ३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२
- ४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३ मंत्रालय, मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पीबी.बी.एस.सी.नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना जिल्हा रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करित आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पीबी.बी.एस.सी.नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना जिल्हा रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशीच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२५-२६ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील शैक्षणिक वर्षासाठीची परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहिल.
२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्या शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहिल.


Principal
Central India Nursing College
Mangalore, Mangalore

(क.मा.ए.)

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहित केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करून संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहिल.
४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहिल.
५. तीन वर्षांनंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करून घेणे बंधनकारक राहिल. तदनंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.
६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तीची पूर्तता करून घेण्याची जबाबदारी संबंधित संस्था प्रमुखाची राहिल.
७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करून, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करून द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहिल, या बाबतची सर्वस्वी जबाबदारी संबंधित संस्था प्रमुखाची राहिल.
८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तदनंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्यक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करून परवानगी देण्याची कार्यवाही करावी.
९. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेतील पीबी.बीएस.सी. नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधित संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.संचालक यांच्या मान्यतेने)

S. G. G. G.
(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

प्रति,

उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, नागपूर

/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर, २०१२ व दिनांक ०३ ऑगस्ट, २०१३ च्या शासन निर्णयानुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करून घेण्याची सर्वस्वी जबाबदारी आपली राहिल, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर.

S. G. G. G.
Principal
Central India Nursing College
Lonara, Nagpur



आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

“आरोग्य भवन” सेंट जॉर्जेस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००९

कार्यालय संचालक (वैयक्तिक)	दूरध्वनी २२६२१०३१-३६	Website : http://maha-arogya.gov.in Email : dhs_2005@rediffmail.com
महसंचालक (रुग्णालये-राज्यस्तर)	२२६२१००६	Email : jdhs03@gmail.com
महसंचालक (प्राआकेंद्र-जिपस्तर)	२२६११४७१	Fax No. 022-22621034 / 22620234 (DHS) ६६३७-३७
आदेश	क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ प्रात्य.अनुभव / परवानगी /जा.क्र. — /२५, दि. ०७ मे, २०२५	

विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रूषा/आस्था/४८११-१३/२५,
दि. १४ फेब्रुवारी, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/
आरोग्य-४, मंत्रालय, मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/
६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२

४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३
मंत्रालय, मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्राथमिक आरोग्य केंद्र, गुमथी, जि. नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करित आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्राथमिक आरोग्य केंद्र, गुमथी, जि. नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशीच्या व खालील अटीची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठी परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहिल.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहिल.


Principal
Central India Nursing College

(कृ.मा.प.)

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहित केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करुन संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहिल.
४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहिल.
५. तीन वर्षांनंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करुन घेणे बंधनकारक राहिल. तदनंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.
६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तीची पूर्तता करुन घेण्याची जबाबदारी संबंधित जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर यांची राहिल.
७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करुन, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करुन द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहिल, या बाबतची सर्वस्वी जबाबदारी संबंधित जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर यांची राहिल.
८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तदनंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करुन परवानगी देण्याची कार्यवाही करावी.
९. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधित संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांच्या मान्यतेने)

प्रति,

उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर

/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर, २०१२

च्या शासन निर्णयानुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करुन घेण्याची सर्वस्वी जबाबदारी आपली राहिल, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर.

१८/०८/२०१२
निर्गमित

Subhart
(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

१८/०८/२०१२
१२/०८/२०१२

Principal
Central India Nursing College
Lonara Nannur



आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

“आरोग्य भवन” सेंट जॉर्जेस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००९

कार्यालय संचालक (वैयक्तिक) सहसंचालक (रुग्णालये-राज्यस्तर) सहसंचालक (प्राआकेंद्र-जिपस्तर)	दूरध्वनी २२६२१०३१-३६ २२६२१००६ २२६११४७१	Website : http://maha-arogya.gov.in Email : dhs_2005@rediffmail.com Email : jdhs03@gmail.com Fax No. 022-22621034 / 22620234 (DHS)
आदेश		क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ प्रात्य.अनुभव / परवानगी /जा.क्र. ६७२२५/२५, दि. ०७ मे, २०२५

विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रूषा/आस्था/४८०८-१०/२५
दि. १४ फेब्रुवारी, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/
आरोग्य-४, मंत्रालय, मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/
६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२


४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३
मंत्रालय, मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी.बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्राथमिक आरोग्य केंद्र, गुमथी, जि. नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करीत आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी.बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्राथमिक आरोग्य केंद्र, गुमथी, जि. नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशीच्या व खालील अटीची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठी परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहिल.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहिल.


Principal
Central India Nursing College
Lonara, Nagpur

(कृ.मा.प.)

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहित केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करून संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहिल.
४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहिल.
५. तीन वर्षांनंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करून घेणे बंधनकारक राहिल. तदनंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.
६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तीची पूर्तता करून घेण्याची जबाबदारी संबंधित जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर यांची राहिल.
७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करून, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करून द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहिल, या बाबतची सर्वस्वी जबाबदारी संबंधित जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर यांची राहिल.
८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तदनंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करून परवानगी देण्याची कार्यवाही करावी.
९. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी.बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थिनी नियमित येतात की नाही व याचा फायदा संबंधित संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांच्या मान्यतेने)


प्रति,

उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर

/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर, २०१२ च्या शासन निर्णयानुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करून घेण्याची सर्वस्वी जबाबदारी आपली राहिल, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर


Principal
Central India Nursing College
Lonara, Nagpur

(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

o/c
02/11/23
2/11/23



आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

“आरोग्य भवन” सेंट जॉर्जस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००१

कार्यालय संचालक (वैयक्तिक) महसंचालक (रुग्णालये-राज्यस्तर) महसंचालक (प्राआकेंद्र-जिपस्तर)	दूरध्वनी २२६२१०३१-३६ २२६२१००६ २२६११४७१	Website : http://maha-arogya.gov.in Email : dhs_2005@rediffmail.com Email : jdhs03@gmail.com Fax No. 022-22621034 / 22620234 (DHS)
आदेश	क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ प्रात्य.अनुभव / परवानगी /जा.क्र. ६०२५/२५, दि. ०७ मे, २०२५	

विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रूषा/आस्था/२९३२-३४/२५,
दि. २८ जानेवारी, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/
आरोग्य-४, मंत्रालय, मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/
६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२


४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३
मंत्रालय, मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्रादेशिक मनो रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करित आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्रादेशिक मनोरुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशीच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठी परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहिल.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहिल.


Principal
Central India Nursing College
Lonara, Nagpur

(कृ.मा.प.)

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहित केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करून संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहिल.
४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहिल.
५. तीन वर्षांनंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करून घेणे बंधनकारक राहिल. तदनंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.
६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तीची पूर्तता करून घेण्याची जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहिल.
७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करून, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करून द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहिल, या बाबतची सर्वस्वी जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहिल.
८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तदनंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करून परवानगी देण्याची कार्यवाही करावी.
९. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधित संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांच्या मान्यतेने)

प्रति,


उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर


प्रत- वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर

/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर, २०१२ च्या शासन निर्णयानुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करून घेण्याची सर्वस्वी जबाबदारी आपली राहिल, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर.


Principal
Central India Nursing College


(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई


Principal
2/5



आरोग्य सेवा आयुक्तालय (महाराष्ट्र राज्य)

आरोग्य भवन, ६ वा मजला, सेंट जॉर्जस रुग्णालय, आवार, मुंबई-४०० ००९.

संचालक, आरोग्य सेवा सह संचालक (रुग्णालये)	दूरध्वनी क्रमांक २२६२९०३९&३६ २२६९९४७९	Website : http://maha-arogya.gov.in Email : jdhs03@gmail.com ०२२- २२६७९०४४(Hosp.)
आदेश	क्र.आआसे / कक्ष-३/ टे-९/प्रात्य. अनु./परवानगी/सेंट्रल इंडिया नर्सिंग/ जा.क्र. दिनांक- २० एप्रिल, २०२५	७२५, ७३

विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि. नागपूर.


- संदर्भ -१) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रूषा/ आस्था/२९२९-
३९/२५, दि.२८ जानेवारी, २०२५
- २) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र. प्राअसं-२०१२/६३९/
प्र.क्र.९९७/आरोग्य-४, मंत्रालय, मुंबई दिनांक १८ सप्टेंबर, २०१२
- ३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र. प्राअसं-
२०१२/६३९/प्र.क्र.९९७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२
- ४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र. संकीर्ण-२०१३/
प्र.क्र.३०७/आरोग्य-३ मंत्रालय, मुंबई, दिनांक ०३ ऑगस्ट, २०१३

संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि. नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी. बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्रादेशिक मनोरुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करित आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि. नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी. बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्रादेशिक मनोरुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशीच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ वा शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठीची परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहिल.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक / महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहिल.


Principal (कृ.म.प.)
Central India Nursing College

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहित केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करून संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहिल.
४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहिल.
५. तीन वर्षांनंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करून घेणे बंधनकारक राहिल. तदनंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.
६. संदर्भित शासन निर्णय क्र.२ व ३ मधील अटी व शर्तीची पूर्तता करून घेण्याची जबाबदारी संबंधित वैद्यकीय अधिकक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहिल.
७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करून, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करून द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहिल, या बाबतची सर्वस्वी जबाबदारी संबंधित वैद्यकीय अधिकक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहिल.
८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तदनंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करून परवानगी देण्याची कार्यवाही करावी.
९. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी.बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थिनी नियमित येतात की नाही व याचा फायदा संबंधित संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांची मान्य टिपणी)

S. S. S. S.
निर्मित,

प्रति,

उपसंचालक, आरोग्य सेवा

नागपूर मंडळ, नागपूर.

प्रत - वैद्यकीय अधिकक, प्रादेशिक मनोरुग्णालय, नागपूर.

/-आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर, २०१२ च्या शासन निर्णयानुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी शर्तीची पूर्तता करून घेण्याची सर्वस्वी जबाबदारी आपली राहिल, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि. नागपूर

S. S. S. S.
Principal
Central India Nursing College
Lonara, Nagpur

S. S. S. S.
(डॉ. सुनीता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

S. S. S. S.
24/11/25
24/11/25

