

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2024 - 2025


Clinical Material in Hospital

Faculty:- Nursing

Name of College/Institute:- Central India Nursing College, Lonara, Nagpur

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Adequate / Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.)	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Adequate
b.	Student Bed Ratio for UG to be verified: (As per MSR)	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%)	Adequate
d.	Clinical facilities for PG to be verified : (As per MSR)	Inadequate
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Adequate
	<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate" & do not attach any documents. • In case of "Inadequate", it must be mark as "Inadequate" with evidence. 	



Dean/Principal Stamp & Signature

Principal
Central India Nursing College
Lonara, Nagpur



महाराष्ट्र MAHARASHTRA

© 2022 ©

ACCEPTED FOR STAMP

BN 935955

MEMORANDUM OF UNDERSTANDING

09 DEC 2022

This Memorandum of understanding is made on this 09 December 2022
for "Parent Hospital"

Stamp Used Once / St. Clerk

BETWEEN

College of Nursing,
Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND



GHRI Cancer Centre, Nagpur
Hereafter called Party No. 2

I. Trust name NADVI Shikshan and Mahila Gramin Vikas Bahudeshiya Sanshitha, Nagpur, with objective to spread & promote Education for the girls of the rural and urban are of Nagpur District. Trust



Refsa



Refsa

Zubeeda

R. Inam

Principal
Central India Nursing College
Lonara, Nagpur

Mahila Shiksha & Mahila Gramin Vikas Bahudeshiya Sanshitha, Nagpur

Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - B.Sc.Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 26 years residing at Sadar, Nagpur.
4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
5. The Party No. 2 executed this agreement through Mr. Venkateshwarlu Marapaka (Chief Operating Officer) HCG NCHRI Cancer Centre ,Khasra No. 50,51, Mouja Wanjri, Bande Nawaz Nagar, Near Automotive Square, Kalamna Ring Road, Nagpur-440026

Hafsa



Hafsa

Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur (M.S.)

P. Vasanth (10)
Principal

Central India Nursing College
Lonara, Nagpur

Zubeeda

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
2. THAT Party No.2 Hospital would continue to function as "Parent Hospital" till the life of nursing institution.
3. THAT Party No.2 would not allow the hospital to be treated "Parent/Affiliated Hospital" to any other nursing institution.
4. THAT Party No.2 is having 132 bedded hospitals with more than 75% Occupancy.
5. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.
6. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
7. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Pefse



Prin

Maharaja Shri Chavan & Mahesh Chandra
Vikas Mandal, Nagpur, M.S.

Zubeada

Prin
Principal
Central India Nursing College
Lonara, Nagpur

(11)

Place: Nagpur

Date:



Hafsa

Mehmda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur (M.S.)

Sign

Ms. Hafsa Ahmed,

Joint Secretary

Mehmda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur



Sign

Mr. Venkateshwarlu Marapaka

Mr. Venkateshwarlu Marapaka,

Chief Operating Officer

HCG NCHRI Cancer Centre, Nagpur

Witness

1. Razik Sultan

2. Banish Ali Shiksha

Razik



Zubeeda

Principal
Central India Nursing College
Lonara, Nagpur

Zubeeda

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Suchitra Mehta (MBBS) has been registered under the
Bombay Nursing Home Registration Act 1949 in respect of HCG NCHRI Cancer Center
situated at Kh No. 50/51, Mouza Wanjri, Near Automotive Square, Kalamna Ring
Road, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 986

Date of Registration : 25/05/2017

Place : Nagpur


Date of issue of certificate : 01/04/2023

Maternity : 0

Other Nursing : 132


This certificate of registration shall be valid up to 31 Mar 2026.





Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.






Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.1

No:- Format 1.0/CC/UAN No.0000114880/CR 2202000094

Date: 02/12/2021

To,
HCG HCG NCHRI Cancer Centa,
50/51 Ring Road At Wanjri Automotive Square, Next to
Yashodhara Nagar Police Station,
Nagpur-440026
Email: ambarish.m@hcgel.com
Contact No.: 9823280081



Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format 1.0 /BO/PSO/HOD-1903000353 Date-07/03/2019
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/06/2021
3. Minutes of 10th CC Meeting Dtd. 23/09/2021
4. Your Reply dtd. 17/11/2021 & 01/12/2021 & 02/12/2021 & 03/12/2021 & 08/12/2021
5. Minutes of 15th CC Meeting Dtd. 30/12/2021

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and DMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 11-06-2021 To 10-06-2026
2. The capital investment of the HCF is ₹5609.74 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 10119.12 M² with Built-up area 5214.39 M².
4. Activities Included
 - a. Total Number of Beds : 132 Nos (As per BNH certificate no. 906 valid upto 31-03-2023)
 - I. General Beds : 132 Nos

Rejisa



Zoheda
Principal
Central India Nursing College
Lonara, Nagpur

16



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 66.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water Intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr. No.	Type of Waste	HW Category no.	Quantity (MT/Annium)	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	CHWTSDF

8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Superb Hygienic Disposals Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

Handwritten signature



Handwritten signature: Zabeada

Handwritten signature: P. Wagnani
Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	50.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	11.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	5.00


B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	40	As per clause 'C'	100% Recycle
2	Trade effluent	10	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameter	Discharge standards applicable Limiting Concentration in mg/l except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



Rajeev

Principal
19

Zubeed
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (mtr)
1	DG Set 625 KVA	Diesel	30.00 Lit/Day	7.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

[Handwritten signature]



[Handwritten signature]

[Handwritten signature]

Principal
Central India Nursing College
Lonara, Nagpur

[Handwritten signature]






Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity to be generated (Kilogram/lt)	Segregation/Storage/Labeling	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	30.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals Kh. No. 133, Bhandewadi, Nagpur. Dist - Nagpur.
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	325.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	10.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	210.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals Kh. No. 133, Bhandewadi, Nagpur. Dist - Nagpur.
3	White (Translucent)	Waste sharps including Metals	25.00	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	25.00	Cardboard boxes with Blue coloured marking.	
		b) Metallic body implants	20.00		



Handwritten signature

Handwritten signature

Principal
Central India Nursing College
Lonara, Nagpur

Handwritten signature



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

SCHEDULE-II

Responsibilities of the HCE Owner and CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Superb Hygienic Disposals and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once in a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec: including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmipc.in/>).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.



Refse

Zubeeda
Roseeni
Principal
Central India Nursing College
Nagpur



Maharashtra Pollution Control Board

61fa64274e12d856ca759fd1



SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity/Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



Handwritten signature

Handwritten signature
Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and Industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.



Rejo




Zubeeda
Principal
Central India Nursing College
Lonara, Nagpur




Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An Inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.


For and on behalf of the
Maharashtra Pollution Control Board.


(Ashok Shingare, IAS)
Member Secretary







Zubeeda Purohit 
Principal
Central India Nursing College
Lonara, Nagpur


<<<<--36.000 M. WIDE RING ROAD-->>>>

<<<<--15.000 M. WIDE ROAD-->>>>

PROPOSED
CONSTRUCTION

<<<<--ROAD-->>>>




Handwritten signature



Zubeada

Principal

Principal
Central India Nursing College
Lonara, Nagpur




Ref 32

Zubeada *Rasani*
Principal
Central India Nursing College
Lonara, Nagpur

FIFTH FLOOR PLAN

FOURTH FLOOR PLAN



MECHANICAL VENTILATION
FRESH ROOM SERVICES
H.C. HANDICAPPED PERSON TOILET

DOOR OPENING SCHEDULE
END DOOR SIZE SHALL BE AS PER SCHEDULE

MECHANICAL VENTILATION
FRESH ROOM SERVICES
H.C. HANDICAPPED PERSON TOILET

Refse

Prasanna
Principal


Central India Nursing College
Laxata, Nagpur



Table with multiple columns and rows, likely a schedule or specification table. The text is very small and difficult to read.



SCALE OF DRAWING



MECHANICAL VENTILATION FOR THE PASSAGES & OTHER ROOM SERVICES
H.C. HANDICAPPED PERSON TOILET

DOOR OPENING SPECIFICATION
SINO DOOR SIZE



P. P. P.


P. P. P.
Principal

Central India Nursing College
Londa, Nagpur

Zubeeda

30

SECOND FLOOR PLAN



Mechanical Ventilation & Quiet Passages
H.C. - HANDICAPPED PERSON TOILET

ROOM NO.	AREA	NO. OF	NO. OF
101	10.00	1	1
102	10.00	1	1
103	10.00	1	1
104	10.00	1	1
105	10.00	1	1
106	10.00	1	1
107	10.00	1	1
108	10.00	1	1
109	10.00	1	1
110	10.00	1	1
111	10.00	1	1
112	10.00	1	1
113	10.00	1	1
114	10.00	1	1
115	10.00	1	1
116	10.00	1	1
117	10.00	1	1
118	10.00	1	1
119	10.00	1	1
120	10.00	1	1
121	10.00	1	1
122	10.00	1	1
123	10.00	1	1
124	10.00	1	1
125	10.00	1	1
126	10.00	1	1
127	10.00	1	1
128	10.00	1	1
129	10.00	1	1
130	10.00	1	1
131	10.00	1	1
132	10.00	1	1
133	10.00	1	1
134	10.00	1	1
135	10.00	1	1
136	10.00	1	1
137	10.00	1	1
138	10.00	1	1
139	10.00	1	1
140	10.00	1	1
141	10.00	1	1
142	10.00	1	1
143	10.00	1	1
144	10.00	1	1
145	10.00	1	1
146	10.00	1	1
147	10.00	1	1
148	10.00	1	1
149	10.00	1	1
150	10.00	1	1




Ref 2

Zabeda Principal
Central India Nursing College
Lonara, Nagpur


SUNSHINE DRAWING

FIRST FLOOR PLAN



MECHANICAL VENTILATION FOR TOILETS/PASSAGES
OTHER ROOM SERVICES
H.C - HANDICAPPED PERSON TOILET

DOOR OPENING SCHEDULE
S.NO. DOOR SIZE SILL LEVEL (M) FROM FINI



S.NO.	DOOR	SIZE	SILL LEVEL (M) FROM FINI
1	DOOR	2.10 x 0.90	0.90
2	DOOR	2.10 x 0.90	0.90
3	DOOR	2.10 x 0.90	0.90
4	DOOR	2.10 x 0.90	0.90
5	DOOR	2.10 x 0.90	0.90
6	DOOR	2.10 x 0.90	0.90
7	DOOR	2.10 x 0.90	0.90
8	DOOR	2.10 x 0.90	0.90
9	DOOR	2.10 x 0.90	0.90
10	DOOR	2.10 x 0.90	0.90
11	DOOR	2.10 x 0.90	0.90
12	DOOR	2.10 x 0.90	0.90
13	DOOR	2.10 x 0.90	0.90
14	DOOR	2.10 x 0.90	0.90
15	DOOR	2.10 x 0.90	0.90
16	DOOR	2.10 x 0.90	0.90
17	DOOR	2.10 x 0.90	0.90
18	DOOR	2.10 x 0.90	0.90
19	DOOR	2.10 x 0.90	0.90
20	DOOR	2.10 x 0.90	0.90
21	DOOR	2.10 x 0.90	0.90
22	DOOR	2.10 x 0.90	0.90
23	DOOR	2.10 x 0.90	0.90
24	DOOR	2.10 x 0.90	0.90
25	DOOR	2.10 x 0.90	0.90
26	DOOR	2.10 x 0.90	0.90
27	DOOR	2.10 x 0.90	0.90
28	DOOR	2.10 x 0.90	0.90
29	DOOR	2.10 x 0.90	0.90
30	DOOR	2.10 x 0.90	0.90
31	DOOR	2.10 x 0.90	0.90
32	DOOR	2.10 x 0.90	0.90
33	DOOR	2.10 x 0.90	0.90
34	DOOR	2.10 x 0.90	0.90
35	DOOR	2.10 x 0.90	0.90
36	DOOR	2.10 x 0.90	0.90
37	DOOR	2.10 x 0.90	0.90
38	DOOR	2.10 x 0.90	0.90
39	DOOR	2.10 x 0.90	0.90
40	DOOR	2.10 x 0.90	0.90
41	DOOR	2.10 x 0.90	0.90
42	DOOR	2.10 x 0.90	0.90
43	DOOR	2.10 x 0.90	0.90
44	DOOR	2.10 x 0.90	0.90
45	DOOR	2.10 x 0.90	0.90
46	DOOR	2.10 x 0.90	0.90
47	DOOR	2.10 x 0.90	0.90
48	DOOR	2.10 x 0.90	0.90
49	DOOR	2.10 x 0.90	0.90
50	DOOR	2.10 x 0.90	0.90
51	DOOR	2.10 x 0.90	0.90
52	DOOR	2.10 x 0.90	0.90
53	DOOR	2.10 x 0.90	0.90
54	DOOR	2.10 x 0.90	0.90
55	DOOR	2.10 x 0.90	0.90
56	DOOR	2.10 x 0.90	0.90
57	DOOR	2.10 x 0.90	0.90
58	DOOR	2.10 x 0.90	0.90
59	DOOR	2.10 x 0.90	0.90
60	DOOR	2.10 x 0.90	0.90
61	DOOR	2.10 x 0.90	0.90
62	DOOR	2.10 x 0.90	0.90
63	DOOR	2.10 x 0.90	0.90
64	DOOR	2.10 x 0.90	0.90
65	DOOR	2.10 x 0.90	0.90
66	DOOR	2.10 x 0.90	0.90
67	DOOR	2.10 x 0.90	0.90
68	DOOR	2.10 x 0.90	0.90
69	DOOR	2.10 x 0.90	0.90
70	DOOR	2.10 x 0.90	0.90
71	DOOR	2.10 x 0.90	0.90
72	DOOR	2.10 x 0.90	0.90
73	DOOR	2.10 x 0.90	0.90
74	DOOR	2.10 x 0.90	0.90
75	DOOR	2.10 x 0.90	0.90
76	DOOR	2.10 x 0.90	0.90
77	DOOR	2.10 x 0.90	0.90
78	DOOR	2.10 x 0.90	0.90
79	DOOR	2.10 x 0.90	0.90
80	DOOR	2.10 x 0.90	0.90
81	DOOR	2.10 x 0.90	0.90
82	DOOR	2.10 x 0.90	0.90
83	DOOR	2.10 x 0.90	0.90
84	DOOR	2.10 x 0.90	0.90
85	DOOR	2.10 x 0.90	0.90
86	DOOR	2.10 x 0.90	0.90
87	DOOR	2.10 x 0.90	0.90
88	DOOR	2.10 x 0.90	0.90
89	DOOR	2.10 x 0.90	0.90
90	DOOR	2.10 x 0.90	0.90
91	DOOR	2.10 x 0.90	0.90
92	DOOR	2.10 x 0.90	0.90
93	DOOR	2.10 x 0.90	0.90
94	DOOR	2.10 x 0.90	0.90
95	DOOR	2.10 x 0.90	0.90
96	DOOR	2.10 x 0.90	0.90
97	DOOR	2.10 x 0.90	0.90
98	DOOR	2.10 x 0.90	0.90
99	DOOR	2.10 x 0.90	0.90
100	DOOR	2.10 x 0.90	0.90



Refse


Ruabnil
Principal

Central India Nursing College
Lonara, Nagpur

32

Zubeada

GROUND FLOOR PLAN



MECHANICAL VENTILATION FOR THE RESIDENTS
OTHER SCHOOL SERVICES
H.C. HANDICAPPED PERSON TOILET



Refsa

Prasnik
Principal

Central India Nursing College
Lonara, Nagpur


Zubeada

33



DR. MUSE MUSE WERE


BASEMENT FLOOR PLAN



MECHANICAL VENTILATION FOR ROOMS - SERVICES

IO SCHEDULE

NO.	DESCRIPTION	QTY	UNIT	REMARKS
1
2
3
4
5
6
7
8
9
10



Handwritten signature in blue ink.

Handwritten signature in blue ink.


Principal
Central India Nursing College
Lonara, Nagpur

3



Detail of Organisation

No	Particular	Detail
1	Name of Hospital	HCG NCHRI Cancer Centre - Nagpur
2	Name of the Owner	DR. SUCHITRA MEHTA
3	Ownership Type	COMPANY
4	Address for communication for locating Hospital	Khasra No. 50,51, Mouja Wanjri, Bande Nawaz Nagar, Near Automotive Square, Kalamna Ring Road, Nagpur- 440026
5	Contact Person (for correspondence and LIAISON)	DR. ZULESH PATLE (MANAGER OPERATION)
6	Contact Numbers (Landline with area code and Mobile)	776700833/+91-6358888822 / 074064 99999
7	Email	info@hcgel.com
8	Any NABH Quality certification or Accreditation received by the facility in past	H-2019-0628


Dr. Zulesh Patle



HCG NCHRI Cancer Center

Khasra No. 50, 51, Mouja Wanjri, Bande Nawaz Nagar, Near Automotive Square, Kalamna Ring Road, Nagpur- 440026 | 074064 99999 | 776700833 | info@hcgel.com | hcgel.com


Principal
Central India Nursing College
Lonara, Nagpur

Zubeeda

36



Facility Details :-

Sr. No.	Particulars	Details
1	Number of Building	1
2	Number of Floors	5
3	Number of Lift	2

Bed Distribution

Ground Floor


Sr. No.	Name	Total Beds
01	Imgergency Ward	04
	Total	4

First Floor


Sr. No.	Name	Total Beds
01	Bone Marrow Transplant Ward	09
02	Day Care Ward	13
	Total	22

Second Floor

Sr. No.	Name	Total Beds
01	General Ward	24
02	Twin Sharing	12
03	Single Beds	06
	Total	42



Handwritten signature



Zubeeda
Principal
Principal
Central India Nursing College
Lonara, Nagpur



Food & Drugs Administration (Maharashtra State)

Letter No: MH/NAG/RNW/BSC-MH/102573
Food & Drugs Administration, NAGPUR Division
Office of the Joint Commissioner
Civil Lines
NAGPUR - 440001

License Retention With Products
Validity Period: 28/04/2022 To 27/04/2024

To : LICENSE No : BSC-MH/102573 & Dt : 08/04/2022
755799- HGC NCHRI CANCER CENTER (Limited Liability Partnership)
50-51, MAUJA WANJRI, BHANDENAWAZ NAGAR, NEAR AUTOMOTIVE
SQUARE, KALAMNA RING ROAD, NAGPUR - 440026
Taluka: Nagpur Urban, District: NAGPUR

Sir,

Ref :- Your Inward Application vide Inward ID:- 193888 (RNW) Dated :- 13/02/2022

With reference to your Inward application, we inform you that your said application is considered & following LICENSE has been Retained

Table with columns: Type, Form, LIC No / Validity, First Issue / Row, Prod, Name of Drugs, PAN No., Staff Name, Section, Designation, Qual.

This License has been Retained wef 28/04/2022 and valid up to 27/04/2024

PTL Inventory: 710509 -LIFELINE BLOOD BANK, COMPONENT & APHERESIS CENTRE, NEETI GAURAV COMPLEX, 3RD FLOOR, LOKMAT SQUARE, CENTRAL BAZAR ROAD, RAMDASPETH, NAGPUR-440010 (MH)-NAG

Terms and Conditions

- 1) Licensee should comply with all the provisions of Drugs & Cosmetics Act, 1940 & Rules 1945 as amended up to dt.
2) Licensee should comply with all the provisions of Drugs (Price Control) Order 2013 as amended up to dt (wherever applicable).
3) Licensee should abide by all the provisions of Drugs & Magic Remedies (Objectionable Advertisement) Act, 1954 & Rules 1955 as amended up to date
4) Licensee should not manufacture any drug/cosmetic by a name belonging to another manufacturer
5) Licensee should not manufacture or sell drugs/cosmetics even if it is included in the approved list of product, if it is or as and when banned by Licensing Authority or Drugs Controller General of India or Government of India.
6) The permission is granted subject to the condition that, the product is safe, for use in context of pharmaceutical Aids, Additions and excipient used in the formulation
7) Any addition thereto or any deletion therefore will not be carried out without permission of Licensing Authority

FDA MAHARASHTRA



Fee Payment(s) : DB-Id: 420547 - 13/02/2022 (Amt: 2600) (Application for Certificate of Approval to Operate BSC) .Balance : 0

This License/Certificate is eSIGNED. Physical Signature is NOT Required No. of Products: 3, No. of Ingredients: 0

Table with columns: Division, MFG ID No, Type: License Renewal, License No, Issue Date

For online Third Party Approval Verification: Go to fdamfz.maharashtra.gov.in & Click TPAV

Handwritten signature and stamp of the licensee: Poojashri, Principal, Central India Nursing College, Lonara, Nagpur

Handwritten number: 41

Hospital equipment floor NAME	Asset Number	Asset Description	Manufacturer	Model Number	Serial Number	Asset Status	Customer Contract
4 th Floor	110028000049	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18995	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000052	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	19001	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000053	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18991	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000054	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18996	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000055	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	19000	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000057	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18988	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000079	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	PVM 2703	0113779	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000058	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18975	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000059	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18978	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000060	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18998	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000061	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18997	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000062	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18990	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000065	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	352318C	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000094	ETCO2 SENSOR MODEL	NIHON KOHDEN	PVM 2703	53306BE	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000095	ETCO2 MACHINE	ISHEEL HEALTHCARE	IH129	KDS51607E292	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000340	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2217B445711011A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000330	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2217B445711010A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000232	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2117B445711009A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000233	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2117B445711017A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000234	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2017B445711024A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000235	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2117B445711022A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000331	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2117B445711014A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000332	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2217B445711012A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000333	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2217B445711005A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000334	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2117B445711016A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000335	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2217B445711008A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000336	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2017B445711020A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000337	FULLY MOTOR BED	JANAK HEALTHCARE	E45500	2217B445711013A	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110032000508	VENTILATOR	WIPO GE	R860	CBRW01231	WORKING	CMG UNDER WIPO
4 th Floor	1100280003/02	VENTILATOR	WIPO GE	R860	CBRW01235	WORKING	CMG UNDER WIPO
4 th Floor	1100280003/03	VENTILATOR	WIPO GE	R860	CBRW01230	WORKING	CMG UNDER WIPO
4 th Floor	1100280003/04	VENTILATOR	WIPO GE	R860	CBRW01234	WORKING	CMG UNDER WIPO
4 th Floor	1100280003/05	VENTILATOR	WIPO GE	R860	CBRW01238	WORKING	CMG UNDER WIPO
4 th Floor	1100280003/06	VENTILATOR	WIPO GE	R860	CBRW01237	WORKING	CMG UNDER WIPO
4 th Floor	110028000237	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101701	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000238	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102524	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000239	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102526	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000240	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102657	WORKING	AMG IS UNDERSCOPE OF BME
4 th Floor	110028000241	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102496	WORKING	AMG IS UNDERSCOPE OF BME




Refsa

Ruaganik
Principal
Central India Nursing College
Lonara, Nagpur

42

4 th Floor	110028000243	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101691	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000244	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101688	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000245	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102541	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000246	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102516	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000247	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102523	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000248	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101702	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000249	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102525	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000251	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102532	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000252	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101704	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000253	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101687	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000254	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102533	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000256	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	23374502	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000257	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	23374457	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000258	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	23374310	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000285	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23374500	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000292	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	2337467	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000293	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23374494	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000294	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23404614	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000286	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	2052	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000281	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	KSIS1607E292	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000295	INFUSION PUMP	NIHON KOHDEN	TEC 5621	11000478	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000299	INFUSION PUMP	NIHON KOHDEN	IN129	100474	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000340	DEFIBRILLATOR	ISHEEL HEALTHCARE	EOS000	100473	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000340	DEFIBRILLATOR	ISHEEL HEALTHCARE	CNS 9101K	100473	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000275	BLANKET WARMER	SMITHS MEDICAL	CNS 9101K	100473	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000097	CENTRAL NURSING STATION	NIHON KOHDEN	CNS 9101K	SM17200066PA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000098	CENTRAL NURSING STATION	NIHON KOHDEN	MAC 2000	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000098	CENTRAL NURSING STATION	NIHON KOHDEN	WIPRO GE	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000098	CENTRAL NURSING STATION	NIHON KOHDEN	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120027	ELECTROCARDIOGRAPH	NA	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	NA	GLUCOMETER	NA	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000120	GLUCOMETER	NA	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000120	GLUCOMETER	NA	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000119	BP APPRATUS	NA	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000035	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000036	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000036	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000037	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000038	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000039	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000040	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000041	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000042	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000043	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000169	NEBULIZER MACHINE	PHIPIS	NA	1022187751	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110043000158	REFRIGERATOR	PHIPIS	NA	1022187750	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000351	NEBULIZER MACHINE	RESIMED	LUMIS-100	22171200450	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000022	B-PAP-LUMIS VPAP 100S	ABBOTT	MN-300-G	303686	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000022	B-PAP-LUMIS VPAP 100S	ABBOTT	MN-300-G	18976	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	NA	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM-3562	23374495	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000051	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	OPTIMA VS	23374497	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000051	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	OPTIMA VS	23374486	WORKING	AMC IS UNDER SCOPE OF BME
1 st Floor	110028000287	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23374488	WORKING	AMC IS UNDER SCOPE OF BME
1 st Floor	110028000288	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	113773	WORKING	AMC IS UNDER SCOPE OF BME
1 st Floor	110028000289	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	113776	WORKING	AMC IS UNDER SCOPE OF BME
1 st Floor	110028000312	INFUSION PUMP	NIHON KOHDEN	PVM 2703	113776	WORKING	AMC IS UNDER SCOPE OF BME
1 st Floor	110028000081	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	PVM 2703	113776	WORKING	AMC IS UNDER SCOPE OF BME



Handwritten signature

Handwritten signature

Principal
Central India Nursing College
Lonara, Nagpur

43

2 nd Floor	HC607120155	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101671	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000313	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	170800100	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000314	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	170800197	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000315	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	170800199	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000319	DEFIBRILLATOR	NIHON KOHDEN	TEC 5621	3201	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000428	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX-4205	2017834371A041A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000429	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX-4205	2017834371A045A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000430	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX-4205	2017834371A034A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000432	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX-4205	2017834371A071A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000431	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX-4205	2017834371A039A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000433	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX-4205	2017834371A040A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	HC607120054	ELECTROCARDIOGRAPH	VIPOG GE	MAC 2000	SMT17200047PA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	NA	GLUCOMETER	NA	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	NA	NEBULIZER MACHINE	NIDEK	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	NA	BP APPRATUS	NA	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
GENERAL WARD EQUIPMENT	110028000234	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102543	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000242	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101689	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000250	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101683	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000252	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101684	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000253	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102521	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000255	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102518	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000266	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101681	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000267	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101530	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000280	INFUSION PUMP	SMITHS MEDICAL	GRASEBY 2000	23404495	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000283	INFUSION PUMP	SMITHS MEDICAL	GRASEBY 2000	23404609	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000291	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23404619	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000282	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23374486	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000311	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	1708000096	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000284	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23374448	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000290	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23374491	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000279	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23374344	NOT WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000296	INFUSION PUMP	FRESENIUS KABI	OPTIMA VS	23374455	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000428	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX4205	2017834371A011A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000429	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX4205	2017834371A045A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000430	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX4205	2017834371A034A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000432	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX4205	2017834371A071A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000431	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX4205	2017834371A039A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110032000433	FULLY MOTORIZED BED	JANAK HEALTHCARE	DX4205	2017834371A040A	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110028000102	DEFIBRILLATOR	NIHON KOHDEN	TEC 5621	2054	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	HC607120113	WRIGHT MACHINE	NA	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	NA	PEDAL SUCTION MACHINE	NA	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	NA	THERMAMETER	NA	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	NA	GLUCOMETER	NA	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	NA	BP APPRATUS	NA	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110043000049	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110043000050	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110043000052	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME
2 nd Floor	110043000053	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	WORKING	AMCIS UNDERSCOPE OF BME



Resa

Resnik

Principal
Central India Nursing College
Lonara, Nagpur

44

2 nd Floor	110043000051	AIRBED 2.5 RIPPLE	JANAK HEALTHCARE	NA	NA	NOT WORKING	AMC IS UNDER SCOPE OF BME
2 nd Floor	110028000167	Nebulizer Philips	PHILIPS	CE0123	102218775	NOT WORKING	AMC IS UNDER SCOPE OF BME
2 nd Floor	110028000322	DeviBliss Nebulizer	DEVIBLISS	L2016	1047030	NOT WORKING	AMC IS UNDER SCOPE OF BME
2 nd Floor	110028000203	BPL Pulse Oxymeter Cleo Plus	BPL	CLEO PLUS	DYMG7E5500	Working	AMC IS UNDER SCOPE OF BME
2 nd Floor	NA	NEBULIZER MACHINE	NA	NA	NA	WORKING	AMC IS UNDER SCOPE OF BME
OT-EQUIPMENT	1100285200277	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	19093	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000074	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18984	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000068	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	15596	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000029	10.4" Touch Screen Monitor BSM 2703	NIHON KOHDEN	PVA12703	113777	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000074	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18998	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000076	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18585	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000064	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18981	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000066	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	18594	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000050	12" Touch Screen Monitor BSM 3562	NIHON KOHDEN	BSM 3562	18974	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000056	12" Touch Screen Monitor BSM 3562	NIHON KOHDEN	BSM 3562	18592	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000007	PHYSIOLOGICAL MONITOR	NIHON KOHDEN	BSM 3562	8527	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120060	ANESTHESIA WORK STATION	WIPO GE	CARESTAIN-650	SM717200118WA	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120065	ANESTHESIA WORK STATION	WIPO GE	9100C	ME17055335	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120075	ANESTHESIA WORK STATION	WIPO GE	9100C	ME17055333	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120259	ANESTHESIA WORK STATION	WIPO GE	9100C	ME17075413	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	11002800233	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2060	161101548	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	11002800235	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2060	161101682	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120062	ASPIRATOR(SUCTION MACHINE)	ISHEEL HEALTHCARE	IN129	KS151607C337	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120260	ASPIRATOR(SUCTION MACHINE)	ISHEEL HEALTHCARE	IN129	KS151607C317	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120057	BLANKET WARMER	SMITHS MEDICAL	E05030	11000476	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120059	BLANKET WARMER	SMITHS MEDICAL	E05030	11000477	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000175	OT LIGHT	SYNERGY	VIVID160/160	E4101740278	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000176	OT LIGHT	SYNERGY	VIVID160/103	E4101740277	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000021	OT LIGHT	SYNERGY	VIVID160/160	EAE3101740284	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG07120086	OT TABLE	SYNERGY	VIVID160/103	E4E3101740282	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000047	OT TABLE	BENQ	NOT-56005	2A003-P40068	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000006	OT TABLE	BENQ	TRI-MAX-650N5	2A126-PC-0044	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000005	OT TABLE	BENQ	DR-MAX7003	2A022-P4-0050	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000048	OT TABLE	BENQ	NOT-56005	2A003-P4-0067	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110032000362	FULLY MOTORIZED BED	JANAK HEALTHCARE	EX-5500	22178445711077A	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110032000607	FULLY MOTORIZED BED	JANAK HEALTHCARE	EX-5500	22178445711011A	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110032000606	FULLY MOTORIZED BED	JANAK HEALTHCARE	EX-5500	20178445711023A	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110032000355	FULLY MOTORIZED BED	JANAK HEALTHCARE	EX-5500	20178445711016A	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110032000356	FULLY MOTORIZED BED	JANAK HEALTHCARE	EX-5500	20178445711012A	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110032000361	FULLY MOTORIZED BED	JANAK HEALTHCARE	EX-5500	20178445711012A	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000029	Electrosurgical Unit with Accessory	ERBE	VIO 3000	11428769	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000030	Electrosurgical Unit with Accessory	ERBE	VIO 3005	11427364	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG047120089	Electrosurgical Unit with Accessory	KARL STORZ	20151201	11426104	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000170	LED Light Source	KARL STORZ	EI-MLA26KIA	P55745	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000171	LED Light Source	KARL STORZ	EI-MLA26KIA	K61D10257	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	110028000172	MONITOR	KARL STORZ	EI-MLA26KIA	K61D10257	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG047120077	ARDA Recorder	KARL STORZ	VVD100FN	051635	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG047120078	Image 15 Connect	KARL STORZ	TC200E4	R576429-P	WORKING	AMC IS UNDER SCOPE OF BME
4 th Floor	HCG047120080	Image 15 H-3 LINK	KARL STORZ	TC300	R5764998-P	WORKING	AMC IS UNDER SCOPE OF BME




Handwritten signature: P. S. S.

Handwritten signature: P. S. S.

Principal
Central India Nursing College
Lonara, Nagpur

45

4 th Floor	HC6047120081	End effector	KARL STORZ	26430520	PS36093	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	HC6047120083	IRRIGATION UNIT	KARL STORZ	20321020	0510928	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	HC6047120160	TELEPACK & Led	KARL STORZ	TPI00EN	R55582	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	HC6047120161	Rhino Laryngoscope	KARL STORZ	11101RPZ	2830740	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	HC6047120203	Flash Autoclave	Modi Enterprises	MF-17	1963	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	HC6047120209	Arthroscopic Shaver Machine	Stryker	CORE	1711401403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000177	Suction Machine OT	Stryker	CORE	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000339	Defibrillator TEC 5621	NA	NA	NA	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000093	ETCO2 Sensor Model P907	NIHON KOHDEN	TEC5621	2055	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000092	ETCO2 Sensor Model P907	GE	NA	NA	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000070	C-arm	ALLEGHENIS	HF-49R	2617050104-BC	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000178	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000179	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000160	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000181	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000182	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000183	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000184	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000185	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000186	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000187	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000188	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000189	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000190	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000191	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000192	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000193	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000194	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000195	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000196	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000197	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000199	Stryker	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000200	CO2 Laser System	CAPTAIN 30	MLO30	10244	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000044	OPERATING MICROSCOPE	NA	NA	NA	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000012	Electrosurgical Unit with Accessory	Ethicon	GENII	1111704006	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	NA	MAN MAN DRILL	SMITHS MEDICAL	EQ5000	NA	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	NA	BLANKET WARMER	SMITHS MEDICAL	NA	NA	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	NA	MINI DENTAL DRILL MACHINE	Stryker	Core	1711402403	WORKING	AMC IS UNDER COPE OF BME
4 th Floor	110028000201	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102703	WORKING	AMC IS UNDER COPE OF BME
3 rd Floor	110028000259	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	16110291	WORKING	AMC IS UNDER COPE OF BME
3 rd Floor	110028000260	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	16110698	WORKING	AMC IS UNDER COPE OF BME
3 rd Floor	110028000274	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	16110680	WORKING	AMC IS UNDER COPE OF BME
3 rd Floor	110028000285	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	16110692	WORKING	AMC IS UNDER COPE OF BME
3 rd Floor	110028000263	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	16110536	WORKING	AMC IS UNDER COPE OF BME
3 rd Floor	110028000264	SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102544	WORKING	AMC IS UNDER COPE OF BME



Hessa


Ramesh
Principal

Central India Nursing College
Lonara, Nagpur

46

HCID	Floor	Equipment Name	Manufacturer	Model	Serial No.	Year	Condition	Remarks
HCG047120248	3 rd Floor	FULLY MOTORIZED BEDS 500-L	JANAX HEALTHCARE	EX-5500	2017B34371A033A	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG047120249	3 rd Floor	FULLY MOTORIZED BEDS 500-DELUX WITH	JANAX HEALTHCARE	EX-5500	2017B34371A037A	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG047120250	3 rd Floor	FULLY MOTORIZED BEDS 500-DELUX WITH	JANAX HEALTHCARE	EX-5500	2017B34371A036A	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG047120251	3 rd Floor	FULLY MOTORIZED BEDS 500-DELUX WITH	JANAX HEALTHCARE	EX-5500	2017B34371A073A	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG047120252	3 rd Floor	125MM SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161102534	2017	WORKING	AMCS UNDERSCOPE OF BME
110028000271	3 rd Floor	125MM SYRINGE PUMP	SMITHS MEDICAL	GRASEBY 2000	161101549	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG047120253	3 rd Floor	FULLY MOTORIZED ICU BEDS 500-DELUX WITH	JANAX HEALTHCARE	EX-5500	2017B34371A042A	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG07120199	CSSD EQUIPMENT LIST	Steam Sterilizer(1)	Modi Enterprises	MECR-60	1953	1953	WORKING	AMCS UNDERSCOPE OF BME
HCG07120200	5 th Floor	Steam Sterilizer(2)	Modi Enterprises	MECR-60	1954	1954	WORKING	AMCS UNDERSCOPE OF BME
HCG07120201	5 th Floor	CTO Machine	Modi Enterprises	METO	1956	1956	WORKING	AMCS UNDERSCOPE OF BME
HCG07120202	5 th Floor	Ultrasonic Cleaner	Modi Enterprises	MEU-40	1957	1957	WORKING	AMCS UNDERSCOPE OF BME
HCG07120204	5 th Floor	DRYERS	Modi Enterprises	MED-120	1959	1959	WORKING	AMCS UNDERSCOPE OF BME
HCG07120205	5 th Floor	fluvier	Modi Enterprises	MER-40	1958	1958	WORKING	AMCS UNDERSCOPE OF BME
110028000089	RADIOLOGY EQUIPMENT LIST	10.4" Touch Screen Monitor (ISM 2703)	NIHON KOHDEN	PVY 2703	113780	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG007120195	OT 4 th Floor	C-ARM	ALLENGERS	HF-1BR	2K1705014-BC	2017	WORKING	AMCS UNDERSCOPE OF BME
110028000154	Ground floor	WIPRO GE	WIPRO GE	logic P7	LF7000868	2017	WORKING	AMCS UNDERSCOPE OF BME
110028000019	Ground floor	Mammography (Venus Series)	Allengers	MAIM VENUS	2K1701DA 553 DM	2017	WORKING	AMCS UNDERSCOPE OF BME
110028000002	Ground floor	Computed Radiography System (CR System)	Fuji	FCR PRIMA	66820784	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG007120052	ICU 4 th FLOOR	Mobile X-ray	WIPRO GE	Genius-100	SM171B260	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG007120197	Ground floor	FIXED X-RAY	Allengers	Mars-40	2K17050030-DX/HF	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG007120050	BASEMENT	DEFIBRILLATOR (in Pet CT ROOM)	NIHON KOHDEN	TEC 5821	2050	2050	WORKING	AMCS UNDERSCOPE OF BME
110028000063	BASEMENT	PHYSIOLOGICAL MONITOR (in linac room)	NIHON KOHDEN	BSM 3562	18983	2017	WORKING	AMCS UNDERSCOPE OF BME
110028000000	BASEMENT	PET-CT	WIPRO GE	DISCOVERY IQ3 RING	PTCL31600040PT/45	2017	WORKING	AMCS UNDERSCOPE OF BME
HCG07120055	OPD Ground Floor	PULSE OXYMETER	BPL	DYAG7	ES500	2017	WORKING	AMCS UNDERSCOPE OF BME
110028000035	Ground floor	WEAVING MACHINE	LG-ELECTRO	GP150	17861	2017	WORKING	AMCS UNDERSCOPE OF BME
110028000117	Ground floor	BP APPRATUS WITH STAND	DIAMOND REGULAR	NA	1164	2017	WORKING	AMCS UNDERSCOPE OF BME
NA	LAB EQUIPMENT	TIMER (3) QUANTITY	NA	NA	NA	2017	WORKING	AMCS UNDERSCOPE OF BME
NA	BASE MENT	HYGROMETER (3) QUANTITY	NA	NA	NA	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000023	BASE MENT	CENTRIFUGE MACHINE	REMI	RBC PLUS	ZDCN-08473	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000024	BASE MENT	CENTRIFUGE MACHINE	REMI	RBC PLUS	ZDCN-08474	2017	WORKING	AMCS UNDERSCOPE OF BME
NA	BASE MENT	DIGITAL THERMOMETER (6)	NA	NA	NA	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000033	BASE MENT	MICRO PIPETTE	Orten Scientific	Ventrical	NA	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000013	BASE MENT	LAMINAR FLOW	YOKO	YSI-438	1765758	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000015	BASE MENT	HOT AIR STERILIZER	YOKO	YSI-438	1764969	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000014	BASE MENT	INCUBATOR	WENSAR	ECB300	44642	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000029	BASE MENT	DIGITAL WEIGHT BALANCE	Biomieux SA	Bact/JALERT 3050I	612BS 5525	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000008	BASE MENT	BLOOD CULTURE MACHINE	Biomieux SA	MINI VIDAS	IVD5209961	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000012	BASE MENT	IMMUNASSAGE MACHINE (MINIVIDAS)	Transasia	XN-550	12550RR	2017	WORKING	AMCS UNDERSCOPE OF BME
NA	BASE MENT	CELL COUNTER MACHINE (RENTAL)	Semions	24010375676	21277403	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000007	BASE MENT	URINE ANALYZER	LEICA	RK2125R1S	3517	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000019	BASE MENT	MICROTOME	LEICA	Arcadia C	1425	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000020	BASE MENT	HISTOCORE (PARAFFIN AMBEDDING) HOT	LEICA	Arcadia C	1229	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000020	BASE MENT	HISTOCORE (COLD SECTION)	LEICA	HL1210	13846	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000017	BASE MENT	WATER BATH (TISSUE FLOTATION)	LEICA	HL1210	NA	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000017	BASE MENT	HOT PLATE	LEICA	HL1220	6940	2017	WORKING	AMCS UNDERSCOPE OF BME
110031000021	BASE MENT	HOT PLATE PROCESSOR	LEICA	TP1020V	NA	2017	WORKING	AMCS UNDERSCOPE OF BME

Handwritten signatures:
 K. K. K. K.
 K. K. K. K.



BASE MENT	110031000022	FROZEN SECTION(CRYO...E)	LEICA	CM-1520	995	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	NA	BIOCHEMISTRY MACHINE(....rFAL)	Orth clinical diagnostic	VITROS-250	27000153	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000028	COAGULATION ANALYZER(SYSMAX)	SYSMAX	CA-101	A0370737	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000009	AUTOMOTATED PROTIN ANALYZER(MISPA I-2)	AGGAPPE	Mispa I2	21171631854	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000025	MICROSCOPE(RED BINOCULAR)	MOTIC	NA	44642	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000016	MICROSCOPE(RED BINOCULAR)	MOTIC	NA	84490	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000010	MICROSCOPE(TRYNOCLULAR)	MOTIC	BA210LED	1110015101	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000010	BONE CUTTER MACHINE(BIOPSY)	Bright technology	BTI-1172	010117-1B	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000005	SAMSUNG REFRIGERATOR	SAMSUNG	NA	NA	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000031	REFRIGERATOR (Double Door) SAMSUNG	SAMSUNG	NA	NA	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000032	REFRIGERATOR (Double Door) SAMSUNG	SAMSUNG	NA	NA	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	NA	AUTOCLAVE VERTICAL	NA	NA	NA	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000018	GROSSING STATION	NA	NA	NA	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000027	FUME HOOD(MILD STEEL)	NA	NA	NA	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	NA	PH METER	NA	NA	NA	WORKING	AMGIS UNDERSCOPE OF BME
BASE MENT	110031000030	DEEP FREEZER	WESTERN	WHF125H	3248117035183	WORKING	AMGIS UNDERSCOPE OF BME

Prepared By -Heeresh Shrivastava
(Biomedical Engineer)

Handwritten signature

Handwritten signature

Handwritten signature

Principal
Central India Nursing College
Lonara, Nagpur




Handwritten signature

48

Full Time

Sl. No	Name of the Consultant	Designation	Department	Qualification
1	Dr. Ajay Mehta	Director & Head Surgical Oncology	Surgical Oncology	MBBS, MS (General Surgery) Tata Memorial Hospital
2	Dr. Parag Ramesh Ingle	Consultant Surgical Oncologist	Surgical Oncology	MBBS, MS (General Surgery), MCh (Surgical)
3	Dr. Vaibhav Sonwani	Senior Consultant - Radiation Oncology	Radiation Oncology	MBBS, MD (Radiotherapy)
4	Dr. Ashish Bhange	Consultant Radiation Oncology	Radiation Oncology	MBBS, DNB (Radio-Therapy)
5	Dr. Jitesh Laxman Khandrani	Consultant Anaesthesiologist & Intensivist	Anaesthesiology	MBBS, MD (Anaesthesia)
6	Dr. Ritesh Vasistha Patil	Senior Consultant - Anaesthesiology & Intensivist	Anaesthesiology	MBBS, MD (Anaesthesia)
7	Dr. Sunil Rustamji Patil	Consultant - Anaesthesiology & Intensivist	Anaesthesiology	MBBS, MD (Anaesthesia)
8	Dr. Nilesh Haran	Consultant - Radiology	Radiology	MBBS MD (Radio Diagnosis)
9	Dr. Sonal Sakhale	Consultant - Nuclear Medicine	Nuclear Medicine	MBBS MD Nuclear Medicine
10	Dr. Suchitra Mehta	Director & Head Psycho Oncology	Onco Psychologist	MBBS, DCI, MSC (Psychology)
11	Dr. Nishad Dhakate	Consultant Haematology	BM	MBBS, MD (General Medicine), DM (Haematology)
12	Dr. Manjit Kaur Rajput	Consultant Pathology	Pathology	MBBS, MD (Pathology)
13	Dr. Shizan Pervez	Consultant Radiation Oncology	Radiation Oncology	MBBS, MD
14	Dr. Sushantkumar Madhukar Ikhar	Consultant Medical Oncologist	Medical Oncology	MBBS, MD, DM (Medical Oncology)
15	Dr. Kapil Uttamrao Raut	Associate Consultant - Medical Oncology	Medical Oncology	MBBS, MD, DM (Medical Oncology)
16	Dr. Aafreen Khan	Senior Resident medical officer	RT	MBBS, MD (Radiation Oncology)
Part Time				
1	Dr. Farah Mohammed Riyaz Amir	Consultant Microbiologist & ICO	Microbiology & Infection Control	MBBS MD (Microbiology)

Ref



Ubeada

Ruqoon

Principal
Central India Nursing College
Lonara, Nagpur

Name of the Doctor	Designation	Department	Qualification
Pooja Santosh Chaple	Clinical Assistant	Wards	BHMS
Praful Somkuwar	Clinical Assistant	Wards	BHMS
Priyanka Bhaurao Batulawar	Clinical Assistant	Wards	BHMS
Kishor Kalbhor	Clinical Assistant	Wards	BHMS
Shrutika Yogesh Kamdi	Clinical Assistant	Wards	BAMS
Shweta Rabbewar	Clinical Assistant	Wards	BAMS
Jayshri Sarma	Clinical Assistant	Wards	BHMS
Akhil Sukhdeve	Clinical Assistant	Wards	BAMS, MD Medicine
Vishal Saxena	Clinical Assistant	Wards	BHMS
Praful Awale	Clinical Assistant	Wards	BHMS
Monali Moreshwar Upase	Clinical Assistant	Wards	BHMS
Amol Ramsingh Raghuvanshi	Clinical Assistant	Wards	BHMS
Yamini Kewalchand Bansod	Clinical Assistant	Wards	BHMS

Refse



Principal
Principal
Central India Nursing College
Lonara, Nagpur

Sl. No	Name of the Nursing Staff	Designation	Department	Qualification
1	Anurekha Lehandas Ramteke	Registered Staff Nurse	Nursing	GNM Post. B.Sc Nursing
2	Lalita Choudhary	Registered Staff Nurse & Team Lead	Nursing	Bsc Nursing
3	Shabhat Parveen	Registered Staff Nurse & Team Lead	Nursing	Bsc Nursing
4	Diksha Prabhakar Rao Kamble	Registered Staff Nurse	Nursing	Bsc Nursing
5	Lecha Prakash Rao Kshirsagar	Registered Staff Nurse	Nursing	Bsc Nursing
6	Sneha Mansaram Dahake	Registered Staff Nurse	Nursing	Bsc Nursing
7	Dipali Dyaneshwar Bele	Senior Registered Staff Nurse	Nursing	Bsc Nursing
8	Diksha Meshram	Registered Staff Nurse	Nursing	Bsc Nursing
9	Dhanashree Subhash Pahune	Registered Staff Nurse	Nursing	GNM
10	Rajani Chaware	Registered Staff Nurse & Nursing Officer	Nursing	GNM
11	Madhuri Ghanshyam Bhure	Registered Staff Nurse & Team Lead	Nursing	GNM
12	Gulnaz Sayyed	Registered Staff Nurse & Team Lead	Nursing	GNM
13	Pramila CR	Registered Staff Nurse & Team Lead	Nursing	GNM
14	Deepa Hemraj Wasnik	Senior Registered Staff Nurse	Nursing	GNM
15	Rajeshwari Dinesh Gurubele	Registered Staff Nurse	Nursing	GNM
16	Komal Yadav Rao Wankhade	Registered Staff Nurse	Nursing	GNM
17	Mohini Vikas Karosiya	Registered Staff Nurse	Nursing	GNM
18	Nandini Devanand Gedam	Registered Staff Nurse	Nursing	GNM
19	Shubham Prakash Dhakate	Registered Staff Nurse	Nursing	GNM
20	Priyanka Purushottam Bansod	Registered Staff Nurse	Nursing	GNM
21	Minakashi Sharad Wasnik	Registered Staff Nurse	Nursing	GNM
22	Rahul Rahangdale	Registered Staff Nurse	Nursing	GNM
23	Nisha Vaman Fulekar	Registered Staff Nurse	Nursing	GNM
24	Pallavi Duryodhan Patil	Registered Staff Nurse	Nursing	GNM
25	Bhawana Naganand Gajbhiye	Registered Staff Nurse	Nursing	GNM
26	Dipali Manoj Tembhare	Registered Staff Nurse	Nursing	GNM
27	Marnta Ramkewal Ravidas	Registered Staff Nurse	Nursing	GNM
28	Shweta Subhash Bramhane	Registered Staff Nurse	Nursing	GNM
29	Sanniksha Yashwant Bagde	Registered Staff Nurse	Nursing	GNM
30	Mayuri Amrut Lonare	Registered Staff Nurse	Nursing	GNM
31	Akshita Bhagwan Kamble	Registered Staff Nurse	Nursing	GNM
32	Sandhya Amitkumar Patil	Registered Staff Nurse	Nursing	GNM
33	Afsana Mohammad Kasim Pathan	Registered Staff Nurse	Nursing	GNM
34	Nilanshu Chudaman Punwatkar	Registered Staff Nurse	Nursing	GNM
35	Durgesh Shamrao Kumare	Registered Staff Nurse	Nursing	GNM
36	Shital Dayaram Andekar	Registered Staff Nurse	Nursing	GNM
37	Ranjana Nilkanth Nagrale	Registered Staff Nurse	Nursing	GNM
38	Suraj Ashok Admane	Registered Staff Nurse	Nursing	GNM
39	Shrutika Dashrath Kamdi	Registered Staff Nurse	Nursing	GNM
40	Maria Leonard Francis (Joseph)	Nurse	Nursing	GNM
41	Reena Sandesh Bagreshwar	Registered Staff Nurse & Nurse Associate	Nursing	ANM
42	Alkanksha Vikas Borkar	Registered Staff Nurse & Nurse Associate	Nursing	ANM
43	Purnima Kishor Pardhi	Registered Staff Nurse & Nurse Associate	Nursing	ANM
44	Priyanka Sudhir Ambade	Registered Staff Nurse & Nurse Associate	Nursing	ANM
45	Nandana Anand Karore	Registered Staff Nurse & Nurse Associate	Nursing	ANM

Tubecada

Halse




Sl. No	Name of the Para-medical Staff	Designation	Department	Qualification
1	Rajesh C	Senior Medical Physics & RSO	Radiotherapy	MSc & BSc level-II
2	Manikandan S	Junior Medical Physicist - Medical Physics	Radiotherapy	MSc- Medical Physics
3	Supriya Kanti Dey	Senior Technologist - Radiotherapy	Radiotherapy	B.Sc (Radiotherapy)
4	Akib Islam	Radiotherapy Technologist	Radiotherapy	B.Sc (Radiotherapy)
5	Shubham Bablu Pagare	Radiotherapy Technologist	Radiotherapy	B.Sc, Advance Dip in RT
6	Trupti Sumant Chopkar	Technologist - Radiotherapy	Radiotherapy	B.Sc (Radiotherapy)
		NMT & RSO		
7	Rayees Ahmad Bhat		Nuclear Medicine	BSc (Radiology) MSc (Nuclear Medicine) BSc
8	Pratik Kosare	Senior Technologist - Radiology	Radiography	BSc (Medical Imaging Technology)
9	Minal Revaram Gajapure	Technologist - Radiology	Radiography	BSc & Diploma in X-Ray, Mammo, Sono
10	Heena Sakore	Technologist - Radiography	Radiography	BSc (Medical Imaging Technology)
11	Vipul Mishra	X Ray Technician	Diagnostic	12th / Diploma in X Ray
12	Arti Sanjay Badhe	Technician - Laboratory	Laboratory	DMLT, B.Sc
13	Sarfaraz Mohammad	Incharge Laboratory	Laboratory	DMLT
14	Rashmi Badan Dhanoo	Technician - Laboratory	Laboratory	DMLT
15	Snehal Gajbhiye	Technician - Laboratory	Laboratory	DMLT
16	Akansha Jaydeo Dhanoo	Jr Lab Technician	Laboratory	BSC, DMLT
17	Amol Shrawan Wasnik	Lab Technician	Laboratory	DMLT
18	Preeti Manikrao Wasnik	Technician - Blood Storage	Blood Storage Centre	DMLT
19	Mohammad Saquib Mohammad Shaheed	Technician - Blood Storage	Blood Storage Centre	BSC, DMLT
20	Durgesh Shankarrao Bhojrao	OT Technician	OT	OT Diploma
21	Ashish Bhosale	CSSD Technician	CSSD	Diploma in CSSD
22	Jitendra Kadiw	Manager - Pharmacy	Pharmacy	Diploma in Pharmacy
23	Shankpal Manikrao	Associate Manager - Pharmacy	Pharmacy	Diploma in Pharmacy
24	Deepak Gangadharao Peddubwar	Pharmacist	Pharmacy	Diploma in Pharmacy
25	Tushar Motiram Dhole	Sr. Pharmacist	Pharmacy	Diploma in Pharmacy
26	Saniya Shiekh Ikram	Pharmacist	Pharmacy	Diploma in Pharmacy
27	Sagar Moreshwar Talekar	Pharmacist	Pharmacy	Diploma in Pharmacy
28	Upasna Raju Suryawanshi	Pharmacist	Pharmacy	B Pharm
29	Vrushali Ramesh Manghate	Pharmacist	Pharmacy	Degree in Pharmacy
30	Poonam Nathu Fandliya	Physiotherapist	Physiotherapy	Bachelor of Physiotherapy
31	Minori Yegesh Kanetkar	Dietician	Dietetics	B.Sc. DT
32	Shriya Shiram Joshi	Executive Clinical Psychology	Clinical Psychology	Master of Art in Clinical Psychology
33	Pragati Namdev Wadibhaskar	Technician - Phlebotomy	Laboratory	D Pharm
34	Shweta Vishal Motghare	Technician - Radiology	Radiography	DMLT
35	Rajesh Marskole	OT Technician	OT	OT Assistant Diploma
36	Parikshit Bhojraj Naktode	OT Technician	OT	GNM, Diploma in OT
37	Prakash Mungansinha Bhakur	CSSD Technician	CSSD	Diploma in CSSD
38	Akshay Dhanwate	Pharmacist	Pharmacy	Diploma in Pharmacy
39	Shireen Naz Tanveer Ashraf	Technician - Phlebotomy	Laboratory	DMLT
40	Shubham Shamrao Sonikumar	Technician - Radiology	Radiography	Advance Diploma in Medical Imaging Technician
41	Neshma Uttamrao Bore	Technologist - Radiotherapy	Radiotherapy	B. Sc, Diploma in RT

Prafse



Zabada



Prasanna
Principal
Central India Nursing College
Lonara, Nagpur

52

Sl. No	Name	Designation	Department	Qualification
1	Menkateshwaru Marapakati	Chief Operating Officer	Operations	BSC, HRM
2	Sachin Pede	Associate Manager - Operations	Operations	Btech Hotel management
3	Sanjay Kumar Akar	Assistant General Manager-Finance & Accounts	Accounts & Finance	Chartered Accountant, CA
4	Tejaswini Pathrabe	Accounts executive	Accounts & Finance	MA
5	Manoj Harne	Assistant Manager Accounts	Accounts & Finance	Bcom
6	Vyankatesh Pralhad Dhanjode	Assistant Manager Finance	Accounts & Finance	Mcom, Bcom
7	Suresh Marbate	Associate Manager - Billing	Billing	MA
8	Dharmakirti Gopalrao Shenur	Sr Billing Executive	Billing	B.COM
9	Rahul Arun Rangari	Senior Executive Billing	Billing	B. A
10	Sandeep Ashokrao Khobragade	Senior Executive-Billing	Inpatient Billing	MBA, BCCA
11	Zulesh Debilal Patle	Manager Front Office	Front Office	MBA, BAMS
12	Vivek Vasantrao Gaikwad	Senior Executive Front Office	Front Office	B.COM
13	Jitesh Ganesh Nikose	Executive Front Office	Front Office	BCCA
14	Prajot Ravi Nagare	Executive Front Office	Front Office	BA
15	Pallavi Niraj Mulherkar	Senior Executive Front Office	Front Office	MA
16	Smeeta Brajesh Bagde	Executive Front Office	Front Office	Bcom
17	Rahul Vincent Francis	Sr. Front Office Executive	Front Office	B. Com
18	Shradha Itaju Gourkhede	Executive Front Office	Front Office	B. Com, MBA HR
19	Kamal Kishor	Supervisor Maintenance	Maintenance	Diploma Mechanical
20	Atul Arun Chavhan	Fire & Safety Officer	General Administration	Diploma in Fire Service Engineering
21	Prajakta Prasad Kohale	Senior Manager Human Resources	HR	MBA in HR
22	Mrunalmi Ashok Amadare	Sr. Executive HR	HR	PGDHRM
23	Sujit Shaligram	Manager Corporate Relation	Marketing	D Pharma, B Com
24	Praful Ashok Sontakke	Senior Executive Marketing	Marketing	Bcom
25	Manish Shrawan Mohatkar	Executive Marketing	Marketing	B.COM
26	Mushtaque Ahmed Ishiyaque Ahmed	Senior Executive Marketing	Marketing	Bsc
27	Sayyad Imran Ali	Associate Manager Marketing	Marketing	B.A
28	Vaibhav Ramran Chandan	Executive Marketing	Marketing	MA
29	Sujit Khane	General Manager Marketing	Marketing	Marketing, Entrepreneurship, Business Development
30	Satish Kumar Mahabadi	Senior Executive Marketing	Marketing	BSC
31	Vipul Prasad Patil	Executive Marketing	Marketing	MBA
32	Mahipal Ramteke	Co ordinator Patient Care	Medical Administration	BA
33	Sujata Giridhari Yadav	Medical Transcriptionist	Medical Transcription	MCS
34	Pimpalkar Kanchan Gajanan	Medical Transcriptionist	Medical Transcription	MT PUC
35	Ayesha Anjum	Sr. Medical Transcriptionist	Medical Transcription	BA, Diploma AET
36	Rakesh Raghawar	Store & Purchase Manager	Purchase & Store	BI, MCA
37	Dinesh Gajanan Shende	Stores Executive	Purchase & Store	BA
38	Soniya Kanhaiyalal Chawan	Manager Clinical Services	Clinical Services	BIMS, PGDHRM
39	Kamaljeet Kaur	Patient Counsellor	Medical Administration	DNYS
40	Nandkishor B Chaudhari	Driver	Administration	Driving course BTP pass
41	Anjali Mangeshkeshi	Yoga Therapist	Yoga	Yoga Alliance USA, USA, USA
42	Aditya Ajay Karmarkar	Executive Credit Control	Credit Control	B.Sc
43	Priavin Batnagar Bhande	Senior Executive IT	Information Technology	Bachelor Computer Science
44	Vikas Omprakash Jaiswal	Associate Manager Front Office	Front Office	B. Com
45	Gurpreet Singh Maan	Executive Marketing	Marketing	Master of Business Administration
46	Ganga Adikant Biswal	Associate Manager-Corporate Relations	Marketing	B. Sc
47	Manohar Barsuji Kozale	Executive FO	Front Office	BA
48	Padma Sukhram Wikey	Executive FO	Front Office	Degree B.Sc in Computer Science
49	Jogesh Ganesh Narang	Senior Executive Credit Control	Credit Control	MBA Marketing
50	Amol Someshwar Sathare	Senior Executive Billing	Billing	Bachelor of Commerce
51	Rashmi Datta Patil	Senior Executive Operations	Operations	MBA

Zabeada



Dr. Maheshwari
 Maharashtra Sahakarini Mandal
 Nagpur



HCG Overview

instilling hope in millions for more than three decades now. Established in 1989, we are the largest cancer hospital in India with state-of-the-art facilities and staff.

[Home](#) / HCG Overview

HealthCare Global Enterprises

HCG Cancer Hospital is one of the best cancer hospitals in India. It has a chain of 2 comprehensive cancer centres, which offer cutting-edge diagnostics and world-class cancer treatments across the nation.

With its headquarters in Bangalore, HCG is a combined pool of 450 plus specialists across various domains.

HCG Cancer Centre uses leading-edge technology, has knowledgeable and experienced professionals at its disposal, and its distinctive cancer treatment procedures contribute to providing our patients with timely diagnostic and clinical care assistance. We also have a large pool of cancer specialists across the network who are trained to support and care for the patients in the best way possible.

At our cancer treatment centre, our core focus lies in delivering patient-centric and value-based cancer care through the adoption of advanced technology, constant research, and innovation.

With its corporate office in Bengaluru, HCG has a pool of more than 450 experts across multiple domains.



Why HCG?

HCG, India's largest provider of cancer care, is at the forefront of the battle against cancer.

Tubacada

Pedra



Pusarik

Principal
Central India Nursing College
Lonara, Nagpur

100% Quality Assurance and Help Line 1800-200-2000



2000-2004
National Cancer
Control Strategy

Highly experienced
oncologists

24
comprehensive
cancer care
network


HCG aims to define the future of healthcare in india by designing, building and managing healthcare centres with a steadfast vision of bringing core clinical services under one roof.

HCG believes in and practices value-based medicine with its core focus on providing accurate diagnostic support and delivering the highest quality patient care.

HCG employs the multidisciplinary approach for the disease diagnosis and treatment wherein specialists from multiple disciplines come together to accurately evaluate the patient information, standardise the treatment approach and create efficiencies that will eventually lead to effective disease management.

Quality of life is an important aspect of cancer care. At HCG, every personalised treatment plan that is devised gives equal importance to the preservation of quality of life throughout and after the treatment.

Along with unique treatment protocols, HCG employs cutting-edge technology and has skilled and experienced specialists at its disposal, all of which helps in providing adequate diagnostic and clinical care support to our patients.



Deesa
Tubeada


Rwesnik
Principal
Central India Nursing College
Lonara, Nagpur

enquiry appointment help lines near hospitals



would be ultimately benefiting from these achievements as each achievement or accomplishment takes us one step closer to our ultimate goal of helping our patients have a longer, better and healthier life.

HCG has grown rapidly and is now a leading cancer care provider with 24 centres across the country. Each centre is provided with a business system, management expertise and capital resources to bring patient focussed, state-of-the-art cancer care to new regions.



About HCG

HCG OVERVIEW

CORPORATE HISTORY

VISION & MISSION

BUSINESS MODEL

BOARD OF DIRECTORS


MANAGEMENT TEAM

DIRECTOR RELATIONS

INDUSTRY'S FIRST


AWARDS AND ACCOLADES

OTHER BUSINESS



To know more about facilities available for patients at HCG

Haase GET IN TOUCH



Corporate

- [Overview](#)
- [Corporate History](#)
- [Vision & Mission](#)
- [Business Model](#)
- [Board of Directors](#)
- [Management Team](#)


Quick Links

- [Oncology Services](#)
- [Types of Cancer](#)
- [Our Locations](#)
- [Technology](#)
- [Find Doctor](#)
- [Book an Appointment](#)



Zabeada

Ruebnik
Principal
Central India Nursing College
Lonara, Nagpur



Policies and Guidelines

News & Media

- [HCG in News](#)
- [Case Studies](#)
- [Survivor Stories](#)
- [Videos](#)
- [Podcasts](#)
- [Blog](#)
- [Media Contact](#)

Other Links

[Sitemap](#)

[Virtual Consultation](#)
[Career Opportunities](#)

Registered Office

HCG Tower, No. 8,
P Kalinga Rao Road,
Sampangi Rama Nagar,
Bengaluru 560 027,
Karnataka, India



- ☎ : 7406499999
- 📞 : Emergency Numbers
- ✉ : info@hcgoncology.com



24x7 helpline
+91 7406499999

Emergency Helpline
+91 7406499999

Our Partners



HCG - The Specialist in Cancer Care, has a network of premier cancer centres at the forefront of the battle against cancer. Through its network of 74 comprehensive cancer centres spread across India, HCG has brought advanced cancer care to the doorstep of millions of people.

© Copyright HealthCare Global Enterprises Ltd. All Rights Reserved

Refse




Zubeeda

Quonik
Principal
Central India Nursing College
Lonara, Nagpur

57




Refse



Tubeado

Ramesh
 Principal
 Central India Nursing College
 Lonara, Nagpur

55



National Accreditation Board for Hospitals & HealthCare Providers

(Constitutional Body)

CERTIFICATE OF ACCREDITATION

HGG NCHRI Cancer Centre
(A Unit of HGG NCHRI Oncology LLP)
Khasra No. 50, 51, Madia Wanjri, Bhande Nawaz Nagar,
Near Aurangziba Square, Kalinaga Pong Road
Nagpur - 440026, Maharashtra

has been assessed and found to comply with NABH
Accreditation Standards for Hospitals, 5th Edition. This certificate
is valid for the Scope as specified in the annexure subject to
continued compliance with the accreditation requirements.

Date of Previous Survey: 2017-18
Valid From: 20/12/2022
Valid Until: 20/12/2025



Certificate No.
H-2018-0828

[Signature]

Dr. Arati Mahan Kothkar
Chief Executive Officer

For more information, visit www.nabh.org or call 1800-102-9999. For any queries, contact the Accreditation Department, NABH, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

Refuse



Zubeedo

Russnik

Principal
Central India Nursing College
Lonara, Nagpur





HCG NCHRI
CANCER CENTRE
Adding life to years

OPD/IPD/BED/OCCUPANCY RTION FOR LAST THREE YEAAARS

PARTICULAR	2021		2022		2023	
	DAILY	MONTHLY	DAILY	MONTHLY	DAILY	MONTHLY
OPD Attendance (Daily/Monthly)	133	4135	140	4329	147	4546
IPD (Average Daily/Month)	89	2759	98	3035	108	3338
Numbers of Operations (Daily/Monthly)	04	124	04	124	02	62
Annual Bed Occupancy	85%		88%		90%	



HCG NCHRI Cancer Center

Khasra No. 50,51, Mouja Wanjari, Bande Nawaz nagar, Near Automotive Square, Kalmna Ring Road, Nagpur – 440026/07126711200/635888822/info@hcg.com/hcgl.com
Ahmadabad/Bangalore/Chennai/Cuttak/Delhi/Hubli/Kalaburgi/Kanpur/Kenya/Mangalore/Mumbai/Mysore/Nagpur/Nashik/Ongole/Ranchi/Shimoga/Tanzania/Vadodara/Vijaywada/Vizag

ABDUL MAJEED CENTRAL EDUCATION SOCIETY, NAGPUR


CENTRAL PROVINCE NURSING COLLEGE

List of Affiliated Hospital

Sr. No.	Hospital Name	Address	Bed Capacity
1.	Kunal Hospital	Koradi Main Road, Mankapur, Nagpur	100
2.	Shat-Ayu Hospital	Telephone Exchange Chowk, CA Road, Queta Colony Near Jaaram Mandir, Nagpur	50
3.	Platina-Heart Hospital	Dhanshree Commercial Complex, Near Hotel Hardeo, Sitabuldi, Nagpur	50
4.	Crescent Hospital & Heart Center	Plot no 25, Behind Old Mount Carmel School, Near Lokmsy Square, Dhantoli, Nagpur	50
5.	Dr. Dande Hospital	69-A Hill Road Ram Nagar, Nagpur	50
6.	Dr. Dande Hospital	45-A Gokulpeth Complex Koradi Road Mankapur Nagpur	50
7.	Medicare Multi-Speciality Hospital	2 nd Floor Gulmohar Complex Koradi Road Mankapur, Nagpur	50
8.	Asian Kidney Hospital and Medicare Center	213 West High Court Road Dharampeth Near Shankar Nagar Chowk Nagpur	50
9.	Samarpan Hospital & Research Institute	1072/1073, Binaki Layout, Sujata Nagara, Near Vaishali Nagar T-Point, Nagpur-440017	50
10.	New Era Hospital	CA Road, Near Telephone Exchange Square, Queta Colony, Near Jalaram Mandir, Nagpur-08	100

Psychiatric

1.	Astha Comprehensive Psychiatric Care Hospital	160, Umred Road Near Bhandeplot Square RAhuji Nagar, Nagpur	16
----	---	---	----


Principal
Central India Nursing College
Lonara, Nagpur

The distribution of department-wise beds

Sr No	Hospital Name	Bed Capacity	Medical	Surgical	Obst. & Gynaecology	Pediatrics	Ortho	Psychiatric
1	HCG NCHRI Cancer Center	132	50	60	5	7	10	0
2	Kunal Hospital	100	40	40	5	5	10	0
3	New ERA Hospital & Research Institute	100	30	30	15	10	15	0
4	Shat-Ayu Hospital	50	25	15	2	2	6	0
5	PlatinaHeart Hospital	50	28	20	0	2	0	0
6	Crescent Hospital & Heart Centre	50	20	30	0	0	0	0
7	Dr Dande Hospital	50	22	16	5	2	5	0
8	Dr Dande Hospital	50	20	18	5	2	5	0
9	Medicare Multispeciality Hospital	50	25	15	3	2	5	0
10	Samarpan Hospital & Research Institute (A Unit of Big Vision)	50	20	10	10	5	5	0
11	Asian Kidney Hospital and Medical Centre	50	22	16	5	2	5	0
12	Regional Mental Hospital	940	0	0	0	0	0	940
TOTAL		1672	302	270	55	39	66	940



Prof

Ruqana

Zabeeda

Principal
Central India Nursing College
Lonara, Nagpur

(97)

About the Clinical Facilities :- (Copy Attached Annexure XVI)

- a) Name of the Parent Hospital :- HCG, NCHRI Cancer Center, Nagpur
 b) Name of affiliated Hospitals. :- List attached below

(Please furnish the following information)

Name of Hospital	No. of Sanction Beds	Occupancy on day of Inspection	Average Occupancy / Month	No. of Nsg. School/ Colleges Affiliated	Distance from School/ College.	MOU Yes / No
Kunal Hospital	100		70%		6.3 km	Yes
New Era Hospital & Research Institute	100		70%		12 km	
Shat-ayu Hospital	50		70%		12 km	Yes
Platina Heart Hospital	50		84%		9.8 km	Yes
Crescent Hospital	50		80%		11 km	Yes
Dande Hospital	50		80%		9.8 km	Yes
Dande Hospital	50		90%		9.8 km	Yes
Medicare Multispeciality Hospital	50		70%		6.1 km	Yes
Samarpan Hospital & Research Institute (A Unit of Big Vision Research Institute Pvt. Ltd.)	50		80%		9.7 km	Yes
Asian Kidney Hospital and Medical Center	50		70%		11 km	Yes
Psychiatric (Regional Mental Hospital	940		90%		6.1 km	Yes

Zabeda


 Principal
 Central India Nursing College
 Lonara, Nagpur

572



महाराष्ट्र MAHARASHTRA

© 2020 ©

XA 625620

14349
28/10/2020

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 26.10.2020

BETWEEN

College of Nursing,
Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND

KUNAL HOSPITAL, KORADI MAIN ROAD, MANKAPUR, NAGPUR
Hereafter called Party No. 2



1. Trust name Mehmuda Shikshan And Mahila Gramin Vikas Bahuddeshiya Sanstha Nagpur, with objective to spread & promote. Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan And Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - B.Sc Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

Secretary



Subida

Refse



Principal
Central India Nursing College
Lonara, Nagpur


95

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The part No. 1 executed this agreement by Mrs. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan And Mahilla Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 24 years residing at Sadar, Nagpur.
4. The Party No. 2 is engaged in the line of prestigious & quality oriented hospital activities in the city of Nagpur and around its various medical facilities to the public at large.
5. The Party No. 2 executed this agreement through its Party No. 2 Name KUNAL HOSPITAL, and designation Dr. Shishir B. Shrivastava (MBBS, MD) (Proprietor - Kunal Hospital)

Now therefore both the parties 1 and 2 agree for :

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
2. THAT Party No.2 is having 100 bedded hospitals with more than 65% Occupancy.
3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students

SECRETARY



Hafsa



Zubeida



Dr. Shishir B. Shrivastava
PROPRIETOR

Principal
Central India Nursing College
Lonara, Nagpur

5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur
Date: 26.10.2020

Hafsa
Sign

Ms. Hafsa Ahmed
Joint Secretary

Mehmuda Shikshan And Mahilla Gramin
Vikas Bahuddeshiya Sanstha, Nagpur,



Witness

[Handwritten signature]


For

[Handwritten signature]

PROPRIETOR
(Dr. S. Shrivastava)

Sign

Dr. Shishir B. Shrivastava
(MBBS, MD)
Proprietor - KUNAL HOSPITAL
KORADI MAIN ROAD,
MANKAPUR NAGPUR



ATTESTED
[Handwritten signature] 28/10/2020
NOTARY PUBLIC
INDIA



Secretary
Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur

Hafsa

Zubeida



[Handwritten signature]
Principal
Central India Nursing College
Lonara, Nagpur

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Shishir B. Shrivastava (MBBS, MD) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Kunal Hospital situated at Koradi Main Road, Mankapur, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 776

Date of Registration : 30/08/2008

Place : Nagpur

Date of issue of certificate : 01/04/2022

Maternity : 8

Other Nursing : 92

This certificate of registration shall be valid up to 31 Mar 2025.




Signature
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

Handwritten signature



FOR KUNAL HOSPITAL

Handwritten signature
DR. S. SHIVAKUMAR
PRINCIPAL

Central India Nursing College
Lonara, Nagpur

Handwritten signature



101



Maharashtra Pollution Control Board
5f5241cda6b21f06f7f1b403

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701
Fax: 24024068 /24023515
Website: www.mpcb.gov.in
E-mail: pso@mpcb.in



Kalpataru Point, 2nd - 4th Floor,
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E),
Mumbai - 400 022

Red/LSI

Date: 04/09/2020.

Consent No: Format 1.0/BO/PSO/HOD - 2009000267

To,
M/s. Kunal Hospital,
Plot No. 1/2,
Nagsen Cooperative Society
Koradi Main Road,
Mankapur,
Dist. Nagpur - 440 030.
(Email: admin@kunalhospital.com)

Sub : Renewal of Combined Consent to Operate & BMW Authorization under RED Category to Health Care Establishment (HCE).

Ref : 1. Your BMW Authorization & Consent application submitted to MPCB, HQ, Sion, Mumbai on 02.06.2020.
2. SCN for refusal is issued on 10.07.2020.
3. Reply of SCN is submitted by you on 22.07.2020.

Combined Consent to Operate under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order.

- The conditional combined Consent to Operate is granted for a period from 04.06.2020 to 04.06.2025.
- The capital investment of the HCE is Rs. 8.48 Crore (As per C. A. Certificate submitted)
- The Consent is valid for the Activity of -

Sr.No.	Activity	Details
1	Hospital	
	a) Beds	100 Nos.
	b) Total Plot Area	650.00 sq.mtrs
	c) Total Built up Area	600.00 sq. mtrs

M/s. Kunal Hospital, Mankapur, Dist: Nagpur.

Page 1 of 9

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/2af5e8b1ebfc1f825991fb410e70c9d295904704c4a23fc136541403088011c9>



Handwritten signature

Handwritten signature

FOR ILLUSTRATION
Handwritten signature
Principal
Central India Nursing College
Lonara, Nagpur

102



Maharashtra Pollution Control Board
5f5241cda6b21f06f7f1b403

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	1.4	As per Schedule -I	Treated effluent shall be recycle and reuse for cleaning, washing and gardening purpose.
2.	Domestic effluent	8.0	As per Schedule -I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack/ source	Number of Stack	Standards to be achieved
1.	D.G. set (250 KVA)	1 No.	As per schedule - II

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/ Year		Municipal Landfill/

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

9. This consent is issued subject to conditions mentioned below.


- i) The "authorized Person" M/s. Kunal Hospital, Mankapur, Dist: Nagpur shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- iii) If the built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.
- iv) You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- (iv) You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".

M/s. Kunal Hospital, Mankapur, Dist: Nagpur.

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
<https://blockchain.ecmpcb.in/docs/2af5e8b1ebfc1f825991fb410e70c9d295904704c4a23fc136541403088011c9>

Zubeida

Rajsa



Principal
Central India Nursing College
Lona, Nagpur
PROPRIETOR

103



Maharashtra Pollution Control Board
5f5241cda6b21f06f7f1b403

- (v) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years;
- (vi) You shall establish Bar code system within one year.
- (vii) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
- (viii) You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.
- (ix) You shall submit separate Bank Guarantee of Rs. 1,50,000/- towards compliance of condition mentioned at Annexure-IV to Regional Office, Nagpur within 15 days.
- (x) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.
- (xi) You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.

For and on behalf of the
Maharashtra Pollution Control Board

(Dr. A. R. Supate)

Principal Scientific Officer

Received Consent / Authorization fee of -

Sr.No.	Amount (Rs.)	Transaction No.	Date
1.	125000.00	TXN2002002271	24.02.2020
2.	25000.00	TXN2002002677	27.02.2020

Fees of Rs. 38,500/- remaining with the Board during previous CCA from which fees Rs. 25,000/- for increase in capital investment is utilized and remaining fees of Rs. 13,500 /- will be utilized during next renewal.

Copy to:

1. Regional Officer - MPCB, Nagpur and Sub-Regional Officer - Nagpur - I, MPCB - They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai- for information.


M/s. Kunal Hospital, Mankapur, Dist: Nagpur.

Page 3 of 9

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/2af5e8b1ebfc1f825991fb410e70c9d295904704c4a23fc136541403088011c9>

Zubeida

Dr. A. R. Supate



Dr. S. Shivastava
PROPRIETOR

Central India Nursing College
Lonara, Nagpur

104



Maharashtra Pollution Control Board
5f5241cda6b21f06f7f1b403

Schedule-I

I) Terms & Conditions for compliance of Water Pollution Control

- 1) A) You shall provide combined waste water primary treatment for the Trade effluent and domestic sewage generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity followed by Chlorination and the treated water shall be disposal to Municipal Sewer / Land application after achieving standard prescribed below:
- B) The Applicant shall operate the combined waste water treatment plant to treat the trade and domestic effluent so as to achieve the following standards prescribed by the Board or under E P Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/l, except for pH
01	pH	6.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	30
05	COD	250
06	Total Suspended Solids	100
08	Bio-Assay test	90 % survival of fish after 96 hours in 100 % effluent

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waste water & the system for the disposal of effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps for expansion / modify or establish any modification to treatment and disposal system or an extension or addition thereto.
- 3) You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) You shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

II) Water Consumption

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Industrial Cooling and boiler feed etc.	—
2.	Domestic purpose	10.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	—
5	Other such as agriculture, gardening, etc.	—

M/s. Kunal Hospital, Mankapur, Dist: Nagpur.

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
<https://blockchain.ecmpcb.in/docs/2af5e8b1ebfc1f825991fb410e70c9d295904704c4a23fe136541403088011cd>

Zabeela



Principal
Dr. G. CHITRAVASTAVA
Central India NPPRIOR PROPRIETOR
Lonara, Nagpur

105



Maharashtra Pollution Control Board
5f5241cda6b21f06f7f1b403

Schedule-III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	100.0	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB, i.e. M/s. Superb, Hygienic Disposal, CBMWTSDF, Nagpur.
		b) Animal Anatomical Waste	--		
		c) Soiled Waste	100.0		
		d) Expired or Discarded Medicines	50.0		
		e) Chemical Waste	---	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	---		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.0	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		h) Microbiology Biotechnology and other clinical laboratory waste	50.0	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	100.0	Red coloured non-chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	50.0	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	25.0	Cardboard boxes with Blue colored marking	
		b) Metallic body implants	25.0		

M/s. Kunal Hospital, Mankapur, Dist: Nagpur.

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
<https://blockchain.ecmpcb.in/docs/2af5e8b1ebfc1f825991fb410e70c9d295904704c4a23fc136541403088011c9>

Zubair



Rajsa

Dr. C. Shrivastava
DR. C. SHRIVASTAVA
PROPRIETOR
Central India Nursing College
Lonara, Nagpur

(67)



Maharashtra Pollution Control Board
5f5241cda6b21f06f7f1b403

Schedule-IV : Bank Guarantees

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. Kunal Hospital, Mankapur, Dist: Nagpur.

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000/-
2	Operation and Maintenance of combined waste water treatment plant to achieve prescribed discharged standards	Continuous	50,000/-
I (B)	Records		
1	To Maintain records of BMW and submission of Annual Report in Form - IV before 31 st June.	Continuous	25,000/-
2	To maintain records of BMW material delivered to CBMWTSDP	Continuous	25,000/-
		Total	1,50,000/-

Rupees One Lakh Fifty Thousand only

Note : You shall submit the B.G. valid for additional 4 month period after the validity of your granted CCA.

M/s. Kunal Hospital, Mankapur, Dist: Nagpur.

Page 7 of 9

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/2af5e8b1ebfc1f825991fb410e70c9d295904704c4a23fc136541403068011c9>



FOR KUNAL HOSPITAL

Principal

Zubeida Central Indh Nursing College
Londa, Nagpur

105



Maharashtra Pollution Control Board
5f5241cda6b21f06f7f1b403

Schedule-V
General Conditions

The following general conditions shall apply as per the type of the industry

- 1) You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly.
- 3) You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, Nagpur, the 30th day of September every year.
- 7) You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- Nagpur as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 10) You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 11) You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

M/s. Kunal Hospital, Mankapur, Dist: Nagpur.

Page 8 of 9

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.

<https://blockchain.ecmpcb.in/docs/2af5e8b1ebfc1f825991fb410e70c9d295904704c4a23fc136541403088011c9>



FOR KUNAL HOSPITAL

Principal

Central India Nursing College
Lonara, Nagpur

Zubeida

109



Maharashtra Pollution Control Board
5f5241cda6b21f06f7f1b403

- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 14) You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) You should not cause any nuisance in surrounding area.
- 16) You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 17) You shall maintain good housekeeping.
- 18) You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office, Nagpur by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 20) You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 21) You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 22) You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
- 23) You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
- 24) You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

-----0000-----

M/s. Kunal Hospital, Mankapur, Dist: Nagpur.

Page 9 of 9

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/2af5e8b1ebfc1f825991fb410e70c9d295904704c4a23fc136541403088011c9>

FOR KUNAL HOSPITAL

Principal
Central India Nursing College
Lonara, Nagpur

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Anand J. Sancheti (MBBS,MS,MCH) & Other (Mentioned Five) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of NewEra Hospital & Research Institute situated at Telephone Exchange Chowk, C.A. Road, Queta Colony, Near Jalaram Mandir, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 834

Date of Registration : 15/04/2010

Place : Nagpur

Date of issue of certificate : 01/04/2023

Maternity : 10

Other Nursing : 90

This certificate of registration shall be valid up to 31 Mar 2026.



[Handwritten Signature]

Signature

Registering Authority


Medical Officer Health

Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

14

Zubaida



[Handwritten Signature]

[Handwritten Signature]

Principal

Central India Nursing College
Lonara, Nagpur



महाराष्ट्र MAHARASHTRA

2022

NAGPUR TREASURY

34AA 537742

25 APR 2023

NOTARIAL REG.

ENTRY NO. 11208

DATE: 25/04/2023

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 25 April 2023

BETWEEN

College of Nursing,
Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND

New Era Hospital
Hereafter called Party No. 2



Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote. Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

Handwritten signature

111

Handwritten signature



Handwritten signature

Principal
Central India Nursing College
Lonara, Nagpur

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 24 years residing at Sadar, Nagpur.
4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
5. The Party No. 2 executed this agreement through New Era Hospital, CA Road, Near Telephone Exchange Square, Queta Colony, Near Jalaram Mandir, Nagpur-08.



Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.


2. THAT Party No.2 is having 100 bedded hospitals with more than 75% Occupancy.

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

Hafsa

112



Principal

**Principal
Central India Nursing College
Lonara, Nagpur**

Zabir

5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date: 26/04/2023



Sign *[Signature]*

Ms. Hafsa Ahmed,

[Signature]

Joint Secretary Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur (M.S.)
Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya Sanstha,
Nagpur

[Signature]

Sign

Dr. Anand Sancheti

(Director)



Witness

1. *[Signature]*

[Signature]



ATTESTED

[Signature] 29/04/2023
ARCHANA S. MESHAM
ADVOCATE & NOTARY
NAGPUR DIST. (M.S.) INDIA

THE NOTARY PUBLIC DOES NOT
ASSUME ANY RESPONSIBILITY/
LIABILITY FOR LEGALITY IN
PURSUANCE OF DOCUMENT/
WITNESS AND FULFILLMENT
OF ANY LEGAL REQUIREMENTS



[Signature]

[Signature]

Central India Nursing College
Lonara, Nagpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/M.S.I

No:- Format1.0/PSO/UAN No.0000123099/CO/2202001631

Date: 25/02/2022

To,
M/s. New Era Hospital
CTS No. 111, C.A Road,
Telephone Exchange Chowk,
Queta Colony, Near Jalaram Mandir,
Nagpur-440008
Email: newerahospitalngp@gmail.com
Contact No.: 7888036408



Your Service is Our
Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) with increase in bed nos. i.e. 50 to 100 under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Your Consent application received to this office through SRO, Nagpur - I on 30.12.2021.
2. SCN for refusal of application dated 25.01.2022.
3. Information uploaded on online application by you on 30.01.2022, 03.02.2022.
4. Reviewed information uploaded on online application by you on 18.02.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules (I-IV) and Annexures (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 01-04-2020 To 31-03-2024
2. The capital investment of the HCF is ₹1496.62 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 794.18 M² with Built-up area 1590.61 M².
4. Activities Included
 - a. Total Number of Beds : 100 Nos (As per BNH certificate no. 834 valid upto 31-03-2023)
 - I. General Beds : 90 Nos
 - II. Maternity Beds : 10 Nos

Zubeida

Rejza



Principal
Central India Nursing College
Lonara, Nagpur

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 34.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr.No	Type of Waste	HW Category no.	Quantity (MT/Annium)	Disposal
1		NA	As per Actual	NA

8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-


1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

Lubinder

Hejra



Principals
Principal
Central India Nursing College
Lonara, Nagpur

116

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall provide flow meters to measure and maintain records of water consumption and effluent generation and submit information to Reginal office, Nagpur & Sub Reginal Office, Nagpur - I within 15 days.
18. Bank Guarantee of Rs. 25,000/- towards Operation and Maintenance of combined wastewater treatment plant to achieve prescribed discharged standards is eligible to forfeit for non submission of JVS analysis reports by SRO, Nagpur - I & shall submit double Bank Guarantee of Rs. 50,000/- to Regional Officer, Nagpur within 15 days.
19. Bank Guarantee of Rs. 25,000/- towards providing BMW storage facility as per CPCB Guidelines is eligible to forfeit for not making provision as per CPCB guidelines & shall submit double Bank Guarantee of Rs. 50,000/- to Regional Officer, Nagpur within 15 days.
20. You shall submit separate Bank Guarantee of Rs. 3.0 Lakhs towards compliance of condition mentioned at Annexure - IV to Regional Office, Nagpur within 15 days.
21. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.



[Handwritten signature]

af0f6300
2257dc0a
e3d0ea62
57dea198
b44964b4
78088ae6
ed251043
d298c171

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
psoc@mpcb.gov.in
2022-02-25 16:04:01 IST

117

Zubeida



[Handwritten signature]

[Handwritten signature]
Principal
Central India Nursing College
Lonara, Nagpur

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	200000.00	MPCB-DR-6069	02/06/2021	NEFT
2	20000.00	MPCB-DR-6069 A	02/06/2021	NEFT

You have submitted Consent & BMW Authorization fees of Rs. 2.20 lakhs From which Consent of Rs. 50,000/- considered for increase in bed nos. & Consent fees of Rs. 1.0 lakhs considered for next four years as your HCE comes under Orange category & remaining fees of Rs. 50,000 will be considered at the time of renewal. BMW Authorization fees of Rs. 20,000 considered for next four years.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- You are directed to ensure the compliance of the consent conditions and BG imposed.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Zubeida

Hella



Principal

Central India Nursing College
Lonara, Nagpur

115

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	30.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	2.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	25	As per clause 'C'	100% Recycle
2	Trade effluent	1.5	As per clause 'C'	100% Recycle


C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Hejra




 Principal
 Central India Nursing College
 Lonara, Nagpur

Tubacida

119

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set (125 KVA & 160 KVA)	Diesel	20.00 Lit/Day	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Zabeida



120
Principals
Principal
Cetana India Nursing College
Lonara, Nagpur

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	110.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	215.00		
		d) Expired or Discarded Medicines	2.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	5.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	270.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	15.00	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	10.00	Cardboard boxes with Blue coloured marking.	
		b) Metallic body implants	20.00		



Zubaida

Refsa

121
Principal
Central India Nursing College
Lonara, Nagpur

SCHEDULE-II

Responsibilities of the HCE Owner and CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.



Zubeida

Rajsa

22
Rajsa
Principal
Central India Nursing College
Lonara, Nagpur

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	six	50,000.00
2	To install Primary Effluent Plant for treatment of trade effluent. te storage facility as per guidelines of CPCB	Six	100,000.00
Total			3,00,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

Zubida

Pratibha
Pratibha
Principal
Nagpur Institute of Nursing College
Nagpur, Nagpur
123




SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

124



Hejse

Zubeida

Principal

Principal
Central India Nursing College
Lonara, Nagpur

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010,
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.



Heba

Zubeda

*PS
Prasnik*

Principal
Central India Nursing College
Lonara, Nagpur

NAME OF UNIT	floor	No. of bed	TOTAL
ICU	1 st floor	15	38
ICU	5 th floor	09	
SICU	5 th floor	02	
NICU	6 th floor	10	
PICU	6 th floor	02	
HDU (SURGICAL BED)	5 th floor	07	
RECOVERY ROOM	5 th floor	02	
LABOUR ROOM	5 th floor	01	
ISOLATION ROOM	ICCU	02	
	2 nd floor	01	
TRANSPLANT ROOM	5 th floor	02	03
	3 rd floor	01	
	2 nd floor	01	
SUIT ROOM	5 th floor	01	04
AC SUPER DELUX	3 rd floor	02	01
	2 nd floor	02	
AC DELUX	3 rd floor	03	04
	2 nd floor	04	
NON AC SINGLE ROOM	2 nd floor	02	07
	3 rd floor	04	
TWIN SHARING	3 rd floor	02	04
	2 nd floor	02	
Female Ward	3 rd floor	06	
GENERAL WARD	2 nd floor	07	19
	3 rd floor	07	
	6 th floor	03	
CHEMOTHERPY ROOM	3 rd floor	01	01
SLEEP STUDY ROOM	3 rd floor	01	01
DIALYSIS	6 th floor	02	02
EEG	6 th floor	01	01
EMRGENCY BED	Ground floor	01	
TOTAL			01
			100



Refsa



Zebisabe

26
Bwasnik

Principal
Central India Nursing College
Lonara, Nagpur

6/0



MAHARASHTRA


© 2020 ©

XA 625623

14352
28/10/2020

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this __ October 2020



BETWEEN

College of Nursing,
Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND

SHAT-AYU HOSPITAL AND RESEARCH CENTRE, NAGPUR.
Hereafter called Party No. 2

Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote Education for the girls of the rural and urban are of Nagpur District. Trust



Refsa

Zubaida



Principal
Central India Nursing College
Lonara, Nagpur

127

Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - B.Sc.Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 24 years residing at Sadar, Nagpur.
4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
5. The Party No. 2 executed this agreement through DR.MUKESH B MISHRA (MANAGING DIRECTOR) SHAT-AYU HOSPITAL AND RESEARCH CENTRE, NAGPUR.



Hafsa

Hafsa



Zubaido

Principal
Central India Nursing College
Lonara, Nagpur

128

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
2. THAT Party No.2 is having 65 bedded Multi-Specialty hospitals with more than 75% Occupancy.
3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.



Rejva



...

Zubeida

Principal
(129)

Principal
Central India Nursing College
Lonara, Nagpur

Place: Nagpur

Date: 28/10/2020

Hafsa
Sign



MS. HAFSA AHMED,
JOINT SECRETARY
(Mehmuda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur)

[Signature]
Sign:

DR. MUKESH B MISHRA
MBBS MD FAMS
MANAGING DIRECTOR
(SHAT-AYU HOSPITAL & RESEARCH CENTRE)

DR. MUKESH MISHRA
MD, MBBS, FAMS (PHYSICIAN)
SHAT-AYU HOSPITAL
WARDHA PG RD, NAGPUR-12
REG. No. 60620

Witness



1. *[Signature]*
2. *[Signature]*

[Signature]
HAJARI NAUSHAD S. ALI
NOTARY
REGD. DIST. RAJ. INDIA



Secretary
Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur



[Signature]
[Signature]

NOTARIAL
[Signature]
Principal
Central India Nursing College
NAGPUR, M.S. INDIA

NAGPUR MUNICIPAL CORPORATION, NAGPUR
(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. MUKESH B. MISHRA (MBBS, MD, MAMS, FAMS)
has been registered under the Bombay Nursing Home Registration Act 1949.
in respect of SHATAYU HOSPITAL & RESEARCH CENTRE situated at WARDHA
ROAD, NEAR HITVADA PRESS, DHANTOLI, NAGPUR and has been authorized to
carry on the said nursing home.

Registration No. : 180

Maternity : 15 Beds

Date of Registration : 29/11/1990

Other Nursing : 35 Beds

Place : Nagpur


Date of issue of certificate : 01/04/2021

This certificate of registration shall be valid up to 31st March 2024.




(Dr. Sanjay Chilkar)
Registering Authority
Health Officer
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.



MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 95712-2560139/52

Fax : 95712-2560851

Email : ronagpur@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



5th Floor, Udyog Bhawan, Civil Lines,

Nagpur- 440 001.

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorization for Generation, Storage of Bio-Medical Wastes under Rule 10]

- I. File number of authorization and date of issue
RO-Nagpur/BMW_AUTH/2107000530 Dt. 29/07/2021.
- II. Your Online BMW Authorization Application through Web-Portal having
UAN: MPCB-BMW_AUTH-0000035585 on Dt 05/07/2021.
- III. M/s. Shatayu Hospital and Research Centre, is hereby granted an
authorization for generation of biomedical waste on the premises situated
A/p- Wardha Road, Near Hitvada Press, Dhantoli, Nagpur- 440012.
- IV. This authorization shall be in force for a period up to 04/06/2024. An application
shall be made by the occupier/operator for renewal 3 Months before expiry of
earlier authorization.
- V. This authorization is issued subject to compliance of the conditions
stated below and to such other conditions as may be specified in the
Rules for the time being in force under the Environment (Protection) Act, 1986.
- VI. No of Beds: 50.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment
(Protection) Act, 1986, and the Rules made there under.
The authorization shall be produced for inspection at the request of an officer
Authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the
"Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste
Management Rules, 2016 & amendment 2018 for collection, transportation, treatment
and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the
application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed
authority to close down the facility.



MPCB-BMW_AUTH-0000035585



Reza
Zubeda
Principal
India Nursing College
Lalaji, Nagpur
(32)

Schedule-III


Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	15	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorised by MPCB i.e. CBMWTSD F
		b) Animal Anatomical Waste	NIL		
		c) Soiled Waste	40		
		d) Expired or Discarded Medicines	02		
		e) Chemical Waste	NIL	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	NIL		
		g) Discarded linen, mattresses beddings contaminated with blood or body fluid.	NIL		
		h) Microbiology Biotechnology and other chemical laboratory waste	10	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	70	Red coloured non chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	10	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	NIL	Cardboard boxes with Blue colored marking	

6. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and other activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V. of said Rules and the Environment (Protection) Act, 1986.

MPCB-BMW_AUTH-0000035585



Boosnik
133

2
Central India Nursing College
Nagpur
Zabeda

7. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.

8. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.

(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.

(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

(iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.

(v) No untreated BMW shall be kept stored beyond a period of 48 hours.

09. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.

(I) When operating a gravity flow autoclave, medical waste shall be

Subjected to

(i) a temperature of not less than 121 C° and pressure of 15 pounds per

Square inch (psi) for an autoclave residence time of not less than 60 minutes; or

(ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;

or


(iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.

(II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.

(i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or

(ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes;

MPCB-BMW_AUTH-0000035585



Zubada
Principal
Central India Nursing College
Lonara, Nagpur

134

- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters*,- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing*. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure less than 15 psi.
- (VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

10. CONDITIONS UNDER AIR ACT

- (i) The applicant shall install a comprehensive control system consisting of control equipments as warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Control Equipment:

Industry shall provide dust collector of sufficient capacity to control the emissions.

Conditions for D.G. Set

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.



Reddy

Principals
(35)

- c. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- d. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- e. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- g. D.G. Set shall be operated only in case of power failure.
- h. The applicant should not cause any nuisance to the surrounding area due to operation of D.G. Set.

11. Standards for Stack Emissions:

- (i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
1	Diesel	14	Lit/Hr

The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimncy Attached To	Height in Mtrs.
1	D.G. Set 70 KVA	5.0


- (ii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

- (iii) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(vi) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality Regularly.

MPCB-BMW_AUTH-0000035585



Principal
 Central India Nursing College
 Lonara, Nagpur

135


12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
14. You have submitted total Bank Guarantee of Rs. 2,50,000/- valid up to 04/01/2022. Specific conditions with Bank Guarantees along with time bound programme for compliance as per Board's circular no MPCB/PSO/BMW/B-1825 dtd 10/04/2013 is as follows-

Sr. No.	Activity/Condition to be Complied	Compliance Timeline (Months)	Amount of Bank Guarantee (Rs)
I(A)	Operation and Maintenance		
1	To segregate and Handle BMW as per conditions of authorization / BMW Rule	Continuous	50,000
2	Operation and Maintenance of ETP to achieve prescribed discharged standards.	Continuous	50,000
I(B)	Records		
1	To Maintain records of BMW and submission of Annual Report in Form-II before 31st January	Continuous	25,000
2	To Maintain records of BMW material received / delivered to authorized party / CBMWTSDF (Transporters only)	Continuous	25,000
II	Performance		
1	To provide Separate BMW storage facility	Six	25,000
2	Effluent treatment plant not provided / need up gradation	Six	50,000
3	To obtain Membership of CHWTSDF and send ETP Sludge to CHWTSDF	Three	25,000
		Total	2,50,000/-
Rupees One Lakh Fifty Thousand only			

15. You shall submit compliance of each Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.

16. Ensure treatment and disposal of liquid waste in accordance with Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and comply Bio-Medical Waste Management Rules 2016 & amendment 2018.

When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.



MPCB-BMW_AUTH-000035585



Principal
 Central India Nursing College
 Lonara, Nagpur

17. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
18. The hospital shall apply immediately for consent to operate with required/compulsory document with consent fees.

For and on behalf of the
Maharashtra Pollution Control Board

(A.M. Kare)
Regional Officer, Nagpur



To
M/s. Shatayu Hospital and Research Centre,
Wardha Road, Near Hitvada Press, Dhantoli, Nagpur-440012.

Authorization Fees Received:-

Sr. No.	Amount (Rs.)	e-Payment	Date	Drawn On
1	2500/-	TXN2106002835	05-07-2021	Online Payment
2	5000/-	TXN2107001743	16-07-2021	Online Payment

Note :- As per Authorization vide no MPC/NRO/BMW/UAN No. 18901/1901000323 dtd 08/01/2019. Remaining Authorization fees of Rs. 41500/- is with MPC Board. The same will be considered in next renewal of Authorization.

Copy Submitted to:-

1. The Chief Accounts Officer, MPCB Board Mumbai
2. The Principal Scientific Officer, MPCB, Sion, Mumbai

Copy to:-

Sub-Regional Officer, M. P. C. Board, Nagpur-I.

For information necessary compliance of condition mentioned in the authorization. He / She is also directed to ensure the timely compliance of condition no. 14.

(Signature)

Principal

Central India Nursing
Asha Sonara, Nagpur

Zubeida

138

MPCB-BMW_AUTH-0000035585



674



महाराष्ट्र MAHARASHTRA

© 2019 ©

NAGPUR TREASURY
WN 090859
21 AUG 2020
Stamp: Head Clerk / Sr. Clerk

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this (DATE)

NOTIFICATION NO. 14343
ENTRY NO.
DATE 28/11/2020

BETWEEN

College of Nursing,
Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND

PLATINA HEART HOSPITAL (UNIT OF PLATINA HOSPITAL PVT LTD.)
Hereafter called Party No. 2


1. Trust name Mehmuda Shikshan And Mahilla Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan And Mahilla Gramin Vikas Bahuddeshiya Sanstha, Nagpur intends to run college for nursing education (Program name - B.Sc



[Signature]
[Signature]
Principal
Central India Nursing College
Lonara, Nagpur

Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 24 years residing at Sadar, Nagpur.
4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
5. The Party No. 2 executed this agreement through Ms. Manjusha Joshi PLATINA HEART HOSPITAL (UNIT OF PLATINA HOSPITAL PVT LTD.) General Manager (Admin)



Hafsa
Manjusha Joshi
 Principal
 Central India Nursing College
 Lonara, Nagpur
 Manjusha Joshi
 General Manager (Admin)
 Platina Heart Hospital
 Nagpur
 140

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
2. THAT Party No.2 is having 50 bedded hospitals with more than 75% Occupancy.
3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Rajsa

Rajsa

Rajsa

Principal
Central India Nursing College
Lanara, Nagpur



Zubeida (141)

Place: Nagpur

Date: 28/10/2020

Hafsa

Sign

Ms. Hafsa Ahmed,

Joint Secretary

Mehmuda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur



Manjusha

Sign


Ms. Manjusha Joshi,

PLATINA HEART HOSPITAL
(UNIT OF PLATINA HOSPITAL PVT LTD)



Witness

1. *[Signature]*
2. *[Signature]*



ATTESTED

[Signature] 28/10/2020
ABDUL RAHSHAD S. ALI
NOTARY
NAGPUR DIST. (M.S.) INDIA

Secretary

Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur



Hafsa

Zabeida

Principal

Central India Nursing College
Lonara, Nagpur

~~Cancelled~~

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Pramod V. Mundra (MBBS,MD,DM) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Platina Heart Hospital (A Unit of Platina Hospital Pvt. Ltd.) situated at Dhanshree Commercial Complex, Near Hotel Hardeo, Sitabuldi, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 890

Date of Registration : 08/11/2011

Place : Nagpur

Date of issue of certificate : 01/04/2022

Maternity : 0

Other Nursing : 50

This certificate of registration shall be valid up to 31 Mar 2025.



[Handwritten Signature]

Signature

Registering Authority

Medical Officer Health

Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.



Zubeida

[Handwritten Signature]

144

Principal

Central India Nursing College
Lonara, Nagpur

Platina Heart Hospital, Nagpur

Sr no	Bed type	Planned	Operational
1	ICCU	13	13
2	SICU	4	4
3	General ward	16	8
4	Twin share	10	6
5	Single Room	2	2
6	Deluxe Rooms	5	4
	TOTAL	50	37

NON CENSUS BEDS

EMERGENCY ROOM - 1
OPERATION THEATRE - 2

Yash
Director
Platina Heart Hospital,
Nagpur



Rajendra
Principal
Central India Nursing College
Nagpur

Zubide (143)

Platina Heart Hospital

(A Unit of Platina Hospital Pvt. Ltd.) CIN-U85110MH2008PTC183350

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 6th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/S.S.I
No:- Format1.0/RO/UAN
No.0000150428/CO/2301000549

Date: 04/01/2023

To,
M/s. PLATINA HEART HOSPITAL UNIT OF PLATINA
HOSPITAL PVT LTD.,
, DHANASHREE COMMERCIAL COMPLEX NEAR HOTEL
HARDEO SITABULDI NAGPUR,



Your Service is Our Duty

Sub: Application for grant of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Bio-Medical Authorization granted by the Board vide no.RO-Nagpur/BMW_Auth/2205000158 dtd 04/05/2022.

Combined Consent to Operate and BMW Authorization.

For: Combined Consent to Operate and BMW Authorization (CCA) Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The Combined Consent to Operate and BMW authorization is granted upto: 30.09.2026
The capital investment of the project is Rs.9.8979 Crs. (As per C.A Certificate submitted by industry Existing-Rs. __ Crs + Expansion/Increase in C.I. - Rs. __ Crs).
2. The Consent is valid for the Activity of

SrNo	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	50	Nos
b)	Total Plot Area	21139.00	Sq:Mtrs
c)	Total Built up Area	21139.00	Sq.Mtrs


PLATINA HEART HOSPITAL UNIT OF PLATINA HOSPITAL PVT LTD/CO/UAN No.MPCB-
CONSENT-0000150428/Indus-Id.102401 (04-01-2023 04:24:03 pm) /OMS.P06.F02/00

Page 1 of 10




Zabeida

145



1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. If any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
 2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
 3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
 4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.



PLATINA HEART HOSPITAL UNIT OF PLATINA HOSPITAL PVT LTD, COJAN No. MPCB-
 CONSENT-0000150428/Indus-Id.102401 (04-01-2023 04:24:03 pm) QMS-POS-F02/00

Prasanna
 Page 3 of 10

Prasanna
 Principal
 Central India Nursing College
 Lonara, Nagpur

Zubida

146



f7712a4f
65b1e776
446a72c4
a59467e0
1c1a3831
1f11fa81
bb98a906
e1817df8

Signed by: Ashok M. Kare
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2023-01-04 16:24:31 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	77500.00	MPCB-DR-14880	13/10/2022	NEFT

The Hospital has submitted total Consent fees of Rs.77500/- out of Consent fees of Rs. 50000/- consider for C to O and consider penal charges of Rs. 2260/- and balance consent fees of Rs. 25240/- consider in next renewal.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



Ajisa

Boosrik
Principal
Central India Nursing College
Lonara, Nagpur
Zuberda

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) Industrial effluent generation and details of the treatment installed. As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity 2 CMD.
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100

- C) The treated effluent shall be recycled/ reused to the maximum extent possible and remaining shall be disposed on land for gardening within factory premises. There shall not be any discharge outside the hospital premises for whatsoever reasons
2. A) As per your consent application, you shall provide septic tank followed by soak pit for treatment of domestic sewage generated
 - B) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
 5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:



Principals

Principal
Central India Nursing College
Lonara, Nagpur



Zubeida

147

Sr.No	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



Principall

Princip

Principal
Central India Nursing College
Lonara, Nagpur

Zubida

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S% SO ₂
-----------	-------------------	------------	-----------------	--------------	----------------	--------------------

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.



Dejza

Zubaida

148



SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	--	--	--	--	--	--

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:


Sr.No	Activity/Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Six Month	25000
2	Effluent treatment plant not provided / need up gradation	Six Month	50000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	--	--	--	--	--	--

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
1	--	--	--	--



Principal
 Central India Nursing College
 Lonara, Nagpur

Zubaida

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, . the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.



P. J. S. A.

Zubeida



149
Principal
Central India Nursing College
Lonara, Nagpur



सत्यमेव जयते

भारत INDIA
INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

© 2020 ©

XA 625618

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 26th October 2020

14348
28/10/2020


BETWEEN

College of Nursing,
Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND

CRESCENT HOSPITAL & HEART CENTRE, PVT LTD. NAGPUR)
Hereafter called Party No. 2

Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sansstha, Nagpur, with objective to spread & promote Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sansstha, Nagpur, intends to run college for nursing education (Program name -



Zehinda

Principal
Central India Nursing College
Lonara, Nagpur

150


2. B.Sc.Nursing, to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.
3. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
4. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 24 years residing at Sadar, Nagpur.
5. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
6. The Party No. 2 executed this agreement through Dr. Aziz Khan (Medical Director) of Crescent Hospital & Heart Centre, Nagpur (A unit of advance heart centre, Pvt Ltd, Nagpur)



Hafsa




Zubeida



Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
2. THAT Party No.2 is having 50 bedded Cardiac Hospital, Nagpur with more than 75% Occupancy.
3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.



Secretary
 Nehru Education & Mobile Gramin
 Vikas Bahudoshika, Nagpur

Refsa

Dr. Poojari



Zubaida

152

Place: Nagpur

Date: 28/10/2020


Hafsa

Sign

Ms. Hafsa Ahmed

Joint Secretary

Mehmuda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur




Dr. Aziz Khan

Sign


Dr. Aziz Khan, Medical Director

(Crescent Hospital & Heart Centre,



Witness

1 *[Signature]*



ATTESTED

[Signature] 28/10/2020
MADAM NAUSHAD S. AG
NAGPUR
M.S. INDIA

Hafsa

Secretary

Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur



~~Cancelled~~



Zabida

[Signature]

Principal
Central India Nursing College
Lonara, Nagpur

153

NAGPUR MUNICIPAL CORPORATION, NAGPUR
(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. AZIZ KHAN (MD,DM,FACC,FSCAI) has
been registered under the Bombay Nursing Home Registration Act 1949, in
respect of CRESCENT HOSPITAL & HEART CENTRE situated at PLOT NO. 25, BEHIND
OLD MOUNT CARMEL SCHOOL, NEAR LOKMAT SQUARE, DHANTOLI, NAGPUR and
has been authorized to carry on the said nursing home.

Registration No. : 268

Maternity : 00 Beds


Date of Registration : 06/10/1993

Other Nursing : 50 Beds

Place : Nagpur

Date of issue of certificate : 01/04/2021

This certificate of registration shall be valid up to 31st March 2024.



(Dr. Sanjay Chilkar)
Registering Authority
Health Officer
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.

Zubeida



Deja

Principal
Central India Nursing College
Lonara, Nagpur



CRESCENT HOSPITAL & HEART CENTRE

(Owned by Advance Heart Care Centre Private Limited)



BED ALLOTMENT STATUS


SN	CATEGORY	NO OF BEDS
1	ICCU	16
2	SURGICAL ICU	4
3	DELUXE ROOM	8
4	GENERAL WARD	9
5	TWIN SHARING	4
6	RADIAL LOUNGE	3
7	PRIVATE ROOM	6
TOTAL		50


Dr. Aziz Khan
Medical Director
MBBS MD DM FACC



Near Lokmat Square, Dhantoli, Nagpur - 440 012. M.S. (India) 24 Hours Helpline No. 0712-6640786, 9158884440

Zubaida


Principal
Central India Nursing College
Lonara, Nagpur

154

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 95712-2560139/52
Fax : 95712-2560851
Email : ronagpur@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



5th Floor, Udyog Bhawan, Civil Lines,
Nagpur- 440 001.




LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorization for Generation, Storage of Bio-Medical Wastes under Rule 10]

- I. File number of authorization and date of issue
RO-Nagpur/BMW_AUTH/2107000277 Dt. 14/07/2021
- II. Your Online BMW Authorization Application through Web-Portal having
UAN: MPCB-BMW_AUTH-0000034799 on Dt 31/05/2021.
- III. M/s. Crescent Hospital & Heart Centre., is hereby granted an authorization
for generation of biomedical waste on the premises situated A/p- Plot No
25, Near Lokmat Square, Behind Old Mount Carmel School, Dhantoli,
Nagpur.
- IV. This authorization shall be in force for a period up to 31/05/2024. An application
shall be made by the occupier/operator for renewal 3 Months before expiry of
earlier authorization.
- V. This authorization is issued subject to compliance of the conditions
stated below and to such other conditions as may be specified in the
Rules for the time being in force under the Environment (Protection) Act, 1986.
- VI. No of Beds: 50.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment
(Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer
Authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the
"Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste
Management Rules, 2016 & amendment 2018 for collection, transportation, treatment
and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the
application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed
authority to close down the facility.

MPCB-BMW_AUTH-0000034799



Zubeeda

Principal
Central India Nursing College
Lonara, Nagpur


Schedule-III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	15	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorised by MPCB i.e. CBMWTSD F
		b) Animal Anatomical Waste	NIL		
		c) Soiled Waste	30		
		d) Expired or Discarded Medicines	03		
		e) Chemical Waste	35	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	NIL		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	NIL	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		h) Microbiology Biotechnology and other clinical laboratory waste	10	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	NIL	Red coloured non-chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	12	Puncture proof, Leak proof, tamper proof container	
	Blue	a) Glassware	NIL	Cardboard boxes with Blue colored marking	

6. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.



MPCB-BMW_AUTH-0000034799



Zubeida

Refsa

Handwritten signature and number 157

**Principal
Central India Nursing College
Lonara, Nagpur**

7. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.
8. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

09. Standards for waste autoclaving;

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be subjected to:
- (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
- (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
- or
- (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
- (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes.

MPCB-BMW_AUTH-0000034799

Zabirida

Principal
Central India Nursing College
Lonara, Nagpur

- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters*, - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing*. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test*. - A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

10. CONDITIONS UNDER AIR ACT :

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:


Control Equipment

Industry shall provide dust collector of sufficient capacity to control the emissions.

Conditions for D.G. Set

Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

- b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure and taken average.



MPCB/BMW_AUTH/0000034799



Zubeida

Principal
Central India Nursing College
Lonara, Nagpur

- c. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- d. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- e. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- g. D.G. Set shall be operated only in case of power failure.
- h. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

11. Standards for Stack Emissions:

- (i) The applicant shall observe the following fuel pattern:-


Sr. No.	Type of Fuel	Quantity	UOM
-	-	-	-

The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
-	-	-

- (ii) The applicant shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- (iii) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vi) Other Conditions:
 - 1) The industry should not cause any nuisance in surrounding area.
 - 2) The industry should monitor stack emissions and ambient air quality.

MPCB-BMW_AUTH-0000034799



Zabida

Principal
Central India Nursing College
Lonara, Nagpur

160

12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

14. You have submitted total Bank Guarantee of Rs. 1,50,000/- valid up to 19/02/2022 to be extended upto 31/08/2024 Specific conditions with Bank Guarantees along with time bound programme for compliance as per Board's circular no MPCB/BSO/BMW/B-1825 dtd 10/04/2013 is as follows-

Sr. No.	Activity/Condition to be Complied	Compliance Timeline (Months)	Amount of Bank Guarantee (Rs)
I(A)	Operation and Maintenance		
1	To segregate and Handle BMW as per rule	Continuous	25,000
2	Operation and Maintenance of ETP to achieve prescribed discharged standards.	Continuous	25,000
I(B)	Records		
1	To Maintain records of BMW and submission of Annual Report in Form-II before 31st January	Continuous	15,000
2	To Maintain records of BMW material received / delivered to authorized party / CBMWTSDF (Transporters only)	Continuous	10,000
II	Performance		
1	To provide Separate BMW storage facility	Six	25,000
2	Effluent treatment plant not provided / need up gradation	Six	50,000
		Total	1,50,000/-
Rupees One Lakh Fifty Thousand only			

15. You shall submit compliance of each Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.

16. Ensure treatment and disposal of liquid waste in accordance with Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and comply Bio-Medical Waste Management Rules 2016 & amendment 2018.

When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.



MPCB-BMW_AUTH-0000034799



Zubeida

Principal
Central India Nursing College
Lonara, Nagpur

17. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
18. The hospital shall apply immediately for consent to operate with required/compulsory document with consent fees.

For and on behalf of the
Maharashtra Pollution Control Board



(A.M. Kare)
Regional Officer, Nagpur

To
M/s. Crescent Hospital & Heart Centre,
Plot No 25, Near Lokmat Square,
Behind Old Mount Carmel School,
Dhantoli, Nagpur.

Authorization Fees Received:-

Sr. No	Amount (₹)	e-Payment	Date	Drawn On
1	7500/-	TXN2105002409	31-05-2021	Online Payment


Copy Submitted to:-

1. The Chief Accounts Officer, MPCB Board Mumbai
2. The Principal Scientific Officer, MPCB, Sion, Mumbai

Copy to:-

Sub-Regional Officer, M. P. C. Board, Nagpur-I.

For information necessary compliance of condition mentioned in the authorization. He / She is also directed to ensure the timely compliance of condition no. 14.



[Signature]

MPCB-BMW_AUTH-0000034799

Zubeida

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur

162

706



सत्यमेव जयते

भारत INDIA

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

© 2020 ©

XA 625631
2 21 OCT 2020
Stamp Head Clerk of Mr.

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this __ October 2020


14847
25/10/2020

BETWEEN

Mehmuda Shikshan & Gramin Vikas Bahuddeshiya Sanstha's
Central India Nursing College, Lonara, Nagpur
Hereafter called Party No. 1

AND

DR. DANDE HOSPITAL
Hereafter called Party No. 2



1. Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur. with objective to spread & promote. Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education

Zubeda

Principal
Central India Nursing College
Lonara, Nagpur

163

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 24 years residing at Sadar, Nagpur.

4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large..

5. The Party No. 2 executed this agreement through Dr. Pinakpani G. Dande (Director) DR. DANDE HOSPITAL.) 69-A Hill Road, Ramnagar near Ravi Nagar Nagpur 440010.)

[Handwritten signature]



Mehmuda Shikshan & Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
 Principal
 Central India Nursing College
 Lonara, Nagpur
 (764)

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
2. THAT Party No.2 is having 50 beded Multispecialty hospitals with more than 75% Occupancy.
3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date: 28/10/20

NOTARIAL NOTARIAL NOTARIAL NOTARIAL NOTARIAL NOTARIAL



Hafsa
Sign

 Ms. Hafsa Ahmed
 Joint Secretary
 Mehmuda Shikshan and Mahila Gramin
 Vikas Bahuddeshiya Sanstha, Nagpur

Dandé
Sign
 Dr Pinakpani G Dandé,
 Director
 DANDE HOSPITAL

Witness
 1. *[Signature]*
 2. *[Signature]*



[Signature]
 28/10/2020
 NAGPUR

Secretary
 Mehmuda Shikshan & Mahila Gramin
 Vikas Bahuddeshiya Sanstha, Nagpur

[Signature]
 Principal
 Central India Nursing College
 Lonara, Nagpur

Zubida

old

NAGPUR MUNICIPAL CORPORATION, NAGPUR
(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 8 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. DR. PINAKPANI G. DANDE (MBBS, FCGP) has
been registered under the Bombay Nursing Home Registration Act 1949 in
respect of DR. DANDE HOSPITAL, situated at 69-A, HILL ROAD, RAMNAGAR, NEAR
RAVI NAGAR, NAGPUR and has been authorized to carry on the said nursing
home.

Registration No. : 338

Maternity : 10 Beds

Date of Registration : 01/02/1996

Other Nursing : 40 Beds

Place : Nagpur

Date of issue of certificate : 01/04/2018

This certificate of registration shall be valid up to 31st March 2021.



Dr. Anil Chivhane
(Dr. Anil Chivhane)
Registering Authority
Health Officer
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.



Refsa

P. Deshpande
166

Principal
Central India Nursing College
Lonara, Nagpur

hida

Original
to ASK's



Office of The Corporation of the city, Nagpur

MISCELLANEOUS RECEIPTS

692
30604

From: 238

Received from Dr. Anandram. Er. Dande, Dr. Dande
Hosp. 69-0, H.P. RA, Sambalpur, Nagpur
the sum of Rs. in words 35000/- Three Thousand Only
on account of Hosp. RENT
Rs. 35000/- N.p

Date 10/5/21 [Signature] Secretary



APR 2021 to
UP to MAR 2024

Recd
[Signature]
19/05/2024

Refsa



[Signature]

Principal
Central India Nursing College
Lonara, Nagpur

167

Zubaida

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in

Udyog Bhavan , 6th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/

No:- Format1.0/RO/UAN No.0000148109/CO/2304000303

Date: 06/04/2023

To,
Dr. Dande Hospital
,At 69A, Hill Road, Ramnagar, Nagpur Dist. Nagpur.
Email:dandehospital@hotmail.com
Contact No.:7972292709



सेवा ही जनसेवा
Right to Public Service Act
Your Service is Our
Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Bio-Medical Waste Authorization granted by the Board vide no.MPC/NRO/BMW/10/2016 dtd 22/03/2016.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 22/12/2022

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

- The Consent to Operate is granted for a period up to :- 31/08/2023.
- The capital investment of the HCF is ₹104.31 Lakhs (As per C.A Certificate Submitted by HCF)
- HCF Area: - Plot Area 520.00 M² with Built-up area 500.00 M².
- Activities Included
 - Total Number of Beds : 50 Nos. (As per BNH certificate no. 338 valid upto 31-03-2021)
 - General Beds : 14 Nos
 - ICCU/ICU Beds : 10 Nos
 - Operation Theatre : 7 Nos
- Conditions under the Water (P&CP) Act, 1974:-
 - Quantity of total water consumption shall not exceed 7 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 - You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
 - You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.



Prisha
Principal
Central India Nursing College
Lohare, Nagpur



Zubeida

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr.No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF Superb Hygienic Disposals, Nagpur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.




Handwritten signature

Handwritten signature

Handwritten signature: Zubaida

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



9164f3c6
6b5ffacc
fe28a1f8
dE046bf6
017b0301
0e59db2c
02c4e2bb
d7721E23

Signed by: Ashok M. Kare
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2023-04-06 16:08:46 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs)	Transaction/DR No.	Date	Transaction Type
1	45000.00	MPCB-DR-14583	27/09/2022	NEFT

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Principal

Principal
Central India Nursing College
Nagpur

169

Zubida

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (GMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	5.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (GMD)	Standards to be achieved	Disposal
1	Domestic Sewage	4	As per clause 'C'	Septic Tank Soak Pit
2	Trade effluent	1.50	As per clause 'C'	On Land for Gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



Ravindra

Principal
Central India Nursing College
Lanara, Nagpur

Zubeida

Rajsa

Annexure - II


Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	0	--	--

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.




 Principal
 Central India Nursing College
 Louara, Nagpur

Zubeida

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	15.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	120.00		
		d) Expired or Discarded Medicines	2.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	110.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	5.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	25.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		



Principal

**Central India Nursing College
Lonara, Nagpur**

Zubeida

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).



Hejse *Prudhvi* (171)

Zubeida

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	Effluent treatment plant not provided / need up gradation	Continuous	50,000.00
Total			1,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



Refuse

Principals

Principal
Central India Nursing College

Zubeida

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated 16/11/2009 as amended.



Deja

Prasanna

Principal

72

Practical India Nursing College
Lonara, Nagpur

Zubeida

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



Handwritten signature

Handwritten signature

Principal
Central India Nursing College
Lanara, Nagpur

Handwritten signature

725



MAHARASHTRA

© 2020 ©

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this ___ October 2020

NAGPUR TREASURY
XA 625630
22 OCT 2020
Stamp Head Clerk / Sr. Cl...


NOTARIAL REG
ENTRY NO. 14846
DATE 22/10/2020

BETWEEN

Mehmuda Shikshan & Gramin Vikas Bahudheshiya Sanstha's
Central India Nursing College, Lonara, Nagpur
Hereafter called Party No. 1

AND

DR DANDE HOSPITAL
Hereafter called Party No. 2



Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

Zubeida

Principal
Central India Nursing College
Lonara, Nagpur
NAGPUR Maharashtra

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 24 years residing at Sadar, Nagpur.
4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
5. The Party No. 2 executed this agreement through Dr. Pinakpani G Dande (Director) Dr DANDE HOSPITAL) Gokulpeth Hill Road Nagpur 440010.)



Secretary
Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur



Hafsa

Hafsa



Principal
Central India Nursing College
Lonara, Nagpur

Principal

Zubaida

174

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
2. THAT Party No.2 is having 50 beded Multispecialty hospitals with more than 75% Occupancy.
3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date:

Hafsa
Sign

Ms. Hafsa Ahmed,
Joint Secretary
Mehmuda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur



Sign *Pinakpani*
Dr Pinakpani G Dande,
Director
DANDE HOSPITAL.



Witness
1. *[Signature]*
2. *[Signature]*



Secretary
Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur
[Signature]
Principal
Central Nursing College
Lonara, Nagpur *[Signature]*

Zubaida

Cancelled
NOTARIAL
NOTARIAL
NOTARIAL
NOTARIAL
NOTARIAL

195

NAGPUR MUNICIPAL CORPORATION, NAGPUR
(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. PINAKPANI G. DANDE (MBBS,FCGP) has
been registered under the Bombay Nursing Home Registration Act 1949 in
respect of DR. DANDE HOSPITAL situated at 45-A, GOKULPETH, HILL ROAD,
NAGPUR and has been authorized to carry on the said nursing home.

Registration No. : 920

Maternity : 10 Beds

Date of Registration : 01/09/2012

Other Nursing : 40 Beds

Place : Nagpur


Date of issue of certificate : 01/04/2018

This certificate of registration shall be valid up to 31st March 2021.



(Signature)
(Dr. Anil Chivhane)
Registering Authority
Health Officer
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.



(Signature)

(Signature)

Principal
Central India Nursing College
Lonara, Nagpur

176

Subida



महाराष्ट्र शश्रूषागृह नोंदणी (सुधारीत) नियम 21 अंतर्गत महानगरपालिका (वर्ग अ/अ)
क्षेत्रातील शश्रूषा-गृहाकरीता लागू असलेले शुल्क भरण्याचे सूचनापत्र

क्रमांक : ५१/३०६०३

दिनांक : १०/५/२०२१

संचालक/व्यवस्थापक : डॉ. पिनाकराणी लोढे डॉ.

शश्रूषागृहाचे नाव : डॉ. दंडा ईरवी नोंदणी क्र. ९२०

अनुज्ञेय खाटांची एकूण संख्या :- ५० शुल्क : १ ते ५ खाटांसाठी रु. ५०००/- (पाच हजार)

- A) i) मुळ १ ते ५ खाटांकरीता रु. ५००० ii) पाच खाटांचे एकूण भाग - ९ X ५००० = ४५०००/-
एकूण अनुज्ञेय शुल्क (५०००+ii) = ५००० + ४५००० = ५००००/-
- B) नोंदणी/ नुतनीकरण अर्ज २०२१ करीता भरलेले शुल्क रुपये : १५०००/-
- C) फरकासह लागू असलेले एकूण शुल्क A - B = ३५०००/- रुपये

राखपाल
16/5/21



Office of The Corporation of the city, Nagpur
MISCELLANEOUS RECEIPT

30603

90/2020
H. Rem. 920

Received from Dr. Pinakarani Lode Dr. Danda

the sum of Rs. in words 35000/- Thirty Five Thousand Rupees

on account of Hosp. Rent

Rs. 35000/-

Date 10/5/21

Clerk Secretary

Nagpur Corporation




Refra

Zubeida

Principal
Central India Nursing College
Lonara, Nagpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
 Fax: 0712 - 2560851
 Website: <http://mpcb.gov.in>
 Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 6th floor ,
 Near Sales Tax Office, Civil
 Line , Nagpur - 440 001

ORANGE/
 No:- Format1.0/RO/UAN
 No.0000148053/CO/2211002449

Date: 29/11/2022

To,
 Dr. Dande Hospital
 45-A, Hill Road, Gokulpeth, Nagpur.



Your Service is Our Duty

Sub: Application for grant of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Bio-Medical Authorization granted by the Board vide no. MPC/NRO/BMW/10/2016 dtd 22/03/2016.

Combined Consent to Operate and BMW Authorization.

For: Combined Consent to Operate and BMW Authorization (CCA) Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Combined Consent to Operate and BMW authorization is granted upto: 31.08.2023
 The capital investment of the project is Rs.2.135 Crs. (As per C.A Certificate submitted by industry Existing-Rs. __ Crs + Expansion/Increase in C.I. - Rs. __ Crs).
- The Consent is valid for the Activity of

Sr.No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	50	Nos
b)	Total Plot Area	520.00	Sq.Mtrs
c)	Total Built up Area	500.00	Sq.Mtrs

- Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr.No	Description	Permitted (in GMD)	Standards to Achieve	Disposal
1.	Trade effluent		As per Schedule -I	On land for gardening



Refsa

Praveen K

Zubeida

Principal
 Central India Nursing College
 Lonara, Nagpur

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
 2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
 3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
 4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.


[Handwritten Signature]

[Handwritten Signature]



Principal
Central India Nursing College
Lonara, Nagpur

Zubeida



c3b5c9d2
324734a8
92566d56
a745ed4b
d68ddbbae
e96fb941
c509359e
ab103a9f

Signed by: Ashok M. Kare
Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2022-11-29 14:59:49 IST

Received Consent fee of -

Sr.No	Amount (Rs)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	MPCB-DR-14584	27/09/2022	NEFT

0

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



Ref

Pravin

Principal
Central India Nursing College
Lonara, Nagpur

Zubaida

742



महाराष्ट्र MAHARASHTRA

© 2020 ©

NAGPUR-TREA
 XA 625622
 22 OCT 2020
 Stamp Head Clerk / S

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this __ October 2020

14344
 23/10/2020

BETWEEN

College of Nursing,

Central India Nursing, College, Lonara, Nagpur

Hereafter called Party No. 1

AND

MEDICARE MULTISPECIALITY HOSPITAL

Hereafter called Party No. 2

1. Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.



[Signature]
 Secretary

Principal
 Central India Nursing College
 Lonara, Nagpur

Zubeida

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Saustha, Nagpur, age 24 years residing at Sadar, Nagpur.

4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5. The Party No. 2 executed this agreement through Dr. Atulkumar Vidyarthi (MBBS,MS) MEDICARE MULTISPECIALITY HOSPITAL.

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2. THAT Party No.2 is having 50 bedded Multispeciality Hospitals with more than 75% Occupancy.

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.



Zubeida



Hafsa
 Secretary

Principal
 Central India Nursing College
 Lonara, Nagpur

- 4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
- 5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date: 28/10/2021

Sign

[Handwritten Signature]

Ms. Hafsa Ahmed
Joint Secretary

Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya Sanstha,
Nagpur



Sign

[Handwritten Signature]

Dr. Atulkumar Vidyarthi
Medicare Multispecialty Hospital

MEDICARE
THE MULTISPECIALTY HOSPITAL,
2nd Floor, Gulmohar Complex
Chhindwara Road, Madhav,
Nagpur. Ph: 0712-3211914




Witness


1. *[Handwritten Signature]*

2. *[Handwritten Signature]*

Secretary
Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur



[Handwritten Signature]
28/10/2021



Principal
Central India Nursing College
Lonara, Nagpur

[Handwritten Signature]

93

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Atul Kumar Vidyarthi (MBBS,MS) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Medicare Multispeciality Hospital situated at 2nd & 3rd Floor, Gulmohar Complex, Koradi Road, Mankapur, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 749

Date of Registration : 03/09/2007

Place : Nagpur

Date of issue of certificate : 01/04/2022

Maternity : 15


Other Nursing : 35

This certificate of registration shall be valid up to 31 Mar 2025.



[Signature]
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation



This Certificate of Registration should be displayed in prominent place
Application for renewal should be done...

[Signature]



184

Zubeida

[Signature]
Principal
Central India Nursing College
Lonara, Nagpur



Maharashtra Pollution Control Board
6193470115541028e5c2b370

MAHARASHTRA POLLUTION CONTROL BOARD.

Phone: 0712-2660139/152
Fax: 0712-2660851
Email: (omagnpur@mpcb.gov.in)
Visit At: http://mpcb.gov.in



5th Floor, Udyog Bhawan,
Civil Lines,
Nagpur 440 001.

Order No: RO-NAGPUR/CONSENT/2111000573 & RO-NAGPUR/BMW/AUTH/2111000129
Date: 15/11/2021

To,
Mrs. Medicare Multispeciality Hospital,
2nd Floor, Gulmohar Complex, Koradi Road,
Mankapur Tq. & Dist. Nagpur.

Sub : Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M&T) Rules, 2016.


- Ref :
1. Your previous consent to Operate vide no. MPCB/76/1607000091 dtd 26/07/2016.
 2. Your CCA application received at SRO, Nagpur-I dtd 02/11/2021
 3. Your reply to received vide letter dtd 21/10/2021.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renewal of Combined Consent to Operate and BMW Authorization (CCA) under Section 25(2C) of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 3 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules (I-IV) and Annexures (A-D) enclosed in this order.

1. This CCA shall be in force for a period From 30/11/2020 to 30/11/2025.
2. The capital investment of the HCE is ₹ 361.14 (As per CCA Certificate Dtd 27.01.2021)
3. Area:- Plot Area 10000 Sq. M² with Built-up area 7099 Sq. M².
4. Activities Included:
 - a. Number of Beds :- 40
(As per BNH certificate no. 749 dtd 03/09/2007 Valid upto 2023)

Sl. No.	Activities	Capacity
i	General Beds	25
ii	ICCU/ICU Beds	14
iii	Operation Theatre	01
iv	Maternity Beds	02
v	Oncology Beds	08

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa197b5133b459fd7ba4fa0d8e6b4628c6324458fb58b94d6eea76373a>



Principal
Central India Nursing College
Lonara, Nagpur

Zubeida



5. Conditions under the Water (P&CP) Act, 1974:

1. Quantity of total water consumption shall not exceed 4.0 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for sewage & effluent generated as specified in Annexure-I.
3. You shall provide water meter at water intake point & at sewage/effluent discharge point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:

1. You shall use the fuel for DG set and Boilers as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set and Boilers as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set, stacks, compressors and ambient noise level as per Annexure-II.

7. Conditions under Hazardous Waste (M & TM) Rules 2016:

You shall have valid membership of CHWTS at 14, 17, Ghatge and shall also have Hazardous waste management ETP sludge on the premises with valid consent and maintain record thereof.


Sr. No.	Type of Waste	Quantity	Unit	Disposal Method
1	Wet Garbage	5	Kg/D	Hand Over to NMC
2	Dry Garbage	5	Kg/D	Hand Over to NMC
3	ETP Sludge (Biological)	4	Kg/M	Composting

8. Conditions about Non Hazardous Wastes:

Sr. No.	Type of Waste	Quantity	Unit	Disposal Method
1	Wet Garbage	5	Kg/D	Hand Over to NMC
2	Dry Garbage	5	Kg/D	Hand Over to NMC
3	ETP Sludge (Biological)	4	Kg/M	Composting


9. Conditions under Solid Waste Management rules, 2016:

1. You Shall Handover Solid waste to Other Than BAW (if) and to the stipulated agencies of SWM Rules, 2016.
2. You shall not mix general solid waste with the drinking water.



Handwritten signature

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa19785133b4b9fd7baa4a0d8eeb4628c6324458fb58b94a66ea76370a>



Handwritten signature
Principal
Central India Nursing College
Lonara, Nagpur

Handwritten signature



Maharashtra Pollution Control Board
6193470115541028e5c2b370

10. Conditions under BMW Management rules, 2016:-
You shall adhere to the BMW Generation quality and storage conditions as specified in Schedule-I
11. You shall segregate and handover BMW to BMW T&D CTF strictly complying with the Provisions of Schedule-I and Maintain record of the same.
12. You shall have separate storage, marked with the symbol of Bio-Hazard & Toxicity Hazard for outdated, discarded, unused, unused, expired, and expired, and submit details of Management and Handling of outdated, discarded, unused, expired, and expired drugs in the format prescribed by CPCB which is available on www.epclm.in along with annual report to MPCB with a copy to CPCB before 30th June of every year.
13. You shall manage the Mercury Waste in HCF in environmentally safe manner including storage, spilled collection, transportation and disposal as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.epclm.in).
14. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of the CCA. In case of any change you shall apply fresh for CCA.
15. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without a written prior written permission of the MPCB Board.
16. This Board reserves the right to review, amend, suspend, revoke or terminate the conditions applicable under this CCA and the same shall be binding on the holder.
17. You shall maintain records of MPCB Board Officers visit and shall obey all the instructions issued by the Board Officers from time to time.
18. Any violation of provisions of BMW Management rules, 2016 or any other rule or the penal provisions of Environment Protection Act, 1986 and the provisions of the provisions of Water (CPCB) Act 1974 and (CPCB) Act 1981 shall attract the provisions of respective act including closure of the facility and prosecution.
19. This CCA shall not be construed as exemption from obtaining necessary NOC permit from any other Government agencies as applicable.
20. You have submitted Bank Guarantee of ₹ 1,00,000/- and submit additional Bank guarantee of ₹ N/A as specified in Schedule II to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice.



Handwritten signature

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa1978513854b9fd7b2a7a0d8eeb4628c6324458fb58b94a6eea76373a>



Handwritten signature
Principal
Central India Nursing College
Lonara, Nagpur

Handwritten signature



Maharashtra Pollution Control Board
6193470115541028e5c2b370

21. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry

For and on behalf of the
Maharashtra Pollution Control Board


(A.M. Kurel)
Regional Officer, MPCB Nagpur

Received Consent / Authorization fee of:

Sr. No.	Amount (₹)	TXN No.	Date	Mode
1	12500/-	TXN2111000779	12-11-2021	Online
2	7500/-	TXN2011001894	24-11-2020	Online
3	5000/-	TXN2111000782	12-11-2021	Online
4	17500/-	TXN2110002462	27-10-2021	Online
5	15000/-	TXN2011001889	24-11-2020	Online

Copy to:

1. Sub Regional Officer - MPCB, Nagpur-I - They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai - for information.
DC EIC - for record & website updating purpose.



Handwritten signature

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
<https://blockchain.ecmpcb.in/docs/08e969aa19785133b4b91d7baa4a0d8eeb4628c6324458fb58b94a6eea76373a>

Handwritten signature
Principal
Central India Nursing College
Lonara, Nagpur

Handwritten signature



Maharashtra Pollution Control Board
6193470115541028e5c2b370

Annexure - 1
Conditions under Water (P & C) 1973 Act (R for Condition No. 5)

a. Water Consumption Details:

Sr. No.	Purpose for water consumed	Consumption in CMD
1	Industrial Cooling and boiler feed etc	Nil
2	Domestic purpose	Nil
3	Processing whereby water gets polluted & pollutants are easily biodegradable	Nil
4	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil
5	Other such as agriculture, gardening etc.	Nil

b. Conditions for Sewage & Effluent Generation, Treatment and Disposal:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standard to be achieved	Disposal
1	Domestic effluent	1.8	As per clause C	100% treated effluent shall be recycled
2	Trade effluent	1.4	As per clause C	100% of the sewerage effluent shall be discharged in an authorized manner

c. You shall operate the contained waste water treatment plant as per manual provided and inspect to treat the domestic sewage and trade effluent to achieve the following standards as prescribed below under clause 1, Art. 19 of said Act and there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in discharge (mg/l)	As per clause C
1	pH	6-10	As per clause C
2	Oil & Grease	10	As per clause C
3	BOD (3 days 20°C)	30	As per clause C
4	COD	100	As per clause C
5	Total Suspended Solids	100	As per clause C
7	Bio-Assay Test	Bioassay of fish after 96 hours shall be 100%	As per clause C

d. You shall ensure replacement of pollution control system & maintenance part of its expired life as defined by manufacturer's manual to ensure the compliance of standards and safety of the operation thereof.

e. You shall provide Primary & Secondary treatment system as per manual provided facility.

f. The Applicant shall obtain prior consent from the Board for any expansion/modification of any treatment and disposal system and necessary addition thereto.

g. You shall provide Specific Water Pollution control system as per manual provided and conditions of Environmental Clearance, if available.

M. S. Maheshwari Maharashtra Nagar (M) Nagar, NAGPUR
M. S. Maheshwari Maharashtra Nagar (M) Nagar, NAGPUR

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa19785133b4b96d71baa4a0d8eeb4628c6324458f658b94a6eea7637aa>



Deja

P. S. S. S. S.

Principal
India Nursing College
Lalara, Nagpur

Zabidee



Maharashtra Pollution Control Board
6193470115541028e5c2b370

Annexure II

Terms & conditions for D.G. Set(s) and Boiler (s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

You shall observe following fuel pattern and use following stack cap

Sl. No.	Stack Attached to	Fuel Type	Quantity	Stack Height
1	D.G. Set No. 1	Diesel	1000	10

2. The Applicant shall obtain prior permission of MPCB board for providing additional control equipment with necessary operation and operation thereof or replacement/alteration well before its life come to an end or expiry or new control or control equipment.
3. The Board reserves its rights to carry all or any of the condition in this notification and any technological improvement or otherwise such as installation, fitting and use of the same control equipment either in whole or in part as may be required.
4. Conditions for D.G. Set
 - a. Noise from the D.G. Set should be controlled by providing acoustic enclosures or treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for a minimum of 15 dB insertion loss or for meeting the ambient noise standard which is higher side. A suitable exhaust outlet with insulation loss of 10 dB should be provided. The measurement of insertion loss will be done at different points at 10 meters from acoustic enclosure and then average.
 - c. You shall make efforts to bring down noise level of the D.G. Set within the premises, within ambient noise requirements by proper siting and sound insulation.
 - d. Installation of D.G. Set must be strictly in compliance with the manufacturer's D.G. Set manufacturer.
 - e. A proper routine and preventive maintenance programme for D.G. Set should be followed in consultation with the D.G. Set manufacturer which should be maintained at levels of 10% or from date starting with use.
 - f. D.G. Set should be operated only in case of power failure.
5. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

The applicant shall comply with the notification of MPCB dated 12/02/2019 regarding noise limit for generators of run with noise.

You shall take adequate measures to control the noise level in the surrounding area. The premises shall be maintained ambient air quality standard as specified below: i.e. less than 75 dB(A) during day time and 70 dB(A) at night time (i.e. between 10 pm to 6 am) between 6 am and 10 pm and night time (i.e. between 10 pm to 6 am).



Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa19785133b4b9fd7baa4a0d8eeb4628c6324458fb58b94a6eea76373a>

Zebida

Principa
Principa
Principal
Central India Nursing College
Lonara, Nagpur

190



Schedule

Authorization to Manage Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation, Storage, and Disposal of Bio-Medical Waste (Biomw) in the following categories and quantities listed here in below.

Sl. No.	Category	Type of Waste	Quantity not to exceed (kg/d)	Segregation Code/Color/Labeling	Disposal Method
1	Yellow	a) Human Anatomical waste	5	Yellow coloured non chlorinated plastic bags	Incineration At BMSW TADUAT
		b) Animal Anatomical Waste	NIL		
		c) Soiled Waste	10	Yellow coloured non chlorinated plastic bags	
		d) Expired or Discarded Medicine			
		e) Chemical Waste	10		
		f) Chemical Liquid Waste	NIL	Not Applicable	treatment
		g) Discarded linen, mattresses, bedding, contaminated with blood or body fluid	NIL	Yellow coloured non chlorinated plastic bags	At BMSW TADUAT
2	Red	a) Microbiology (bacteriology and other clinical laboratory waste)	5	In case of the Red Hospital Waste, the Bio-Hazardous waste is treated or sterilized with autoclave at 121°C for 15 minutes. The waste is then disposed in yellow coloured plastic bags or containers.	Disposal at BMSW TADUAT
		b) Contaminated waste (Residues)	NIL	In case of the Red Hospital Waste, the Bio-Hazardous waste is treated or sterilized with autoclave at 121°C for 15 minutes. The waste is then disposed in yellow coloured plastic bags or containers.	Disposal at BMSW TADUAT
3	White (Translucent)	Waste sharps including Metals	10	In case of the White Hospital Waste, the sharps are disposed in puncture proof, leak proof, tamper proof container.	
4	Blue	a) Glassware	NIL	In case of the Blue Hospital Waste, the glassware is disposed in puncture proof, leak proof, tamper proof container.	
		b) Metallic body implants	NIL	In case of the Blue Hospital Waste, the metallic body implants are disposed in puncture proof, leak proof, tamper proof container.	



Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa197851335409fd7baa4a068eeb4628c6324458fb58b94a6eea76373a>

Principa *Poojil* (191)

Principal
Central India Nursing College
Lonara, Nagpur

Zubeida



Schedule II

Responsibilities of the Owner and Operator of the Health Care Facility

1. You shall handover Bio Medical waste only to Authorized person for safe treatment and Disposal facility and maintain records thereof.
2. You shall establish procedure for handling of Bio medical waste.
3. You shall ensure segregation of Bio Medical Waste in colour coded bins as per BWM Management rules, 2016.
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non chlorinated plastic colour coded bags for storage.
6. You shall ensure mandatory use of colour coded bins and bags for treatment of BWM.
7. You shall not mix General/other Solid waste with Bio Medical waste.
8. You shall ensure segregation, treatment and disposal of a mortal, cadaver, human and some waste as per Solid Waste Management rules 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the tender bid process/contract as amended.
10. You shall comply and strictly abide with the conditions stipulated in BWM Management Rules, 2016 as amended 2018.
11. You shall handover Plastic / Metal waste (BWM) only to Common Manpower waste treatment and Disposal facility allocated to you for its treatment & disposal and maintain records thereof & submit to MPCB on regular basis.
12. You shall provide training to all workers involved in handling of Bio medical waste at time of induction and at a minimum a year thereafter and thereafter as required.
13. You shall undertake appropriate medical examination at the time of induction after a lapse of one year and immunize all of its workers involved in handling of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records thereof.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Goggles (Workman's Gloves), Gum Boots or safety shoes for waste collection, use of cloth and Splash Proof Goggles or aprons etc. Disposal gloves to avoid hand injury.
15. You shall maintain all record for Generation, for a period of one year and produce whenever asked by MPCB authorities.
16. The scraper and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of Bio medical wastes.
17. You shall ensure submission of Annual Report of Bio Medical waste by type and category and quantity of BWM Generated and Disposed in Form to be provided to you before 30th June of every year to the Regional Office, MPCB. Disposal cost of the same to be same to MPCB website.
18. You are responsible to submit application for registration of Common Bio Medical Waste Treatment and Disposal facility to MPCB.



Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa19785133b4b9fd7baa4a0d8eeb4628c63244581b58b91a6eaa76373a>

Zubeida

Pejsa
Praveen
Principal
Central India Nursing College
Lonara, Nagpur





Schedule III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance of the above ETP operation.

Sr. No.	Activity/Condition to be Complied	Compliance Timeline (Months)	Amount of Bank Guarantee (Rs)
(A) Operation and Maintenance			
1	To segregate and Handle BMW as per rule	Continuous	25,000/-
2	Operation and Maintenance of ETP to achieve prescribed discharge standards.	Continuous	25,000/-
(B) Records			
1	To Maintain records of BMW and submission of Annual Report in Form II before 31st January	Continuous	15,000/-
2	To Maintain records of BMW material received / delivered to authorized party CBMWTSDF (Transporters only)	Continuous	15,000/-
II Performance			
1	To provide Separate BMW storage facility	Six	50,000/-
2	Effluent treatment plant not provided need up gradation	Six	50,000/-
		Total	1,00,000/-
Rupees One Lakh only.			

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

Additional Bank Guarantee- N.A.


- II. You shall submit additional fresh Bank Guarantee of ₹ Nil, both towards provision of vehicle tracking system and marsh system, dis. Ball of 200 gms. or equivalent, the number to two second residence time in a secondary chamber ETP.
- III. You shall submit compliance of Bank Guarantee conditions every six months to District Officer, Nagpur for verification purpose.



Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa19785133b4b9fd7baa4a0d8eeb4628c6324458fb58b94a6eea76373a>

Zubider

Prasa *Prasnik* #43
Principal
Central India Nursing College
Lonara, Nagpur



General Conditions

Schedule IV

The following general conditions shall apply:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluent, air emissions and incineration waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered on the behalf.
2. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Pollution Control Board, Regional MPWB and Local Body. In case of failure of pollution control equipment, the process concerned shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise control operation to abide by terms and conditions of this consent.
4. You shall submit to the office the with date of 31st March every year the annual financial Statement Report for the financial year ending 31st March in the form of Form III as per the provisions of rule 10 of the Environment Protection Act, 1986 and also the 1992.
5. You shall comply with the Hazardous Waste and Health, Safety & Environment Act, 1986 and Annual Returns as per rule 20(2) of Hazardous Waste and Health Act, 1986 and also the preceding year April to March in Form IV to with name of the owner of the plant, Lonara, Nagpur.
6. You shall engage qualified anti-pollution agency to see the due to any violation of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided to collect and discharge effluent. Two Terminal manholes shall be provided at the end of the sewerage line with arrangement for measuring the flow. No effluent shall be discharged into the pipe or into downstream of the Terminal manholes. No effluent shall flow as well as other than as designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HUE.
9. You shall install a separate meter showing the consumption of water and electricity for domestic and industrial effluent treatment plant and also an authorized meter register showing consumption of chemicals used for treatment of effluent.
10. You should not cause any nuisance to the neighborhood by the operation of the housekeeping.



Handwritten signature

Handwritten signature 194

Handwritten signature

Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa19785133b4b9fd7baa4a0d8eeb4626c6324458fb58b94a6eea76373a>



11. You shall bring minimum 10% of the available open land under green space plantation. The applicant shall submit a ready statement by 30th September 2019 on available open plot area, number of trees, coordinates of GPS, etc. of the trees and number of trees planted.
12. The non-hazardous solid waste arising in the site premises, sweepings, etc. be disposed off scientifically so as not to cause any nuisance/pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed by Government of India, Notification Dated 16/11/2009 as amended.
14. You shall submit an official e-mail address and any other mail to be forwarded to the MPCB.
15. You shall observe provisions of E-waste Management and Handling Amendment Rule 2016, Litter and Batteries (Management and Handling) Amendment Rule 2016.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.

Record of Modification

Sr. No.	Page No.	Reason for Retention	Rev. No.	Date
1	All	Initial Release	1	15/11/2019



Hejra

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/08e969aa19785133b4b9fd7baa4a0d8eeb4628c6324453fb58b94a6eaa76373a>

Subeida

Principal
Central India Nursing College
Lonara, Nagpur

145



MEMORANDUM OF UNDERSTANDING
महाराष्ट्र MAHARASHTRA 2022

NAGPUR 34AA 537744

This Memorandum of understanding is made on this 28 April 2023

NOTARIAL REG.
ENTRY No. 11209
DATE: 29/04/2023


25 APR 2023
Stamp duty Rs. 7.00

BETWEEN
College of Nursing,
Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND
Samarpan Hospital & Research Institute
Hereafter called Party No. 2



1. Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.
2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses



Zubeida

Rafsa

Puresh

Principal
Central India Nursing College
Lonara, Nagpur

196

professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 24 years residing at Sadar, Nagpur.
4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
5. The Party No. 2 executed this agreement through Samarpan Hospital & Research Institute, 1072/1073, Binaki Layout, Sujata Nagar Near Vaishali Nagar T-Point Nagpur-440017.

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
2. THAT Party No.2 is having 50 beded hospitals with more than 75% Occupancy.
3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

Zubeida



Principal
Central India Nursing College
Lonara, Nagpur

Hafsa
Zubeida
197

5. THAT Party No.2 has agreed to provide the facility for 3 years from today onwards it can be renewed after mutual agreement.

6. This agreement will be dissolve/terminated with mutual understanding by keeping 1 month prior notice.

Place: Nagpur



Date: 28/04/2023

Hafsa
Sign

Ms. Hafsa Ahmed,

Joint Secretary

Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur (M)
Mehmuda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur



Dr. Sanjay
Sign

Dr. Sanjay Chandankhede

(Director)


DR. SANJAY CHANDANKHEDE
MBBS, MS (Ortho.)
DIRECTOR
Samarpan Hospital & Research
Institute, Nagpur - 17

98

Witness

1. *Archanas*

2. *Archanas*



Hafsa

ATTESTED
Archanas
29/04/23
ARCHANA S. MESHRAI
ADVOCATE & NOTARY
NAGPUR DIST. (M.S.) INDIA

THE NOTARY PUBLIC DOES NOT
ASSUME ANY RESPONSIBILITY
LIABILITY FOR LEGALITY IN
PURSUANCE OF DOCUMENT/
WITNESS AND FULFILMENT
OF ANY LEGAL REQUIREMENTS

Zubeida

Central India Nursing College
Lonara, Nagpur

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Sanjay P. Chandankhede (MBBS,MS) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Samarpan Hospital & Research Institute (A Unit of Big Vision Research Institute Pvt. Ltd.) situated at 1072/1073, Binaki Lay-Out, Sujata Nagar, Near Vaishali Nagar T-Point, Kamptee Road, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 947

Date of Registration : 09/06/2014

Place : Nagpur

Date of issue of certificate : 01/04/2023

Maternity : 7

Other Nursing : 43

This certificate of registration shall be valid up to 31 Mar 2026.



Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.




Zubeida

Principal
Central India Nursing College
Lonara, Nagpur



महाराष्ट्र MAHARASHTRA

NOTARIAL REG.
ENTRY NO. 4415
DATE 01/05/23



NAGPUR DIST. ASHOK
34AA 537747

25 APR 2023

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 28 April 2023.

BETWEEN

College of Nursing,
Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND

Asian Kidney Hospital & Medical Centre, Dharampeth, Nagpur
Hereafter called Party No. 2

- Trust name Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, with objective to spread & promote Education for the girls of the rural and urban are of Nagpur District. Trust Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, intends to run college for nursing education (Program name - B.Sc. Nursing), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.



Signature

Signature

Principal

Central India Nursing College
Lonara, Nagpur


Signature

2. The Philosophy behind the establishment of college name Central India Nursing, College, Lonara, Nagpur is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 27 years residing at Sadar, Nagpur.
4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.
5. The Party No. 2 executed this agreement through Asian Kidney Hospital & Medical Centre, Plot No.213, West High Court Road, Shankar Nagar Square, Nagpur-440010

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2. THAT Party No.2 is having 50 bedded hospitals with more than 75% Occupancy.



Hafsa

Principal

Zabida
Principal
Central India Nursing College
Lonara, Nagpur


2022

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.
5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date: 25/04/2023

Witness

1. 
2. 






Sign

Ms. Hafsa Ahmed,

Joint Secretary

Mehmuda Shikshan and Mahila

Gramin Vikas Bahuddeshiya Sanstha,
Nagpur




Sign



Dr. Sameer Chaubey

(Director)

Dr. Sameer Chaubey

M.D. (Mod.) D.N.B. (Nephro)

MINAMS (Nephro)

Consultant Nephrologist & Transplant Physician

Reg. no. 55762

ATTESTED


YOGENDRA S. JAMBHULKAR


ADVOCATE/NOTARY

D-64 FIRST FLOOR, LINK ROAD

SADAR, NAGPUR-01.




Principal
Central India Nursing College
Lonara, Nagpur





NAGPUR MUNICIPAL CORPORATION, NAGPUR
(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. SAMEER B. CHAUBEY (MBBS, MD, DNB) has
been registered under the Bombay Nursing Home Registration Act 1949, in
respect of ASIAN KIDNEY HOSPITAL AND MEDICAL CENTRE situated at 213, WEST
HIGH COURT ROAD, DHARAMPETH, NEAR SHANKAR NAGAR CHOWK, NAGPUR
and has been authorized to carry on the said nursing home.

Registration No. : 1032

Maternity : 00 Beds

Date of Registration : 05/04/2021

Other Nursing : 50 Beds

Place : Nagpur

Date of issue of certificate : 05/04/2021

This certificate of registration shall be valid up to 31st March 2024.



A. Bahirwar
(Dr. Narendra Bahirwar)
Registering Authority
Health Officer
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.



Prerna *Bhosnell*
Principal
Central India Nursing College
Lonara, Nagpur

Zubeida




SUPERB HYGIENIC DISPOSALS

C/O Mr. Bande, 8A, Damodhar Colony,
Near Surendra Nagar Basketball Ground, NAGPUR - 440010
Phone No:9922941639
Email Id:info@superbgroup.in



Unique Registration No.: NGHP0827



Registration Certificate



Registration No: SH-02-03-001878

Date: 27-Feb-2023

This is to certify that ASIAN KIDNEY HOSPITAL & MEDICAL CENTRE, DHARAMPETH, 213, WEST HIGH COURT ROAD DHARAMPETH NEAR HALDIRAM HOTEL, SHANKAR NAGAR SQUARE NAGPUR-440010 is registered with SUPERB HYGIENIC DISPOSALS, NAGPUR for Management of Bio Medical Waste in accordance with the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE
(Name and Designation)

2. Sombay Nursing Home Act Registration Details

a. BN- Registration Number	1032
b. BN- Issue Date	05-Apr-2021
c. Total Number of Beds	50
d. BN- Validity Form 10	31-Mar-2024

3. Common Treatment Facility Registration Details

a. Date of Registration	03-Aug-2018
b. No. of Beds Registered	50
c. Registration Validity	31-Dec-2023

4. Renewal of CTF Membership (if applicable)

a. Renewal Date	31-Dec-2023
c. No. of Beds Registered	50

5. MPCB Consent (Establish/ Renewal/ Operate) Details

a. Consent/CCA Number	RO-NAGPUR/BMW_AUTH/2111000172
b. Issue Date	17-Nov-2021
d. Validity up to	



Handwritten signature

Handwritten signature

For SUPERB HYGIENIC DISPOSALS

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

C/O Mr. Bande, 8A, Damodhar Colony, Near Surendra Nagar Basketball Ground, Nagpur
GN: 9922941639 | 9922941639 | www.superbgroup.in | info@superbgroup.in

Handwritten signature and date

Principal

Central India Nursing College
Lonara, Nagpur

Handwritten signature

CERTIFICATE

Certificate No: SHD/22-23/000906

Date : 12-09-2022

This is to certify that in terms of Bio Medical Waste Treatment Facility with **SUPERB HYGIENIC DISPOSALS**, You are hereby granted registration for and on behalf of **SUPERB HYGIENIC DISPOSALS** From 01-01-2022 to 31-12-2022

Registration No : F087

Customer Code	Name & Address of the Occupier	Category	Qty Of Waste (Kg)	No. Of Beds
NGHP0827	ASIAN KIDNEY HOSPITAL & MEDICAL CENTRE, DHARAMPETH 213, WEST HIGH COURT ROAD, DHARAMPETH, NEAR HALDIRAM HOTEL, SHANKAR NAGAR SQUARE, NAGPUR,	HOSPITAL PATHOLOGY LAB.		50 FIFTY

As per MPCB norms, proper segregation & disposal of the same by delivering the waste to the CBWTF vehicle at designated point is the responsibility of individual generation.

Compliance as per MPCB rules as under be ensured from your end :-

1	Proper Segregation and Handling over the waste to us.
2	Waste sharps/Needles to be disinfected & Mutilates (Burning/Cutting) before Handling over to us.
3	Glass material to be given separately after disinfection & breaking at your end.
4	Ensure Delivery of both Yellow & Red bags to collection vehicle.
5	No untreated bio-medical waste should be kept stored a period of 48 hours.

We hereby certify that the Bio Medical Waste received at our end is disposed off as per the norms laid down by MPCB from time to time

For SUPERB HYGIENIC DISPOSALS

AR. Jain

AUTHORISED SIGNATORY

C/o Mr. Bande, SA, Damodhar Colony, Near Surendra Nagar Basketball Ground, Nagpur
Off : 93229 41339 / 93229 41338 | www.superbgroup.in | info@superbgroup.in



Zubeider

Prakash
Prashant
Principal
Central India Nursing College
Lonara, Nagpur

206

ANNUAL REPORT

1. Particulars of the applicant: Asian Kidney Hospital & Medical Centre, Nagpur.
(BMW Memb. No. NGHP0827) 50 Beds.

- i) Name of the institution: Asian Kidney Hospital & Medical Centre,
Address: Dharampeth, Nagpur.
Tel. No.:

2. Categories of waste generated and quantity on a monthly average basis:

Cat. No. 1 (Yellow) – 15 Kg., 3 (Yellow) – 10 Kg., 4 (Blue + White) - 20 Kg.,
5 (Yellow) – 5 Kg., 6 (Yellow) – 80 Kg., 7 (Red) – 110 Kg.,

3. Brief details of the treatment facility: done by service provider.

In case of off-site facility: ---

- i) Name of the operator: M/s. Superb Hygienic Disposals, Nagpur
ii) Name and address of the facility: Plot No. 133, Mauja Bhandewadi,
Nagpur. Tel. No. 9922941639.

4. Category-wise quantity of waste treated:

1) Human Anatomical Waste	(Yellow)	180 Kg (1)	Non-Chlorinated Bags
2) Microbiological & Bio- Technological Waste	(Yellow)	120 Kg (3)	---- ---- FACILITY PROVIDED BY CBMWTF
3) Waste Sharp	(Blue/White)	240 Kg (4)	---- ----
4) Discarded Medicine	(Yellow)	60 Kg (5)	---- ----
5) Solid Waste	(Yellow)	960 Kg (6)	---- ----
6) Solid Waste	(Red)	1320 Kg (7)	---- ----M/S. SUPERB HYGIENIC
7) Liquid Waste		NA (8)	---- ---- DISPOSALS, NAGPUR
8) Chemical Waste		NA (10)	---- ----

5. Mode of treatment with details: Incineration, Autoclave, Shredder and Chemical Treatment.

6. Any other information:

7. Certificate that the above report is for the period from 1st January 21 to 31st December 21.

Date: 12/09/2022 Signature:

Place: Nagpur Authorised Signatory
Superb Hygienic Disposals,
Nagpur.



Handwritten signature



Handwritten signature
Principal
Central India Nursing College
Lonara, Nagpur

207

Handwritten signature

NUMBER OF BED-STRENGTH AND DISTRIBUTION

SR. NO	BED TYPE	PLANNED	OPERATIONAL
1	ICCU	18	17
2	SICU	5	5
3	GENERAL WARD	8	8
4	TWIN SHARE	6	5
5	DELUXE ROOMS	10	10
6	SUPER DELUXE ROOMS	1	1
7	CASUALTY	2	2
	TOTAL	50	48

NON CENSUS BEDS

OPERATION THEATRE 3

Ref: 2

Shrivastava

ASIAN KIDNEY HOSPITAL
 & MEDICAL CENTRE
 213, West High Court Road,
 Dharampeth, Nagpur-440010
 Reg. No. 1032



208

213, WEST HIGH COURT ROAD, SHANKAR NAGAR SQUARE, DHARAMPETH, NAGPUR-440010
 CALL 0712-2528120 | +91 9975015673 VISIT WWW.ASIANKIDNEY.COM

Zubeida

Principals

Principal
 Central India Nursing College
 Lonara, Nagpur