Annexure-V

Maharashtra University of Health Sciences, Nashik

Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College : Central India Nursing College, Lonara, Nagpur

Faculty : Nursing

HOSPITALDETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more) **To be made available on web site**	Yes	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: **Copy to be made available on web site**	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual -	**1:3**	Adequate
c.	Average Bed Occupancy in % :	**81%**	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Yes	Adequate

Dean/Principal
Stamp &Signature

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

भारतीय गैर न्यायिक

भारत INDIA

रु. 500 FIVE HUNDRED RUPEES

पाँच सौ रुपये Rs. 500

सत्यमेव जयते

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA ◐ 2023 ◐

NAGPUR TREASURY
CD 244200
12 FEB 2024
Stamp Head Clerk / Sr. Clerk

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 23rd September 2024 for "**PARENT HOSPITAL**"

NOTARIAL REG.
ENTRY NO. 19087
DATE 41/10/2024

BETWEEN

CENTRAL INDIA NURSING, COLLEGE, LONARA, NAGPUR

Hereafter called Party No. 1

NOTARY MOHD DIST NAGPUR INDIA Regd No 15138

AND

CITY HOSPITAL, NAGPUR

Hereafter called Party No. 2

1. Trust name **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** with objective to spread & promote. Education for the Students of the Rural and Urban area of **Nagpur District**. Trust **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** intends to run college for Nursing education (Program name –**B.Sc & P.B.B.Sc Nursing**), to be affiliated with MUHS, Nashik to provide Nursing education and training to the students in the area.

Principal
Central India Nursing College
Lonara, Nagpur

CITY HOSPITAL KAMPTEE ISO-900-2008

Scanned with OKEN Scanner

2. The B.Sc & P.B.B.Sc Nursing behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3. The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 28 years residing at Sadar, Nagpur.**

4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5. The Party No. 2 executed this agreement through its Party No. 02 Name **CITY HOSPITAL** and designation **Dr. Unaiza Azmi, Ranala, Kamptee Road, Nagpur.**

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for B.Sc & P.B.Bsc Nursing course of Maharashtra University of Health Sciences, Nashik, Maharashtra Nursing Councils, & Indian Nursing Council, Delhi.

2. THAT Party No.2 is having **100** bedded hospitals with more than 75% Occupancy.

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of B.Sc & P.B.BSc Nursing students.

MEHMUDA SHIKSHAN & MAHILA GRAMIN VIKAS BAHUUDDESHIYA SANSTHA

Hafsa

CITY HOSPITAL KAMPTEE ISO-9001-2008

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

4. THAT Party No.2 has agreed to provide their hospital for clinical experience of B.Sc & P.B.BSc Students.

5. THAT Party No.2 has agreed to provide the facility for 30 years from 23rd September 2024, onwards it can be renewed after mutual agreement after 5 years

6. The Parent Hospital the established managed and controlled by the Trust/Society by the Trustee/Member of the Trust/Society of Nursing institutions than hospital would continue to function as parent hospital till the life of Nursing Institution.

7. THAT Party No.2 would not allow the hospital to be treated 'Parent/Affiliated Hospital" to any other nursing institution.

8. Parent Hospital has following area of operations

   I) Community Health Nursing

   II) Mental Health Nursing

   III) Obstetric and Gynecological Nursing

   IV) Specialty like Cardiology, Neurology, Oncology, Ortho, Infections disease etc.

   V) Pediatric Nursing

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Place: Nagpur

Date: 04/10/2024

Sign

Ms. Hafsa Ahmed,
(President)
Mehmuda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha. Nagpur

Sign

Dr. Uzaiza Azmi
(City Hospital)
Ranala Kamptee Road. Nagpur

Witness

1.----------

2.----------

ATTESTED
RAKESH N. MOHOD
NOTARY
NAGPUR DIST. (M.S.) INDIA

Principal
Central India Nursing College
Lonara, Nagpur

NOTARIAL NOTARIAL NOTARIAL NOTARIAL NOTARIAL

Scanned with OKEN Scanner

PUBLIC HEALTH DEPARTMENT
ZILLA PARISHAD, NAGPUR

Certificate of Registration

Under Section 5 of the
Bombay Nursing Homes Registration Act, 1949
(Extension of Provision)

FORM 'C' (Under Rule 5)

This is to verify that Shri/Smt. Hosp. Dr. Unaiza Azmi Rosi - Kamptee has been registered under the Bombay Nursing Homes Registration Act, 1949 in respect of Name of Nursing Home CITY HOSPITAL

Situated at Kalamna Road, Ranala, Kamptee

and has been authorized to carry on the said Nursing Home.

Registration No. : 118 Maternity Twenty Five Cots 25

Date of Registration 18.4.23 Other Nursing Patients Seventy Five Cots 75

This certificate shall be valid upto to 31st March 2028

Date of issue: 01.04.2025

Principal
Central India Nursing College
Lonara, Nagpur

District Health Officer
Zilla Parishad, Nagpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: http://mpcb.gov.in
Email: cac-cell@mpcb.gov.in

Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/S.S.I
No:- Format1.0/CAC/UAN
No.0000086706/CE/2203000003

Date: 01/03/2022

To,
City Hospital,
Kalamna Road,Ranala,
Tal:Kamptee, Dist:Nagpur.

Your Service is Our Duty

Sub: Combined Consent to Establish and BMW Authorization under Red Category.

Ref:
1. Your application for Combine Consent and Bio-Medical Authorization dated 11.01.2020
2. The minutes of Consent Appraisal Committee meeting dated 15.05.2020

Combined Consent to Establish and BMW Authorization.

For: Under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.**
2. **The capital investment of the project is Rs.1.03 Crs. (As per C.A Certificate submitted by industry).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	100	Nos
b)	Total Plot Area	603.87	Sq.Mtrs
c)	Total Built up Area	1393.55	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	1	As per Schedule -I	Treated effluent recycle up to maximum extent and remaining shall be used on land for gardening / disposed in to sewerage system provided by local body.

Principal
Central India Nursing College
Lonara, Nagpur

CITY HOSPITAL KAMPTEE ISO-900-2008

Scanned with OKEN Scanner

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
2	Domestic effluent	8	As per Schedule - I	As above

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [60 KVA]	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr.No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	--NA--	NA	NA

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	4.00	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Soiled Waste	30.00		
		c) Expired or Discarded Medicines	0.50		
2	Red	Contaminated waste (Recyclable)	30.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF
4	Blue	a) Glassware	10.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF
		b) Metallic body implants	1.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid,ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB

10. This consent is issued subject to conditions mentioned below:
    a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
    b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
    c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
    d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?.
    e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
    f. You shall establish Bar code system within one year.
    g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
    h. You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
    i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
    j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
    k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

Signed by: Ashok Shingare
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
2022-03-01 [illegible]:26 IST

CITY HOSPITAL KAMPTEE ISO-900-2008

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2001001296	14/01/2020	Online Payment
2	25000.00	TXN1711000347	03/11/2017	Online Payment

Balance amount of Rs. 80000 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
   - They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai

Principal
Central India Nursing College
Lonara, Nagpur

CITY HOSPITAL KAMPTEE (ISO-900-2008)

Scanned with OKEN Scanner

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 10.00 CMD consisting of Primary (Collection tank, Neutralization tank).

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	250 mg/l

C] The treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.

2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 25 CMD for the treatment of 8 CMD of sewage.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

Principal
Central India Nursing College
Lonara, Nagpur

CITY HOSPITAL KAMPTEE (ISO-900-2008)

Scanned with OKEN Scanner

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	10.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to provide the Air pollution control (APC) system and also to erect following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO_2
S-1	DG SET [60 KVA]	Acoustic Enclosure and Stack	2.5 Above roof	HSD	12 Ltr/Hr	1.00	5.76

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm^3

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
   a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
   b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

CITY HOSPITAL KAMPTEE ISO-900-2008

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

f) D.G. Set shall be operated only in case of power failure.

g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Combined Consent to Establish and BMW Authorization	Rs.5.0 Lakhs	15 Days	Towards compliances of consent condition.	Continuous	30.04.2026

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
 # Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1			

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year,
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for ,that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.

CITY HOSPITAL KAMPTEE (ISO-900-2008)

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

कार्यालय अग्निशमन विभाग, नगर परिषद कामठी
जिल्हा नागपुर 441002

Phone:07109299902, Fax:07109286665, email:-chiefofficermckamptee@gmail.com

क्रमांक / नपका / अग्निवि / अनाहप्र / 1040 / 2024 दिनांक: 03 / 04 / 2024

प्रति,

डॉ. उनैजा तन्जीम आजमी,
सिटी हॉस्पीटल कलमना रोड,
न्यु येरखेडा, कामठी, जिल्हा नागपुर.

विषय:- सिटी हॉस्पीटलच्या इमारतीस नियमित अग्निशमन सुरक्षा ना हरकत प्रमाणपत्र चे नुतनिकरण करणेबाबत.

संदर्भ:- 1) आपली अर्जी कमांक 2905 / 2024 दिनांक 03 / 04 / 2024
2) कोहिनूर सेफ्टी सर्व्हिसेस यांचे B-Form/Licence No. MFS-LA/RF-10, MFS-LA/RD-10 मुंबई यांचे अंकेक्षण अहवाल दिनांक 02 / 04 / 2024.

महोदय,

वरील विषयांकित संदर्भिय अनुषंगाने आपण आपल्या हॉस्पीटल च्या इमारतीस कोहिनूर सेफ्टी सर्व्हिसेस मुंबई. यांचे अंकेक्षण अहवाल B-Form नुसार अग्निशमन सुरक्षेची सर्व साधने लावल्यामुळे व संदर्भीय कमांक (1) नुसार सादर केलेल्या अर्जानुसार दिनांक 03 / 04 / 2024 रोजी आपले इमारतीचे निरीक्षण केले असुन व अग्निशमन सुरक्षा बाबतचे खालील अटी व शर्तीवर नियमित ना हरकत प्रमाणपत्राचे नुतनिकरण करण्यात येत आहे.

1) हॉस्पीटलच्या इमारतीचे उंची पर्यंत चढ़ण्यासाठी व आकस्मित रित्या उतरण्याकरीता अतिदक्षता शिडी नियमित ठेवणे आवश्यक राहील.

2) अधिकुत संस्थेद्वारे माहे जानेवारी ते माहे जुन व माहे जुलै ते माहे डिसेंबर या कालावधी करिता वर्षातुन दोन वेळा प्रत्येक सहा महिण्याच्या कालावधीचे B-Form सादर करने आवश्यक असेल. असे न केल्यास आपणास दिलेले नियमित अग्निशमन सुरक्षा नाहरकत प्रमाणपत्र रद्द करण्यात येईल.

3) आपल्या हॉस्पीटल इमारतीचे बांधकाम हे नियमापेक्षा जास्त नसावे.

4) आपल्या हॉस्पीटल इमारतीचे अधिकृत संस्थेकडुन लेखा अंकेक्षण केले असुन या अनुषंगाने महाराष्ट्र अग्निशमन सुरक्षा व जीव सुरक्षा उपाय अधिनियम 2006 भाग–1 व भाग–2 अंतर्भुत असलेल्या अग्निशमन संयंत्र व साधनाचे व्यवस्थापनाची तपासणी दरवर्षी अधिकृत संस्थे कडुन करून घ्यावी व याबाबत नगर परिषदेला सुचित करावे. या कालावधीत आगी सारखी घटना घडली तर होणा–या जीव व वित्त हाणीची जबाबदारी आपली स्वताःची राहील.

5) आपल्या हॉस्पीटल मधुन निघालेला जैविक (मेडीकल वेस्ट) ची विलेवाट लावण्याची जबाबदारी स्वतःची राहील जर हॉस्पीटल चा जैविक कचरा सार्वजनीक जागा किंवा कचरा कुंडीत आढळल्यास तर आपल्यावर घनकचरा अधीनियम 2000 अनुसार कार्यवाही करण्यात येईल.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

6) आपल्या हॉस्पीटल इमारतीचे महाराष्ट्र अग्निशमन सुरक्षा व जीव सुरक्षा उपाय अधिनियम 2006 भाग-1 व भाग-2 नुसार बसविण्यात आलेल्या अग्निशमन यंत्र व साधनामध्ये तांत्रिक बिघाड आल्यास तो ताबडतोब दुरूस्त करून घ्यावा. असे न केल्यास नियमित अग्निशमन सुरक्षा ना हरकत प्रमाणपत्र रद्द करण्यात येईल.

7) आपणास देण्यात आलेले अग्निशमन सुरक्षा ना हरकत प्रमाणपत्र हे एक वर्षा करीता मान्य राहील. हे दर वर्षी 31 मार्च 2025 च्या पुर्वी नुतनीकरण करून घ्यावे. विहीत मुदतीत आपण नुतनीकरण करून न घेतल्यास नियमित अग्निशमन सुरक्षा ना हरकत प्रमाणपत्र रद्द करण्यात येईल. तसेच नगर परिषद, नगर पंचायती व औद्योगिक नगरी अधिनियम 1965 व महाराष्ट्र अग्निसुरक्षा व जीव सुरक्षा उपाय योजना अधिनियम 2006 कलम (6) व (7) आणी भारतीय उत्स्फोटककायदा दि गॅस सिलेंडर नियम व दि पेट्रोलियम कायदा 1934 नियम 1976 नुसार आपणावर कार्यवाही करण्यात येईल. यावर आपला कसलाही उजर राहणार नाही.

मुख्य अधिकारी,
नगर परिषद, कामठी.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

भारतीय गैर-न्यायिक
INDIA
₹. 500
FIVE HUNDRED RUPEES
पाँच सौ रुपये
सत्यमेव जयते
Rs. 500
INDIA NON JUDICIAL
महाराष्ट्र MAHARASHTRA
© 2024 ©
DD 859302
21 FEB 2025
NOTARIAL REG.
ENTRY NO 5078
DATE 21/4/25

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 15 October 2024

BETWEEN

College of Nursing.
Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND

KUNAL HOSPITAL,
KORADI MAIN ROAD, MANKAPUR, NAGPUR
Hereafter called Party No. 2

I Trust name **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** with objective to spread & promote. Education for the girls of the rural and urban area of **Nagpur District**. Trust **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** intends to run college for nursing education (Program name – **BSC and P.B.B.Sc. Nursing)**, to be affiliated with MUHS. Nashik to provide nursing education and training to the students in the area.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

2 The Nursing behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community. especially in rural and remote areas of our country.

3 The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 27 years residing at Sadar, Nagpur.**

4 The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5 The Party No. 2 executed this agreement through its Party No. 02 Name KUNAL HOSPITAL and designation Dr. Shishir B. Shrivastava (MMBS, MD) (Proprietor Kunal Hospital)

Now therefore both the parties 1 and 2 agree for:

1 THAT Party No. 1 is applying for BSC and P.B.B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2 THAT Party No.2 is having 100 beded hospitals with more than 75% Occupancy.

3 THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

4 THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

5 THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date:

SEAL OF NOTARY YOGENDRA S. JAMBHULKAR Nagpur Dist. (M.S.) India Reg. No. 8196 GOVT. OF INDIA

Sign

Ms. Hafsa Ahmed,

Joint Secretary

Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur

Witness

1.

2.

NOTARIAL NOTARIAL NOTARIAL NOTARIAL NOTARIAL

Sign

Dr. Shishir B. Shrivastava

KUNAL HOSPITAL, MANKAPUR, NAGPUR MMC Reg No. 776

Principal
Central India Nursing College
Lonara, Nagpur

ATTESTED

YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
D-64, FIRST FLOOR, LINK ROAD,
SADAR, NAGPUR-01

THE NOTARY PUBLIC DOES NOT ASSUME ANY RESPONSIBILITY / LIABILITY FOR LEGALITY IN PURSUANCE OF DOCUMENT / WITNESS AND FULFILMENT OF ANY LEGAL REQUIREMENTS

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: http://mpcb.gov.in
Email: pso@mpcb.gov.in

Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

ORANGE/S.S.I
No:- Format1.0/PSO/UAN No.0000247104/CO/2508001452

Date: 13/08/2025

To,
M/s. Kunal Hospital.
Plot. No. 1/2, Koradi Main Road, Mankapur,
Nagpur, Tal & Dist - Nagpur - 441130.
Email:admin@kunalhospital.com
Contact No.:9823020409

LiFE Lifestyle for Environment

लोकसेवा हक्क कायदा Right to Public Service Act
Your Service is Our Duty

Grant of Combined Renewal of Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:
1. Combined Renewal of Consent to Operate and BMW Authorization (CCA) is granted by the Board vide no. Format1.0/BO / PSO/ HOD - 2009000267 on 04/09/2020 valid till 04/06/2025.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 15/05/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Renewal of Consent to Operate and BMW Authorization (CCA) to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **04-06-2025** To **04-06-2029**
2. HCF Area : - Plot Area 650.00 M^2 with Built-up area 600.00 M^2.
3. **Activities Included**

   a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 776 valid upto 31-03-2028)
4. **Conditions under the Water (P&CP) Act, 1974:-**

   1. Quantity of total water consumption shall not exceed 36 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

Principal
Central India Nursing College
Lapara Nagpur

Scanned with OKEN Scanner

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	Kg/Annum	Municipal Landfill

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

9. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. The laundry activity is outsourced. Therefore, you are strictly prohibited from conducting any laundry activity within the premises of your hospital.
17. You should ensure that the hospital operates with a valid registration certificate under the Bombay Nursing Home (BNH) Act and holds an active membership with a Common Biomedical Waste Treatment Facility (CBWTF).
18. You shall submit the Bank Guarantee as specified in Schedule III towards up-gradation of combine STP cum ETP with adequate capacity within three months period from the issuance of this CCA.
19. You shall extend/submit the bank guarantee of Rs. 1.50 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 15 days. Non submission of B.G. in a specified time shall attract 12% penal interest on BG amount.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Generated by Echo2Track
7ccae4a5
62b49c47
5962c57a
a765dc5b
882e42e2
22997397
b4e5e158
53a02da7

Signed by: Dr.Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2025-08-13 13:06:38 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	61500.00	MPCB-DR-33967	15/05/2025	NEFT

HCE has submitted CCA fees of Rs. 61,500/- & previous balance fees of Rs. 13,500/-. The total submitted fees of Rs. 75,000/- from which Rs. 30,000/- is adjusted for Renewal of CCA. The remaining balance fees of Rs. 40,000/- will be adjusted at the time of next CCA Renewal.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I

- Regional Officer, MPCB Nagpur is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.

  SRO - Nagpur - I is directed to ensure the compliance of the CCA conditions.

2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	34.00
3.	Pathology Laboratory, Floor washing, Operation Theater	2.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	27.0	As per clause 'C'	50% recycle for flushing in toilet and 50% in local Sewer Line
2	Trade effluent	1.6	As per clause 'C'	100% for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the permises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (250 KVA)	Diesel	5.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	100.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	100.00		
		d) Expired or Discarded Medicines	50.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	50.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize onsite World Health Organization guidelines thereafter sent to BMW CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	100.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	50.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	25.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	25.00		

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	**Records**		
1	To comply the conditions mention in Combined Consent to Operate / Renewal and BMW Authorization (CCA)	Continuous	50,000.00
1B	**Performance**		
1	To up-grade combine STP & ETP to adequate capacity	Three months	100,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

Principal
Central India Nursing College

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA

© 2024 ©

DD 859301

21 FEB 2025

NOTARIAL REG.
ENTRY NO. 5080
DATE 21/4/25

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 18 October 2024

BETWEEN

Central India Nursing, College, Lonara, Nagpur

Hereafter called Party No. 1

AND

MEDICARE MULTISPECIALITY HOSPITAL

Hereafter called Party No. 2

1 Trust name **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** with objective to spread & promote. Education for the girls of the rural and urban area of **Nagpur District**. Trust **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** intends to run college for nursing education (Program Name – BSC and **P.B.B.Sc. Nursing**), to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

Principal
Central India Nursing College

Scanned with OKEN Scanner

2 The Nursing behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3 The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 27 years residing at Sadar, Nagpur.**

4 The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5 The Party No. 2 executed this agreement through Dr. Atulkumar Vidyarthi (MBBS, MS) MEDICARE MULTISPECIALITY HOSPITAL

Now therefore both the parties 1 and 2 agree for:

1 THAT Party No. 1 is applying for BSC and P.B. B.Sc. Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2 THAT Party No.2 is having 50 beded hospitals with more than 75% Occupancy.

3 THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

4 THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

5 THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date:

Sign

Ms. Hafsa Ahmed,

President

Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha, Nagpur

Sign

Dr. Atulkumar Vidyarthi

Witness

1. _____

Principal
Central India Nursing College
Lonara, Nagpur

2. _____

ATTESTED

YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
O-64, FIRST FLOOR, LINK ROAD
SADAR, NAGPUR-01

THE NOTARY PUBLIC DOES NOT ASSUME ANY RESPONSIBILITY / LIABILITY FOR LEGALITY IN PURSUANCE OF DOCUMENT / WITNESS AND FULFILMENT OF ANY LEGAL REQUIREMENTS

Scanned with OKEN Scanner

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)

FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. **Dr. Atul Kumar Vidyarthi (MBBS,MS)** has been registered under the Bombay Nursing Home Registration Act 1949 in respect of **Medicare Multispeciality Hospital** situated at **2nd & 3rd Floor, Gulmohar Complex, Koradi Road, Maukapur, Nagpur** and has been authorized to carry on the said nursing home.

Registration No. : 749

Date of Registration : 03/09/2007

Place : Nagpur

Date of issue of certificate :01/04/2025

Maternity	15
Other Nursing	35

This certificate of registration shall be valid up to 31 Mar 2028.

NAGPUR MUNICIPAL CORPORATION * NAGPUR * Health Deptt.

Dr. A. K. Vidyarthi
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place
Application for renewal should be done in advance in the month of January

MEDICARE THE MULTISPECIALITY HOSPITAL * NAGPUR * Reg. No. 749

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: http://mpcb.gov.in
Email: ronagpur@mpcb.gov.in

Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/S.S.I
No:- Format1.0/RO/UAN No.0000226755/CO/2503003074

Date: 20/03/2025

To,
M/s. Medicare Multispeciality Hospital
2nd Floor, Gulmohar Complex, Koradi Road, Mankapur, Nagpur.
Email:dravidyarthi@gmail.com
Contact No.:9764754540

LiFE Lifestyle for Environment

लोकसेवा हक्क कायदा Right to Public Service Act

Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Combine Consent granted by the Board vide no. RO-Nagpur/Consent/2111000573 & RO-Consent/BMW/Auth/2111000129 dtd 15/11/2021.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 30/11/2028.
2. HCF Area : - Plot Area 10000.00 M^2 with Built-up area 7000.00 M^2.
3. **Activities Included**

   a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 749 valid upto 26-11-2025)

4. **Conditions under the Water (P&CP) Act, 1974:-**

   1. Quantity of total water consumption shall not exceed 4 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

5. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	0

7. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

9. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Digitally signed by Hema Deshpande
9cab4d60
fc3b4123
d327ded6
8ef154a0
c98fe71c
793cf291
7b7c472f
c4cbc2f7

Signed by: Hema Deshpande
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2025-03-20 19:19:39 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	10000.00	TXN2411003660	28/11/2024	Online Payment
2	4993.00	TXN2502004705	21/02/2025	Online Payment
3	2000.00	TXN2502004707	21/02/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.8	As per clause 'C'	100% Recycle
2	Trade effluent	1.0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the permises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Principal
Central India Nursing College
Lanara, Nagpur

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	5.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	15.00		
		d) Expired or Discarded Medicines	5.00		
		e) Chemical Waste	10.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	5.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	10.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons, etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	**Operation and Maintenance**		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	**Records**		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form –IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
2	**Performance**		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	Effluent treatment plant not provided / need up gradation.	Continuous	50,000.00
	Total		1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

भारतीय गैर न्यायिक
भारत INDIA
₹. 500
FIVE HUNDRED
RUPEES
पाँचसौ रुपये
RS 500
INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA ◐ 2024 ◐

NAGPUR TREASU
DD 859305
21 FEB 2025
Senior Head Clerk/Sr. C

NOTARIAL REG.
ENTRY NO. 5079
DATE 21/4/25

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 10 October 2025

Central India Nursing. College, Lonara. Nagpur
Hereafter called Party No. 1

AND

NewEra Hospital & Research Center, Nagpur
Telephone Exchange Chowk, CA Road, Queta Colony near Jalaram Mandir, Nagpur
Hereafter called Party No. 2

1. Trust name **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** with objective to spread & promote. Education for the girls of the rural and urban are of **Nagpur District**. Trust **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** intends to run college for nursing education (Program name –**BSc Nursing and P.B.B.Sc. Nursing)**, to be affiliated with. MUHS, Nashik to provide nursing education and training to the students in the area.

Principal
Central India Nursing College
Lonara. Nagpur

Scanned with OKEN Scanner

2. The Nursing behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3. The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 30 years residing at Sadar, Nagpur.**

4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5. The Party No. 2 executed this agreement through its Party No. 02 Name Telephone Exchange Chowk, CA Road, Queta Colony Near Jalaram Mandir, Nagpur. Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for B.Sc. Nursing and P.B.Bsc Nursing course of Maharashtra University of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2. THAT Party No.2 is having 100 bedded hospitals with more than 75% Occupancy.

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date:

Sign
Ms. Hafsa Ahmed,
President
Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha, Nagpur

Sign
NewEra Hospital Partner Attorney

Witness

1. ----------

2. ----------

Principal
Central India Nursing College
Lonara, Nagpur

ATTESTED

YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
D-64, FIRST FLOOR, LINK ROAD
SADAR, NAGPUR-01

THE NOTARY PUBLIC DOES N
ASSUME ANY RESPONSIBILIT
LIABILITY FOR LEGALITY
PURSUANCE OF DOCUMEN
WITNESS AND FULFILME
OF ANY LEGAL REQUIREMEN

Scanned with OKEN Scanner

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)

FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Anand J. Sancheti (MBBS,MS,MCH) & Other (Mentioned Five) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of NewEra Hospital & Research Institute situated at Telephone Exchange Chowk, C.A. Road, Queta Colony, Near Jalaram Mandir, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 834
Date of Registration : 15/04/2010
Place : Nagpur
Date of issue of certificate :01/04/2023

Maternity : 10
Other Nursing : 90

This certificate of registration shall be valid up to 31 Mar 2026.

Zeebeida
Secretary
Mehemuda Shikshan & Mahila, Gramin V
Bahuddeshiya Sanstha, Nagpur.

Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

Principal
Central India Nursing College
Lonara, Nagpur

This Certificate of registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of january.

Zubeida

Secretary
Mahmuda Shikshan & Mahila Gramin

Scanned with OKEN Scanner

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)

FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Anand J. Sancheti (MBBS,MS,MCH) & Other (Mentioned Five) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of NewEra Hospital & Research Institute situated at Telephone Exchange Chowk, C.A. Road, Queta Colony, Near Jalaram Mandir, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 834
Date of Registration : 15/04/2010
Place : Nagpur
Date of issue of certificate :01/04/2023

Maternity : 10
Other Nursing : 90

This certificate of registration shall be valid up to 31 Mar 2026.

NAGPUR MUNICIPAL CORPORATION NAGPUR

Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of january.

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: http://mpcb.gov.in
Email: pso@mpcb.gov.in

Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

ORANGE/M.S.I
No:- Format1.0/PSO/UAN No.0000204874/CO/2406000225

Date: 04/06/2024

To,
New Era Hospital
CTS No. 111,C.A Road, Telephone Exchange Chowk,
Queta Colony, Near Jalaram Mandir, Nagpur-440008
Email:newerahospitalngp@gmail.com
Contact No.:7888036408

LiFE Lifestyle for Environment

लोकसेवा हमारा कायदा Right to Public Service Act

Your Service is Our Duty

Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:
1. Combined Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format1.0/PSO/UAN No.0000123099/CO/2202001631 dated 25.02.2022
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 01/04/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-04-2024** To **31-03-2028**
2. The capital investment of the HCF is **₹1882.46** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 794.18 M^2 with Built-up area 1590.61 M^2.
4. **Activities Included**

   a. Total Number of Beds : **100 Nos.** (As per BMH certificate no. 834 valid upto 31-03-2026)

   I. General Beds : **90 Nos**

   II. Maternity Beds : **10 Nos**

5. **Conditions under the Water (P&CP) Act, 1974:-**

   1. Quantity of total water consumption shall not exceed 47 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

Scanned with OKEN Scanner

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

9. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

10. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

Scanned with OKEN Scanner

14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. You shall extend the bank guarantee of INR 1.5 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

01700867
c88607a7
60bb7f06
e976038d
49af3175
9be5ed7c
30046533
862527bb

Signed by: Dr.Vishwajeet Ramesh **Thakur**
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution **Control Board**
pso@mpcb.gov.in
2024-06-04 18:03:39 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	MPCB-DR-25675	01/04/2024	NEFT

Balance amount of Rs. 35000 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- - They are directed to ensure the compliance of the consent conditions. Also RO is directed to release the BG of Rs 1.5 lakh obtained towards provision of separate BMW storage facility and STP for treatment of domestic sewage as HCE has complied the same.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	45.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	40	As per clause 'C'	Municipal sewers
2	Trade effluent	1.5	As per clause 'C'	Municipal sewers

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set (125 KVA & 160 KVA)	Diesel	20.00 Lit/Day	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Scanned with OKEN Scanner

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	110.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	215.00		
		d) Expired or Discarded Medicines	2.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	5.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	270.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	15.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	20.00		

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Scanned with OKEN Scanner

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	**Operation and Maintenance**		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	**Records**		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Scanned with OKEN Scanner

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste container:/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Scanned with OKEN Scanner

भारतीय गैर न्यायिक

भारत INDIA

रु. 500

FIVE HUNDRED RUPEES

पाँच सौ रुपये

Rs. 500

सत्यमेव जयते

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

◐ 2024 ◐

NAGPUR INDIA

DD 859303

21 FEB 2025

NOTARIAL REG. No. 4873

DATE ....12/3/25....

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 10 October 2025

Central India Nursing, College, Lonara, Nagpur
Hereafter called Party No. 1

AND

New Era Mother & Child Hospital, Nagpur
Hereafter called Party No. 2

NOTARY HAIDARI NAWSHAD S. ALI Nagpur Dist. M.S. India Regn. No. 4894 My Term Expires On 12/08/2027 GOVT. OF INDIA

1. Trust name **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** with objective to spread & promote. Education for the girls of the rural and urban are of **Nagpur District**. Trust **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** intends to run college for nursing education (Program name –**BSc Nursing and P.B.B.Sc. Nursing)**, to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

Scanned with OKEN Scanner

2. The Philosophy behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3. The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 30 years residing at Sadar, Nagpur.**

4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5. The Party No. 2 executed this agreement through its Party No. 02 Name Dr. Anand Bhutada, Director, NewEra Mother & Child Hospital, Center, Plot No. 35, Pragati Colony, Chattrapati Chowk, Wardha Road, Nagpur. Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for B.Sc. Nursing and P.B.Bsc Nursing course of Maharashtra University of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2. THAT Party No.2 is having **82** bedded hospitals with more than 75% Occupancy.

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

GOVT. OF INDIA
My Term Expires On 12/09/2027

Scanned with OKEN Scanner

5. THAT Party No.2 has agreed to provide the facility for 1 years from today onwards it can be renewed after mutual agreement.

6. Training Fees:

   Training fees of Rs 1000 per student will be paid by Part One to Part Two. The fees must be deposited before the commencement of training session.

   Part Two will provide a payment receipt for the number of students included to part of the training fee.

Place: Nagpur

Date:

Hafsa.

Sign
Ms. Hafsa Ahmed,
President
Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur

President
Mehmuda Shikshan & Mahila Gramin Vikas Bahuddeshiya Sanstha

Sign
Dr. Anand Bhutada
(Director)
NewEra Mother & Child Hospital, Nagpur

Witness

1. ----------

2. ----------

Dr. Anand Bhutada
MBBS, MD, Pediatrics, IAP/ISCCM
MC Reg. No. 2004/02/1268
Consultant Paediatrician

ATTESTED
12/3/25
HAIDARI NAWSHAD S. ALI
NOTARY
NAGPUR DIST. (M.S.) INDIA

NOTARIAL NOTARIAL NOTARIAL NOTARIAL NOTARIAL

Scanned with OKEN Scanner

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)

FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. **Dr. Anand J. Sancheti (MBBS,MS,MCH)** has been registered under the Bombay Nursing Home Registration Act 1949 in respect of **NewEra Mother & Child Hospital - A Unit of NewEra Hospitals Nagpur Private Limited** situated at **Plot No. 35, Pragati Housing Society, Chhatrapati Square, Nagpur** and has been authorized to carry on the said nursing home.

Registration No. : 1056
Date of Registration : 10/02/2023
Place : Nagpur
Date of issue of certificate :10/02/2023

Maternity : 20
Other Nursing : 62

This certificate of registration shall be valid up to 31 Mar 2028.

NAGPUR MUNICIPAL CORPORATION * NAGPUR * Health Dept.

Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of january.

Scanned with OKEN Scanner

SUPERB HYGIENIC DISPOSALS

C/O Mr. Bande, 8A, Damodhar Colony,
Near Surendra Nagar Basketball Ground, NAGPUR - 440015
Phone No:9922941639
Email Id:info@superbgroup.in

SUPERB
HYGIENIC DISPOSAL

Unique Registration No.: NGHP0959

Registration Certificate

Outward No.: SHD/24-25/001522

Date: 30-Dec-2024

This is to certify that **NEWERA HOSPITALS NAGPUR PVT. LTD., CHHATRAPATI CHOWK , PRAGATI CO-OP HOUSING SOCIETY WARDHA ROAD CHHATRAPATI CHOWK NAGPUR-440015** is registered with SUPERB HYGIENIC DISPOSALS, NAGPUR for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. ANAND SANCHETI DOCTOR
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	1056
b. BNH Issue Date	10-Feb-2023
c. Total Number of Beds	82
d. BNH Validity(Form 'C')	31-Mar-2025
3. Common Treatment Facility Registration Details	
a. Date of Registration	27-Jan-2023
b. No. of Beds Registered	82
c. Registration Validity	31-Mar-2025
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	31-Mar-2025
b. No. of Beds Registered	82
5. MPCB Consent (Establish/ 1st Operate/Renewal) Details	
a. Consent/ CCA Number	UAN NO.0000161643/CO/2304001125
b. Issue Date	18-Apr-2023
d. Validity up to	09-Feb-2027

For SUPERB HYGIENIC DISPOSALS

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: http://mpcb.gov.in
Email: pso@mpcb.gov.in

Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

ORANGE/M.S.I
No:- Format1.0/PSO/UAN No.0000161643/CO/2304001125

Date: 18/04/2023

To,
New Era HOSPITAL
,PLOT NO. 35, PRAGATI CO. OP. HOUSING SOCIETY ,
WARDHA ROAD, CHATRAPATI SQUARE, NAGPUR,
DIST-NAGPUR--440015
Email:drpravinbais@gmail.com
Contact No.:9823532545

Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:
1. Consent to establish granted by the Board vide no. Formate 1.0/PSO/UAN No 103567/CE/2104001470 dated 29.04.2021
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 07/02/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Consent to 1st operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **10-02-2023** To **09-02-2027**
2. The capital investment of the HCF is **₹1800.40** Lakhs (As per Undertaking submitted by HCF)
3. HCF Area: - Plot Area 3000.00 M^2 with Built-up area 964.38 M^2.
4. **Activities Included**

   a. Total Number of Beds : **82 Nos.** (As per BNH certificate no. 1056 valid upto 31-03-2025)

   I. General Beds : **50 Nos**
   II. ICCU/ICU Beds : **12 Nos**
   III. Operation Theatre : **2 Nos**
   IV. Maternity Beds : **18 Nos**

5. **Conditions under the Water (P&CP) Act, 1974:-**
   1. Quantity of total water consumption shall not exceed 30.7 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**

Scanned with OKEN Scanner

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.

16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

Scanned with OKEN Scanner

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG 320 KVA	HSD	67.00 Ltr/Hr	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.

   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

   f. D.G. Set shall be operated only in case of power failure.

   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Scanned with OKEN Scanner

17. You shall submit the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
18. You shall submit revised CGWB NOC in the name of New Era Hospital for water consumption of 30.7 CMD within a period of six months.

b43802bf
568c86c4
6af1cb3c
b24dd186
9db3ae0d
f50719d7
d10660a5
01d7aa0b

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution **Control Board**
pso@mpcb.gov.in
2023-04-18 15:53:11 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	50000.00	TXN2302001076	07/02/2023	Online Payment
2	35000.00	TXN2303003700	23/03/2023	Online Payment

Balance amount of Rs. 43500 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
   - - They are directed to ensure the compliance of the consent conditions.
   SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	28.70
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	25	As per clause 'C'	Local sewer
2	Trade effluent	1.8	As per clause 'C'	Local sewer

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Scanned with OKEN Scanner

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	42.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	61.50		
		d) Expired or Discarded Medicines	20.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	9.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	12.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	82.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	65.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	9.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	16.00		

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Scanned with OKEN Scanner

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	**Operation and Maintenance**		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	**Records**		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Scanned with OKEN Scanner

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Scanned with OKEN Scanner

भारतीय गैर-न्यायिक

भारत INDIA

₹. 500

FIVE HUNDRED RUPEES

पाँचसौ रुपये

सत्यमेव जयते

RS. 500

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

◐ 2024 ◐

NAGPUR TRE

DD 859304

21 FEB 20

NOTARIAL REG.
ENTRY NO. 5077
DATE 21/4/25

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this __ October 2023

BETWEEN

College of Nursing,
Central Province Nursing. College, Lonara, Nagpur
Hereafter called Party No. 1

AND

PLATINA HEART HOSPITAL
(UNIT OF PLATINA HOSPITAL PVT LTD.)
Hereafter called Party No. 2

1. Trust name **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** with objective to spread & promote. Education for the girls of the rural and urban are of **Nagpur District**. Trust **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** intends to run college for nursing education (Program name – **BSC and P.B.B.Sc. Nursing)**, to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

NOTARY GOVT. OF INDIA YOGENDRA S. JAMBHULKAR Nagpur Dist. (M.S.) INDIA Regn. No. 6756

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

2 The Philosophy behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community. especially in rural and remote areas of our country.

3 The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, Joint Secretary of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 27 years residing at Sadar, Nagpur.**

4 The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5 The Party No. 2 executed this agreement through its Party No. 02 Name Ms. Manjusha Joshi PLATINA HEART HOSPITAL (UNIT OF PLATINA HOSPITAL PVT LTD.) General manager (admin)

Now therefore both the parties 1 and 2 agree for:

1 THAT Party No. 1 is applying for Basic B.Sc. Nursing course of Health Sciences, Nashik& Maharashtra Nursing Council, Mumbai.

2 THAT Party No.2 is having 100 beded hospitals with more than 75% Occupancy.

3 THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

4 THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

5 THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date:

Sign

Ms. Hafsa Ahmed,

Joint Secretary

Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha. Nagpur

Sign

Ms. Manjusha Jos

PLATINUM HEART HOSPITAL NAGPUR

Witness

Principal
Central India Nursing College
Lonara, Nagpur

1. _____

2. _____

ATTESTED

YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
C-34, FIRST FLOOR, LINK ROAD,
SADAR, NAGPUR-01

THE NOTARY PUBLIC DOES NOT ASSUME ANY RESPONSIBILITY / LIABILITY FOR LEGALITY IN PURSUANCE OF DOCUMENT / WITNESS / FULFILMENT / AGREEMENTS

SEAL OF NOTARY
YOGENDRA S. JAMBHULKAR
Nagpur Dist.
(M.S.) India
Reg. No.
8196
GOVT. OF INDIA

NOTARIAL NOTARIAL NOTARIAL NOTARIAL NOTARIAL

Scanned with OKEN Scanner

HOSPITAL REGISTRATION 2028.pdf
Open with Google Docs

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)

FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Pramod V. Mundra (MBBS,MD,DM) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Platina Heart Hospital (A Unit of Platina Hospital Pvt. Ltd.) situated at Dhanshree Commercial Complex, Near Hotel Hardeo, Sitabuldi, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 890
Date of Registration : 08/11/2011
Place : Nagpur
Date of issue of certificate :01/04/2025

Maternity : 0
Other Nursing : 50

This certificate of registration shall be valid up to 31 Mar 2028.

Dr. D. S. Selokar
Signature
Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of january.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: http://mpcb.gov.in
Email: ronagpur@mpcb.gov.in

Udyog Bhavan , 6th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/S.S.I
No:- Format1.0/RO/UAN
No.0000150428/CO/2301000549

Date: 04/01/2023

To,
M/s. PLATINA HEART HOSPITAL UNIT OF PLATINA HOSPITAL PVT LTD.,
,DHANASHREE COMMERCIL COMPLEX NEAR HOTEL HARDEO SITABULDI NAGPUR,
,-

Your Service is Our Duty

Sub: **Application for grant of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.**

Ref: Bio-Medical Authorization granted by the Board vide no.RO-Nagpur/BMW_Auth/2205000158 dtd 04/05/2022.

Combined Consent to Operate and BMW Authorization.

For: Combined Consent to Operate and BMW Authorization (CCA) Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Operate and BMW authorization is granted upto: 30.09.2026**
2. **The capital investment of the project is Rs.9.8979 Crs. (As per C.A Certificate submitted by industry Existing-Rs. __ Crs + Expansion/Increase in C.I. - Rs. __ Crs).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	50	Nos
b)	Total Plot Area	21139.00	Sq:Mtrs
c)	Total Built up Area	21139.00	Sq.Mtrs

Principal
Central India Nursing College
Lonara, Nagpur

145

PLATINA HEART HOSPITAL NAGPUR

Scanned with OKEN Scanner

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	1.50	As per Schedule -I	On Land for Gardening for hospital premises
2.	Domestic effluent	1.20	As per Schedule - I	Septic Tank followed by Soak pit tank

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	0	0	NA

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	20.00	Yellow colored non-chlorinated plastic bags or containers	Sent to CBMWTSDF
		b) Soiled Waste	80.00		
		c) Expired or Discarded Medicines	1.00		
		d) Microbiology Biotechnology and other clinical laboratory waste	10.00		
2	Red	Contaminated waste (Recyclable)	60.00	Red colored non chlorinated plastic bags or containers	Sent to CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container	Sent to CBMWTSDF

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid,ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utillzation".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:
    a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
    b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
    c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
    d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?.
    e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
    f. You shall establish Bar code system within one year.
    g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
    h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
    i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure – IV to Regional Office, within 30 days.
    j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
    k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

Principal
Central India Nursing College
Lonara, Nagpur

146

PLATINA HEART HOSPITAL NAGPUR

Scanned with OKEN Scanner





Signed by: Ashok M. Kare
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2023-01-04 16:24:31 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	77500.00	MPCB-DR-14880	13/10/2022	NEFT

The Hospital has submitted total Consent fees of Rs.77500/- out of Consent fees of Rs. 50000/- consider for C to O and consider penal charges of Rs. 2260/- and balance consent fees of Rs. 25240/- consider in next renewal.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
   - They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Industrial effluent generation and details of the treatment installed. As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity 2 CMD.

   B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100

   C] The treated effluent shall be recycled/ reused to the maximum extent possible and remaining shall be disposed on land for gardening within factory premises. There shall not be any discharge outside the hospital premises for whatsoever reasons.

2. A] As per your consent application, you shall provide septic tank followed by soak pit for treatment of domestic sewage generated

   B] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Principal
Central India Nursing College
Lonara, Nagpur

147

PLATINA HEART HOSPITAL NAGPUR

Scanned with OKEN Scanner

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S% SO_2

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
   a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
   b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f) D.G. Set shall be operated only in case of power failure.
   g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

Principal
Central India Nursing College
Lonara, Nagpur

148

PLATINA HEART HOSPITAL NAGPUR

Scanned with OKEN Scanner

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	--	--	--	--	--	--

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
 # Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Six Month	25000
2	Effluent treatment plant not provided / need up gradation	Six Month	50000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	--	--	--	--	--	--

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
1	--	--	--	--

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2. etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

Principal
Central India Nursing College
Lonara, Nagpur

149

Scanned with OKEN Scanner

14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Platina
Heart Hospital

Platina Heart Hospital, Nagpur

Sr no	Bed type	Planned	Operational
1	ICCU	13	13
2	SICU	4	4
3	General ward	16	8
4	Twin share	10	6
5	Single Room	2	2
6	Deluxe Rooms	5	4
	TOTAL	50	37

NON CENSUS BEDS

EMERGENCY ROOM - 1
OPERATION THEATRE - 2

Director
Platina Heart Hospital,
Nagpur

PLATINA HEART HOSPITAL NAGPUR

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

भारतीय गैरन्यायिक
भारत INDIA
500
₹. 500
FIVE HUNDRED
RUPEES
पाँचसौरुपये
Rs. 500
INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA ◑ 2024 ◑

CS 763436
14 FEB 2025

NOTARIAL REG.
ENTRY NO. 5531
DATE : 18.2.2025

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this __ January 2024

NOTARY
Suresh Sadashi Meshram
Nagpur
Maharashtra In
Regd. No
13840
My Term Expires
on 06/12/2029
GOVT. OF INDIA

BETWEEN

Central India Nursing, College, Lonara, Nagpur

Hereafter called Party No. 1

AND

HCG NCHRI Cancer Center, Nagpur

Hereafter called Party No. 2

1. Trust name **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** with objective to spread & promote. Education for the girls of the rural and urban are of **Nagpur District**. Trust **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** intends to run college for nursing education (Program name –**BSc Nursing and P.B.B.Sc. Nursing)**, to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

2. The Philosophy behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3. The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 29 years residing at Sadar, Nagpur.**

4. The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5. The Party No. 2 executed this agreement through its Party No. 02 Name Mr. Venketeshwarlu Marapaka (Chief Operating Officer) HCG NCHRI Cancer Center, Near Automotive Square, Kalamna Ring Road Nagpur. Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for B.Sc. Nursing and P.B.Bsc Nursing course of Maharashtra University of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

2. THAT Party No.2 is having 132 bedded hospitals with more than 75% Occupancy.

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date: 18/02/25

Sign

Ms. Hafsa Ahmed,

President

Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur

President
Mehmuda Shikshan & Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur

Witness

1. ----------

2. ----------

Sign

Vekateshwarlu Marapaka

Chief Operating Officer

Principal
Central India Nursing College
Lonara, Nagpur

ATTESTED

Suresh Sadashiv Meshram
Advocate & Notary
Rani Durgawati Square, NIT Complex, Flat No.A-5, 1st Floor,
Nagpur Maharashtra

Scanned with OKEN Scanner

Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website:'http://mpcb.gov.in
Email: pso@mpcb.gov.in

Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

Your Service is Our Duty

RED/L.S.I
No:- Format1.0/CC/UAN No.0000114880/CR 2202000094 Date: 02/2/2022

To,
HCG HCG NCHRI Cancer Cento,
50/51 Ring Road At Wanjri Automotive Square, Next to Yashodhara Nagar Police Station,
Nagpur-440026
Email:ambarish.m@hcgel.com
Contact No.:9823280081

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format 1.0 /BO/PSO/HOO 1903000353 Date-07/03/2019
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/06/2021
3. Minutes of 10th CC Meeting Dtd. 23/09/2021
4. Your Reply dtd. 17/11/2021 & 01/12/2021 & 02/12/2021 & 03/12/2021 & 08/12/2021
5. Minutes of 15th CC Meeting Dtd 30/12/2021

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCF under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order

1. This CCA shall be in force for a period From **11-06-2021** To **10-06-2026**
2. The capital investment of the HCF is **₹5609.74** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 10119.12 M^2 with Built-up area 5214.39 M^2.
4. **Activities Included**
   a. Total Number of Beds : **132 Nos** (As per BNH certificate no. 986 valid upto 31-03-2023)
      I. General Beds : **132 Nos**

HCG NCHRI CANCER CENTER,[illegible]

President
Mahila Gramin
Nagpur

Vice Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
https://blockchain.ecmpcb.in/coas/941539fe8e262e25ab19e1e24702a89b1ebde7d:f593ed150189d8e8196b1c

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 66.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II.**
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II.**
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II.**

7. **Conditions under, Hazardous Waste (M & TM) Rules 2016:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity (MT/Annum)	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	CHWTSDF

8. **Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

CENTRAL INDIA NURSING COLLEGE NAGPUR

Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
https://blockchain.ecmpcb.in/docs/941539fe8e262e25cd519e1e24702a89b1ebde7dbf59...

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule II to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice.

For and on behalf of the
Maharashtra Pollution Control Board.

(Ashok Shingare, IAs)
Member Secretary

Received Consent/Authorization fee of -

Sr.No	Amount(Rs)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	MPCB-DR-5906	11/05/2021	NEFT
2	15000.00	MPCB-DR-6997	16/07/2021	NEFT
3	410000.00	MPCB-DR-9736	10/12/2021	RTGS
4	15000.00	MPCB-DR-6328	06/06/2021	NEFT

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
   - You are directed to ensure the compliance of the consent conditions and BG imposed.
2. Chelf Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

President
Mehmuda Shikshan & Mahila Gramin
Vikas Sah... Nagpur

Central India Nursing College

Vice Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
https://blockchain.empcb.in/docs/9415391e8e262e25cd519e1e24702a89b1ebde7dbf593ed1501889d8c819d1e

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	50.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	11.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	5.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	40	As per clause 'C'	100% Recycle
2	Trade effluent	10	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below

Sr.No.	Parameters	Discharge Standards applicable (Maximum Concentration in mg/l except for pH)
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable

CENTRAL INDIA NURSING COLLEGE

President

Kalmeshwar Road Nagpur

Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
https://blockchain.ecmpcb.in/docs/941539fe8e262e25cd519e1e24702a89b1ebde7dbf593ed1581689d9c819ba1d

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set 625 KVA	Diesel	30.00 Lit/Day	7.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

CENTRAL INDIA NURSING COLLEGE

HCG NCHRI CANCER CENTRE Mahanagar Ring Rd, Nagpur NAGPUR

Vice Principal
Central India Nursing College
Lonara, Nagpur

President
Mahila Gramin
Nagpur

Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
https://blockchain.ecmpcb.in/docs/641539/a8e262e25cc519e1e24702a89b1ebde7c3d593cd150188988C8198d...

Scanned with OKEN Scanner

Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr No.	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	30.00	Yellow coloured non- chlorinated plastic bags	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals Kh. No. 133, Bhandewadi, Nagpur, Dist - Nagpur.
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	375.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid	10.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	10.00	Autoclave safe plastic bags or containers	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration
2	Red	Contaminated waste (Recyclable)	210.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals Kh. No. 133, Bhandewadi, Nagpur, Dist - Nagpur.
3	White (Translucent)	Waste sharps including Metals	25.00	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	25.00	Cardboard boxes with Blue coloured marking	
		b) Metallic body implants	20.00		

MCH CANCER CENTRE, Khasra No. MPCB CONSENT 0000134880 CTO-01-0822 2210642 and CRMS PCB_122.09

Vice Principal
Central India Nursing College
Lonara, Nagpur

President
Mohalla Gramin
Bhandewadi, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
https://blockchain.ecmpcb.in/docs/941539fe8e262e25cd519e1e24702a89b1ebde7dbf593ed1501899d8c8195b1c

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of the HCE Owner and CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (https://www.ecmpcb.in/)
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

HCE MOHILA CANCER CENTRE & RESEARCH ... HCE CONSENT-0000111630 01-01-2022 11:16:42 pm ... FOR PRINTING

President
Mahmuda Shikshan & Mahila Gramin
Vividhdeshiya Sanstha, Nagpur

Vice Principal
Central India Nursing Coll
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
https://blockchain.ecmpcb.in/docs/941539fe8e262e25cd519e1e24702a89b1ab6e7dbf593ec1501889d8e819bb1d

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

CENTRAL INDIA NURSING COLLEGE NAGPUR

Vice Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
https://blockchain.ecmpcb.in/docs/941539fe8e262e25ed519c1e24702a895 1ebde7dbf593ed150188994f8819bb1d

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

CENTRAL INDIA NURSING COLLEGE NAGPUR

President
Maharashtra Pradesh Akhila Granth
Lonara, Nagpur

Vice Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
https://blockchain.ecmprdh.in/docs/9415f39fe8e262e25cd519e1e24702a89b1ebde7dbb593ed1501883d8a819bb1c

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Maharashtra Pollution Control Board
61fa64274e12d856ca759fd1

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs
18. You shall obtain required permissions from competent authority for radio active material use/ handling/ disposal of waste before commencement of such activity.

For and on behalf of the
Maharashtra Pollution Control Board.

(Ashok Shingare, IAS)
Member Secretary

CENTRAL INDIA NURSING COLLEGE * NAGPUR *

Kalamegh Town Ayurvedic Cancer Centre Kalamegh Town Ayurvedic Cancer Centre Nagpur NAGPUR

HCE-MOHINI CANCER CENTER,CHAWAN No. MPCB-CONSENT-0000124565 [21-01-2022 12:16:42 pm] JOINT PDF [2 of 2]

President

Vice Principal
Central India Nursing College
Lonara, Nagpur

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code
https://blockchain.erampcb.in/docs/941536fe8e262e25cd519e1e24702a89b1ebde7dbf593ed150186901fc81b0b1

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Annexure-X

Maharashtra University of Health Sciences, Nashik

Inspection Committee Report for Academic Year 2025-2026

Webinar/Workshop/CME/Activities/ Performed in Last One Year

Name of the College /Institute:- Central India Nursing College, Lonara, Nagpur
Faculty : Nursing

No. of Webinars Arranged, Guest Lectures & CME/ Workshops

Sr. No	Details of Webinar/ Workshop/CME/ Activities/ Perform **Supportive document to be uploaded on web site**
1.	Independence Day
2.	Teachers' Day
3.	Heart Day
4.	World Aids Day
5.	Inauguration of Academic Year 2024-25
6.	Christmas Day
7.	Fresher's Party
8.	Republic Day
9.	Leprosy Awareness Programme
10.	Heartfullness Meditation Programme (3 Days)
11.	Cancer Day
12.	Ashwagandha Sapling Distribution Programme
13.	Hair Donation Camp for Cancer Patients at HCG Cancer Hospital

Date:-

Dean/Principal Stamp & Signature

Principal
Central India Nursing College
Lonara, Nagpur

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

महाराष्ट्र MAHARASHTRA ◐ 2024 ◐

NOTARIAL REG.
ENTRY NO 5076
DATE 21/4/25

NAGPUR TREASURY
CZ 261930
09 APR 2025

MEMORANDUM OF UNDERSTANDING

BETWEEN

Central India Nursing, College, Lonara, Nagpur

Hereafter called Party No. 1

AND

CRESCENT HOSPITAL & HEART CENTER PVT LTD,

'NAGPUR

Hereafter called Party No. 2

Principal
Central India Nursing College
Lonara, Nagpur

1 Trust name **Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur,** with objective to spread & promote. Education for the girls of the rural and urban area of **Nagpur District**. Trust **Mehmuda Shikshan and Mahila GraminVikas Bahuddeshiya Sanstha, Nagpur,** intends to run college for nursing education (Program Name – **BSC and P.B.B.Sc. Nursing)**, to be affiliated with MUHS, Nashik to provide nursing education and training to the students in the area.

Scanned with OKEN Scanner

2 The Nursing behind the establishment of college name **Central India Nursing, College, Lonara, Nagpur** is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

3 The party No. 1 executed this agreement by **Ms. Hafsa Ahmed, President of Mehmuda Shikshan and Mahila Gramin Vikas Bahuddeshiya Sanstha, Nagpur, age 27 years residing at Sadar, Nagpur.**

4 The Party No. 2 is engaged in the line of prestigious & quality oriented medical services in the city of Nagpur and adjoining area by providing various medical facilities to the public at large.

5. The Party No. 2 executed this agreement through its Party No. 02 Name Dr. Aziz Khan, (Medical Director) of Crescent Hospital & Heart Center, Pvt. Ltd, Nagpur

Now therefore both the parties 1 and 2 agree for:

1. THAT Party No. 1 is applying for BSC and P.B.B.Sc. Nursing course of Health Sciences, Nashik& Maharashtra Nursing Council, Mumbai.

2. THAT Party No.2 is having 50 beded hospitals with more than 75% Occupancy.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

3. THAT Party No.1 has requested to Party No 2 for providing their hospital for clinical experience and practical Training of nursing students.

4. THAT Party No.2 has agreed to provide their hospital for clinical experience of nursing students.

5. THAT Party No.2 has agreed to provide the facility for 5 years from today onwards it can be renewed after mutual agreement.

Place: Nagpur

Date:

Sign
Ms. Hafsa Ahmed,
President
Mehmuda Shikshan and Mahila
Gramin Vikas Bahuddeshiya
Sanstha, Nagpur

Sign
Dr. Aziz Khan, (Medical Director)

Witness

3.

4.

Principal
Central India Nursing College
Lonara, Nagpur

THE NOTARY PUBLIC DOES NOT ASSUME ANY RESPONSIBILITY / LIABILITY FOR LEGALITY IN PURSUANCE OF DOCUMENT /

ATTESTED

YOGENDRA S. JAMBHULKAR
ADVOCATE / NOTARY
D-64, FIRST FLOOR LINK ROAD,

Scanned with OKEN Scanner

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)

FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. **DR. AZIZ KHAN (MBBS,MD, DM, FACC FESC FSCAI)** has been registered under the Bombay Nursing Home Registration Act 1949 in respect of **Crescent Hospital & Heart Centre Run By Advance Heart Care Centre Pvt. Ltd.** situated at **Plot No. 25, Behind Old Mount Carmel School, Near Lokmat Square, Dhantoli, Nagpur** and has been authorized to carry on the said nursing home.

Registration No. : 268
Date of Registration : 06/10/1993
Place : Nagpur
Date of issue of certificate :01/04/2024

Maternity : 0
Other Nursing : 50

This certificate of registration shall be valid up to 31 Mar 2027.

NAGPUR MUNICIPAL CORPORATION * NAGPUR *

Principal
Central India Nursing College
Lonara, Nagpur

Signature
Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of january.

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: http://mpcb.gov.in
Email: ronagpur@mpcb.gov.in

Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/
No:- Format1.0/RO/UAN No.0000204359/CO/2407001710

Date: 16/07/2024

To,
M/s. Crescent Hospital & Heart Centre
Plot No.25, Near Lokmat Square, Behind Old Mount Carmel School, Dhantoli, Dist. Nagpur.
Email:moin10khan@gmail.com
Contact No.:9545906666

LiFE Lifestyle for Environment

लोकसेवा हक्क कायदा

Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Bio-Medical Waste Authorization granted by the Board vide no. RO-Nagpur/BMW_Auth/2107000277 dtd 14/07/2021.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016.respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 31/05/2028.
2. The capital investment of the HCF is **₹1066.05** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 952.05 M^2 with Built-up area 1152.60 M^2.
4. **Activities Included**

   a. Total Number of Beds : **50 Nos.** 0

   I. General Beds : **34 Nos**

   II. ICCU/ICU Beds : **15 Nos**

   III. Operation Theatre : **1 Nos**

5. **Conditions under the Water (P&CP) Act, 1974;-**

   1. Quantity of total water consumption shall not exceed 3.2 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

Principal
Central India Nursing College

Scanned with OKEN Scanner

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Generated by Fraemwork
c9e04089
3959288e
be4226ee
2c297f52
b45a2220
6de50ef4
b6e49f82
6cd51ab0

Signed by: Hema Deshpande
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2024-08-05 16:53:40 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	MPCB-DR-25719	03/04/2024	RTGS

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1.20
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.8	As per clause 'C'	Septic Tank Soak Pit.
2	Trade effluent	1	As per clause 'C'	On Land for Gardening in Hospital Premises.

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the permises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Principal
Central India Nursing College

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G: Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	15.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	30.00		
		d) Expired or Discarded Medicines	3.00		
		e) Chemical Waste	35.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	10.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	12.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

Principal
Central India Nursing College
Lanara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	**Operation and Maintenance**		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	**Records**		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
2	**Performance**		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	Effluent treatment plant not provided / need up gradation	Continuous	50,000.00
	Total		1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Principal
Central India Nursing College
Lanara Nagpur

Scanned with OKEN Scanner

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

भारतीय गैर-न्यायिक
एक सौ रुपये
Rs. 100
₹. 100
ONE HUNDRED RUPEES
सत्यमेव जयते
INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA ◐ 2022 ◐

NOTARIAL REG
ENTRY NO 6631
DATE 27/02/2025

53AA 136366
22 AUG 2022
Stamp Head Office

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 24 February 2025.

Between

Central India Nursing, College, Lonara, Nagpur

Hereafter called Party No. 1

AND

Manas Clinic and Baba De-Addiction Centre

Amravati, Maharashtra 444606

Hereafter called Party No. 2

NOTARY
Suresh Sadashiv Meshram
Nagpur
Maharashtra
Regd. No. 15640
My Term Expires on 05/12/2029
GOVT. OF INDIA

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

The both parties agree as follow:

1. First party declares that Manas Cinic and Baba De-Addiction Center is a 50 bedded super specialty psychiatric hospital.

2. First party agree to provide clinical experience for GNM, B.sc & P.B.B.Sc nursing student as in syllabus

3. The official representing Manas Clinic and Baba De-addiction center & Central India Nursing college Lonara Nagpur are signing this MOU to achieve beneficial objectives of Nursing Courses.

4. THAT Party No.2 has agreed to provide the facility for 3 years from 24 February 2025

Place : Nagpur

Date : 24/02/25

NOTARY Mes. Shri Sadashi Wes. Ram Nagpur Regd No. 1951

MEHMUDA SHIKSHAN & MAHILA GRAMIN VIKAS BAHUUDDESHIYA SANSTHA

President
Mehmuda Shikshan & Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur
Sign

Ms. Hafsa Ahmed,
President
Mehmuda Shikshan and Mahila Gramin
Vikas Bahuddeshiya Sanstha, Nagpur

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Sign

Manas Cinic and Baba De-Addiction Center

Amravati

Dr. Shrikant Deshmukh
Reg.No.36101 MDDPM (Mumbai)
PSYCHIATRIST
Joglekar Plot,Congress Nagar Road,
AMRAVATI (M.S.) 444 605

Witness

1. ---------- Mr. Shashikant Mankawade

2. ---------- Ms. Priyanka Borkute

Principal
Central India Nursing College
Lonara, Nagpur

ATTESTED

Suresh Sadashiv Meshram
Advocate & Notary
Rani Durgawati Square, NIT
Complex, Flat No.A-5. 1st Floor,
Nagpur-17 Maharashtra

NOTARIAL NOTARIAL NOTARIAL NOTARIAL NOTARIAL

Scanned with OKEN Scanner

AMRAVATI MUNICIPAL CORPORATION

FORM 'C'
(See Rule 5)

CERTIFICATE OF REGISTRATION UNDER SECTION 5 OF THE BOMBAY NURSING HOME REGISTRATION ACT, 1949

No. AMC/PHD/FW/NH/ 288 /2023

This is to certify that Shri/Smt. Dr. Shrikant Babarao Deshmukh has been registered under the Bombay Nursing Homes Registration Act. 1949 in respect of Manas Clinic situated at Jaglekar plot Congress Nagar Road Amravati and has been authorised to carry on the said nursing home.

Registration No. 288

Bed : 015 Maternity : -Nil- other Nursing Patients : 015 (Total fifteen Bed)

Date of ~~registration~~ / Renewal 4-10-2023

Place Joglekar plot Amravati

Date of Issue of Certificate : 17-10-2023

This Certificate of registration shall be valid upto 31 march. 2026

AMRAVATI MUNCIPAL CORPORATION PUBLIC HEALTH DEPT.

Municipal Corporation, Amravati.

Signature of the registering authority
&
Medical Officer of Health
Municipal Corporation, Amravati

04/10/2023

* महत्वाची सुचना *
आपण सादर केलेल्या प्रस्तावात तपासणीत नर्सिंग होम रजि. ॲक्ट १९४९ च तरतुदीत बसविलेली यातलेल्या दुरुस्तीनुसार वेळोवेळी प्रकारची पुर्ती आढळुन आल्यास नोंदणी/मुदती आधी रद्द करण्याचे अधिकार राखुन ठेवुन सदरचे प्रमाणपत्र देण्यात येत आहे.

सुचना : अग्निशमन व इलेक्ट्रीक ना हरकत प्रमाणपत्र मुदतीमध्ये नुतनीकरण करुन घेणे बंधनकारक राहील. अन्यथा Noc चे मुदती दिनांकासोबत या प्रमाणपत्राची वैधता संपुष्ठात येईल याची नोंद घ्यावी.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with CamScanner

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: http://mpcb.gov.in
Email:
sroamravati1@mpcb.gov.in

Sahkar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati- 444606

ORANGE/S.S.I
No:- Format1.0/SRO/UAN No.0000215294/CO/2410000350

Date: 04/10/2024

To,
Manas Hospital
Congress Nagar Road,
Joglekar Plot, Amravati,
Ta. & Dist. Amravati-444606
Email:drshrikant.deshmukh@gmail.com
Contact No.:9823046036

LiFE Lifestyle for Environment

लोकसेवा हक्क कायदा Right to Public Service Act

Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000215294 dated 11/07/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-06-2024** To **30-06-2026**
2. The capital investment of the HCF is **₹322.90** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 6758.00 M^2 with Built-up area 3000.00 M^2.
4. **Activities Included**

   a. Total Number of Beds : **15 Nos.** (As per BNH certificate no. 288 valid upto 31-03-2026)

   I. General Beds : **9 Nos**

   II. Other Beds : **6 Nos**

5. **Conditions under the Water (P&CP) Act, 1974:-**

   1. Quantity of total water consumption shall not exceed 2 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.15 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Generated by Remitflick
a8c10337
cce2e82f
81ed468a
7c1b798d
b51d588e
5995fad9
3e951c09
3e80dbe4

Signed by: Mr. Sushilkumar Rathod
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
sroamravati1@mpcb.gov.in
2024-10-04 11:33:46 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2407002005	11/07/2024	Online Payment
2	226.00	TXN2409001278	10/09/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.5	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the permises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	**Operation and Maintenance**		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Provision of STP/ETP to achieve prescribed discharge standards	6 Months	50,000.00
1B	**Records**		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form –IV before 30th June every year	Continuous	15,000.00
2	**Performance**		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
	Total		1,15,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

"आरोग्य भवन" सेंट जॉर्जेस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००१

कार्यालय संचालक (वैयक्तिक) सहसंचालक (रुग्णालये-राज्यस्तर) सहसंचालक (प्राआकेंद्र-जिपस्तर)	दूरध्वनी २२६२१०३१-३६ २२६२१००६ २२६११४७१	Website : http://maha-arogya.gov.in Email : dhs_2005@rediffmail.com Email : jdhs03@gmail.com Fax No. 022-22621034 / 22620234 (DHS)

आदेश

क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ प्रात्य.अनुभव / परवानगी /जा.क्र.६७२५-२७/२५, दि. ०७ मे, २०२५

विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रुषा/आस्था/२९३२-३४/२५, दि. २८ जानेवारी, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय,मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/ ६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२

४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३ मंत्रालय,मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना प्रादेशिक मनो रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करीत आहे. »

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना प्रादेशिक मनोरुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशींच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठी परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटीं व शर्तींचे पालन करणे संस्थेवर बंधनकारक राहील.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहील.

(कृ.मा.प.)

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

करुन संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहील.

४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहील.

५. तीन वर्षानंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करुन घेणे बंधनकारक राहील. तद्नंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.

६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तींची पूर्तता करुन घेण्याची जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहील.

७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करुन, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करुन द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहील, या बाबतची सर्वस्वी जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहील.

८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तद्नंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करुन परवानगी देण्याची कार्यवाही करावी.

९. संबंधीत खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधीत संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांच्या मान्यतेने)

(डॉ.सुनिता गोल्हाईत)
राह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

प्रति,
उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर

/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर,२०१२ च्या शासन निर्णनुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करुन घेण्याची सर्वस्वी जबाबदारी आपली राहील, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि नागपूर

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

"आरोग्य भवन" सेंट जॉर्जेस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००१

कार्यालय संचालक (वैयक्तिक) सहसंचालक (रुग्णालये-राज्यस्तर) सहसंचालक (प्राआकेंद्र-जिपस्तर)	दूरध्वनी २२६२१०३१-३६ २२६२१००६ २२६११४७१	Website : http://maha-arogya.gov.in Email : dhs_2005@rediffmail.com Email : jdhs03@gmail.com Fax No. 022-22621034 / 22620234 (DHS) ७७५२५-२७

आदेश

क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ बीएससी/ प्रात्य.अनुभव परवानगी /जा.क्र. /२५, दि.७७ डिसेंबर, २०२५

विषय- खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रुषा/आस्था/२६१०८-१०/२५ दि.२४ सप्टेंबर, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय,मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/ ६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२

४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३ मंत्रालय,मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी.नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना जिल्हा रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करीत आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी.नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना जिल्हा रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ नागपूर यांच्या शिफारशींच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२५-२६ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील शैक्षणिक वर्षासाठीची परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहील.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहील.

Principal
Central India Nursing College
Lonara, Nagpur

(क्रमा.प.)

Scanned with OKEN Scanner

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहीत केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करुन संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहील.

४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहील.

५. तीन वर्षानंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करुन घेणे बंधनकारक राहील. तद्नंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.

६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तींची पूर्तता करुन घेण्याची जबाबदारी संबंधित संस्था प्रमुखाची राहील.

७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करुन, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करुन द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहील, या ब्राबतची सर्वस्वी जबाबदारी संबंधित संस्था प्रमुखाची राहील.

८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तद्नंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करुन परवानगी देण्याची कार्यवाही करावी.

९. संबंधीत खाजगी परिचर्या प्रशिक्षण संस्थेतील **बी.एस.सी.** नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधीत संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.संचालक यांच्या मान्यतेने)

(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

प्रति,
उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, नागपूर
/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर,२०१२ व दिनांक ०३ ऑगस्ट, २०१३ च्या शासन निर्णनुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तींची पूर्तता करुन घेण्याची सर्वस्वी जबाबदारी आपली राहील, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

"आरोग्य भवन" सेंट जॉर्जेस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००१

कार्यालय संचालक (वैयक्तिक) सहसंचालक (रुग्णालये-राज्यस्तर) सहसंचालक (प्राआकेंद्र-जिपस्तर)	दूरध्वनी २२६२१०३१-३६ २२६२१००६ २२६११४७१	Website : http://maha-arogya.gov.in Email : dhs_2005@rediffmail.com Email : jdhs03@gmail.com Fax No. 022-22621034 / 22620234 (DHS)
आदेश		क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ पीबीबीएससी/ प्रात्य अनुभ / परवानगी /जा.क्र. /२५, दि १७ डिसेंबर, २०२५

विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रुषा/आस्था/२६१०५-०७/२५ दि.२४ सप्टेंबर, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय,मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/ ६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२

४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३ मंत्रालय,मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पीबी.बी.एस.सी.नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना जिल्हा रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करीत आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पीबी.बी.एस.सी.नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना जिल्हा रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशींच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२५-२६ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील शैक्षणिक वर्षासाठीची परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तींचे पालन करणे संस्थेवर बंधनकारक राहील.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहील.

Principal
Central India Nursing College
Lonara, Nagpur

(कृ.गा.प.)

Scanned with OKEN Scanner

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहीत केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करुन संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहील.

४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहील.

५. तीन वर्षानंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करुन घेणे बंधनकारक राहील. तद्नंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.

६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तींची पूर्तता करुन घेण्याची जबाबदारी संबंधित संस्था प्रमुखाची राहील.

७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करुन, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करुन द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहील, या बाबतची सर्वस्वी जबाबदारी संबंधित संस्था प्रमुखाची राहील.

८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. यांची नोंद घ्यावी. तद्नंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करुन परवानगी देण्याची कार्यवाही करावी.

९. संबंधीत खाजगी परिचर्या प्रशिक्षण संस्थेतील पीबी.बीएस.सी. नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधीत संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.संचालक यांच्या मान्यतेने)

(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

प्रति,
उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, नागपूर
/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर,२०१२ व दिनांक ०३ ऑगस्ट, २०१३ च्या शासन निर्णनुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तींची पूर्तता करुन घेण्याची सर्वस्वी जबाबदारी आपली राहील, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

"आरोग्य भवन" सेंट जॉर्जेस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००१

कार्यालय संचालक (वैयक्तिक) महसंचालक (रुग्णालये-राज्यस्तर) महसंचालक (प्राआकेंद्र-जिपस्तर)	दूरध्वनी २२६२१०३१-३६ २२६२१००६ २२६११४७१	Website : http://maha-arogya.gov.in Email : dhs_2005@rediffmail.com Email : jdhs03@gmail.com Fax No. 022-22621034 / 22620234 (DHS)
आदेश		क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ प्रात्य.अनुभव / परवानगी /जा.क्र. — /२५, दि. ०७ मे, २०२५

६६३७-३७

विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रुषा/आस्था/४८११-१३/२५, दि. १४ फेब्रूवारी, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय,मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/ ६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२

४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३ मंत्रालय,मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना प्राथमिक आरोग्य केंद्र, गुमथी, जि. नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करीत आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना प्राथमिक आरोग्य केंद्र, गुमथी, जि. नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशींच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठी परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटीं व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहील.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहील.

Principal
Central India Nursing College

(कृ.गा.प.)

Scanned with OKEN Scanner

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहीत केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करुन संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहील.

४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहील.

५. तीन वर्षानंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करुन घेणे बंधनकारक राहील. तदनंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.

६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तींची पूर्तता करुन घेण्याची जबाबदारी संबंधित जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर यांची राहील.

७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करुन, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करुन द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहील, या बाबतची सर्वस्वी जबाबदारी संबंधित जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर यांची राहील.

८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तद्नंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करुन परवानगी देण्याची कार्यवाही करावी.

९. संबंधीत खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधीत संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांच्या मान्यतेने)

(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

प्रति,
उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर

/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर,२०१२ च्या शासन निर्णनुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करुन घेण्याची सर्वस्वी जबाबदारी आपली राहील, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर.

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

"आरोग्य भवन" सेंट जॉर्जेस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००१

कार्यालय संचालक (वैयक्तिक) सहसंचालक (रुग्णालये-राज्यस्तर) सहसंचालक (प्राआकेंद्र-जिपस्तर)	दूरध्वनी २२६२१०३१-३६ २२६२१००६ २२६११४७१	Website : http://maha-arogya.gov.in Email : dhs_2005@rediffmail.com Email : jdhs03@gmail.com Fax No. 022-22621034 / 22620234 (DHS)
आदेश		क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ प्रात्य.अनुभव / परवानगी /जा.क्र.६७२२-२५/२५, दि. ०७ मे, २०२५

विषय :- खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रुषा/आस्था/४८०८-१०/२५ दि. १४ फेब्रूवारी, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय,मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/ ६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२

४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३ मंत्रालय,मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी.बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना प्राथमिक आरोग्य केंद्र, गुमथी, जि. नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करीत आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी.बी.एस.सी नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना प्राथमिक आरोग्य केंद्र, गुमथी, जि. नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशींच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठी परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटीं व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहील.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहील.

Principal
Central India Nursing College
Lonara Nagpur

(कृ.मा.प.)

Scanned with OKEN Scanner

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहीत केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करुन संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहील.

४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहील.

५. तीन वर्षानंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करुन घेणे बंधनकारक राहील. तद्नंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.

६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तींची पूर्तता करुन घेण्याची जबाबदारी संबंधित जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर यांची राहील.

७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करुन, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करुन द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहील, या बाबतची सर्वस्वी जबाबदारी संबंधित जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर यांची राहील.

८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तद्नंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करुन परवानगी देण्याची कार्यवाही करावी.

९. संबंधीत खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी.बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधीत संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांच्या मान्यतेने)

(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

प्रति,
उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, नागपूर
/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर,२०१२ च्या शासन निर्णनुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तींची पूर्तता करुन घेण्याची सर्वस्वी जबाबदारी आपली राहील, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

आरोग्य सेवा आयुक्तालय

(महाराष्ट्र राज्य)

"आरोग्य भवन" सेंट जॉर्जेस रुग्णालय, आवर, पी.डिमेलो रोड, मुंबई - ४०० ००१

कार्यालय संचालक (वैयक्तिक) सहसंचालक (रुग्णालये-राज्यस्तर) सहसंचालक (प्राआकेंद्र-जिपस्तर)	दूरध्वनी २२६२१०३१-३६ २२६२१००६ २२६११४७१	Website : http://maha-arogya.gov.in Email : dhs_2005@rediffmail.com Email : jdhs03@gmail.com Fax No. 022-22621034 / 22620234 (DHS)
आदेश		क्र.संआसे/कक्ष-३/टे-१/ सेंट्रल इंडिया नर्सिंग/ प्रात्य.अनुभव / परवानगी /जा.क्र. ६०२५-२६ /२५, दि. ०७ मे, २०२५

विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर

संदर्भ- १) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रुषा/आस्था/२९३२-३४/२५, दि. २८ जानेवारी, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय,मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र.प्राअसं-२०१२/ ६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२

४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र.संकीर्ण-२०१३/प्र.क्र.३०७/आरोग्य-३ मंत्रालय,मुंबई, दिनांक ०३ ऑगस्ट, २०१३

उपरोक्त विषयी संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना प्रादेशिक मनो रुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करीत आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थींना प्रादेशिक मनोरुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशींच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ या शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठी परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१. सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटीं व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहील.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक/ महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहील.

Principal
Central India Nursing College
Lonara, Nagpur

(कृ.मा.प.)

Scanned with OKEN Scanner

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहीत केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करुन संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहील.

४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहील.

५. तीन वर्षानंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करुन घेणे बंधनकारक राहील. तद्नंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.

६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तींची पूर्तता करुन घेण्याची जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहील.

७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करुन, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करुन द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहील, या बाबतची सर्वस्वी जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहील.

८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तद्नंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करुन परवानगी देण्याची कार्यवाही करावी.

९. संबंधीत खाजगी परिचर्या प्रशिक्षण संस्थेतील बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधीत संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांच्या मान्यतेने)

(डॉ.सुनिता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

प्रति,
उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर

प्रत- वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर

/- आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर,२०१२ च्या शासन निर्णनुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करुन घेण्याची सर्वस्वी जबाबदारी आपली राहील, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि.नागपूर.

Principal
Central India Nursing College

Scanned with OKEN Scanner

आरोग्य सेवा आयुक्तालय (महाराष्ट्र राज्य)

आरोग्य भवन, ६ वा मजला, सेंट जॉर्जेस रुग्णालय, आवार, मुंबई-४०० ००१.

संचालक, आरोग्य सेवा सह संचालक (रुग्णालये)	दूरध्वनी क्रमांक २२६२१०३१&३६ २२६११४७१	Website : http://maha-arogya.gov.in[Email : jdhs०३@gmail.com ०२२- २२६७९०४४(Hosp.)
आदेश	क्र.आआसे / कक्ष-३/ टे-१/प्रात्य. अनु./परवानगी/सेंट्रल इंडिया नर्सिंग/ जा.क्र. /२५, दिनांक- २९ एप्रिल, २०२५	

विषय - खाजगी परिचर्या प्रशिक्षण संस्थेला प्रात्यक्षिक अनुभवाकरीता परवानगी बाबत.
सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि. नागपूर.

संदर्भ -१) उप संचालक, आरोग्य सेवा, नागपूर यांचे पत्र क्र.ब-शुश्रूषा/ आस्था/२९२९-३१/२५, दि.२८ जानेवारी, २०२५

२) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र. प्राअसं-२०१२ /६३९ / प्र.क्र.११७/आरोग्य-४, मंत्रालय, मुंबई दिनांक १८ सप्टेंबर, २०१२

३) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र. प्राअसं-२०१२/६३९/प्र.क्र.११७/ आरोग्य-४, मंत्रालय, मुंबई दि. २० नोव्हेंबर, २०१२

४) सार्वजनिक आरोग्य विभाग शासन निर्णय क्र. संकीर्ण-२०१३/ प्र.क्र.३०७/आरोग्य-३ मंत्रालय, मुंबई, दिनांक ०३ ऑगस्ट, २०१३

संदर्भिय पत्रान्वये उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांचे कडून सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि. नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी. बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्रादेशिक मनोरुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झाला आहे. त्यानुषंगाने हे आयुक्तालय पुढील प्रमाणे आदेश निर्गमित करीत आहे.

सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि. नागपूर या खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी. बी.एस.सी. नर्सिंग या अभ्यासक्रमाच्या प्रशिक्षणार्थीना प्रादेशिक मनोरुग्णालय, नागपूर या शासकीय आरोग्य संस्थेत प्रात्याक्षिक अनुभवासाठी परवानगी संदर्भिय शासन निर्णयातील अटी, शर्ती व उपसंचालक, आरोग्य सेवा, नागपूर मंडळ, नागपूर यांच्या शिफारशीच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२४-२५ वा शैक्षणिक कालावधी करिता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे. पुढील दोन शैक्षणिक वर्षासाठीची परवानगी संबंधित संस्था प्रमुखांकडून देण्यात येईल.

१.सार्वजनिक आरोग्य विभाग आणि वैद्यकीय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहील.

२. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक / महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी केलेल्या नियमांचे व मानकांचे पालन करणे संस्थेस बंधनकारक राहील.

(कृ.मा.प.)

Principal
Central India Nursing College

Scanned with OKEN Scanner

३. भारतीय परिचर्या परिषद, नवी दिल्ली, महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक, महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ यांनी सदर अभ्यासक्रमासाठी विहीत केलेल्या प्रमाणकांची योग्यरित्या पूर्तता करुन संस्थेने दरवर्षी परिषदेची मान्यता मिळविणे आवश्यक आहे. त्यानुसार भारतीय परिचर्या परिषदे (INC) चे योग्यता प्रमाणपत्र (Suitability Certificate) सादर करणे आवश्यक राहील.

४. ग्रामीण कार्यानुभव/प्रात्यक्षिक अनुभव कालावधी दरम्यान सदर अभ्यासक्रमाच्या विद्यार्थ्यांचे नियमित पर्यवेक्षण संबंधित संस्थेतील शिक्षकाने करावे. विद्यार्थ्यांच्या सुरक्षिततेची जबाबदारी संबंधित संस्थेची राहील.

५. तीन वर्षानंतर संस्थेने स्वतःची चिकित्सालयीन सुविधा उपलब्ध करुन घेणे बंधनकारक राहील. तद्नंतर उपरोक्त शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभवासाठी परवानगी देता येणार नाही.

६. संदर्भिय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तीची पूर्तता करुन घेण्याची जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहील.

७. संबंधित खाजगी परिचर्या प्रशिक्षण संस्थेकडून अग्रिम शुल्क आकारणी करुन, त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावा व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करुन द्यावेत. या खाती जमा केलेल्या रक्कमेचा हिशोब अचूक व अद्यावत राहील, या बाबतची सर्वस्वी जबाबदारी संबंधित वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर यांची राहील.

८. शासकीय प्रशिक्षण केंद्रातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता प्रथम प्राधान्य देण्यात येईल. याची नोंद घ्यावी. तद्नंतर खाजगी परिचर्या विद्यालयाची एकूण संख्या लक्षात घेता संस्था प्रमुखांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयाचे प्रात्याक्षिक अनुभवासाठी स्थानिक स्तरावर नियोजन करुन परवानगी देण्याची कार्यवाही करावी.

९. संबंधीत खाजगी परिचर्या प्रशिक्षण संस्थेतील पी.बी.बी.एस.सी नर्सिंग या अभ्यासक्रमाचे विद्यार्थी / विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधीत संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास सादर करावा.

(मा.आयुक्त यांची मान्य टिपणी)

(डॉ. सुनीता गोल्हाईत)
सह संचालक, आरोग्य सेवा,
(रुग्णालये-राज्यस्तर), मुंबई

प्रति,
उपसंचालक, आरोग्य सेवा
नागपूर मंडळ, नागपूर.

प्रत - वैद्यकीय अधिक्षक, प्रादेशिक मनोरुग्णालय, नागपूर.

/-आपणास कळविण्यांत येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर, २०१२ च्या शासन निर्णनुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी शर्तीची पूर्तता करुन घेण्याची सर्वस्वी जबाबदारी आपली राहील, याची नोंद घ्यावी.

प्रत- प्राचार्य, सेंट्रल इंडिया नर्सिंग कॉलेज, लोणारा, जि. नागपूर

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner

कार्यालय नागपूर महानगरपालिका, नागपूर
आरोग्य विभाग, छ. शिवाजी महाराज प्रशा. इमारत, 5 वा माळा,
महानगरपालिका मार्ग, सिव्हील लाईन्स, नागपूर
वैद्यकीय आरोग्य अधिकारी (MOH)
Email : homnmc.ngp@gmail.com
क्रमांक : आ.वि./656 /वै.आ.अ./2024
दिनांक : 29/02/2024

प्रति,

सचिव
मेहमुदा शिक्षण अॅन्ड महिला ग्रामीण
विकास बहुद्देशिय संस्था,
सिग्नीया स्काय बिल्डींग, फ्लॅट नं. 802,
छावणी, सदर बाजार, नागपूर

विषय : सेंट्रल इंडिया नर्सिंग (जी.एन.एम., पी.बी.बी.एस.सी व बी.एस.सी. नर्सिंग) कॉलेजच्या खाजगी परिचर्या संस्थामधील विद्यार्थ्यांना 2024-26 या वर्षाकरीता प्रात्यक्षिक अनुभवासाठी परवानगी मिळण्याबाबत.

संदर्भ : आपले कार्यालयीन पत्र क्र. MSMGVBS/CINC/NGP/321/2023-24, दि. 06/02/2024.

उपरोक्त विषयान्वये आपणास कळविण्यात येते की, महानगरपालिका क्षेत्रात येणा-या पाचपावली नागरी आरोग्य केंद्रातंर्गत येणा-या नागरी भागात आपले संस्थेच्या जी.एन.एम., पी.बी.बी.एस.सी व बी.एस.सी. नर्सिंग परिचारिका प्रशिक्षणार्थींना शैक्षणिक सत्र 2024-2026 या कालावधीकरीता क्षेत्रीय अनुभवाकरीता अनुमती देण्यात येते. सदर प्रशिक्षणार्थी यांची सर्वतोपरी जोखीम आपले खाजगी शैक्षणिक संस्थेची राहील.

क्षेत्रीय वैद्यकीय अनुभवाकरीता प्रशिक्षणार्थी विद्यार्थ्यांना महानगरपालिका आरोग्य विभागाद्वारे कुठलीही प्रत्यक्ष किंवा अप्रत्यक्ष वैद्यकीय मदत अथवा अनुदान/योगदान मिळणार नाही. तथापी, पुढील शैक्षणिक सत्राकरीता आपणास स्वतंत्रपणे परवानगी प्राप्त करावी लागेल.

(डॉ. नरेंद्र बहिरवार)
वैद्यकीय आरोग्य अधिकारी
महानगरपालिका, नागपूर

प्रतिलीपी : -
1) झोनल वैद्यकीय अधिकारी, आशीनगर झोन क्र. 9, महानगरपालिका, नागपूर
2) वैद्यकीय अधिकारी, पाचपावली नागरी आरोग्य केंद्र, महानगरपालिका, नागपूर

Principal
Central India Nursing College
Lonara, Nagpur

Scanned with OKEN Scanner